

EXPRESS FIT

SHOWERING

FLAIRSHOWERS.COM

flair

VERVE

HYDRO

SEPTEMBER 2021

QUICK FIT IN

EXPRESS

INSTALLERS

REDUCING INSTALLATION TIME

ECH©ICE





DESIGNED TO SUIT YOUR **SPACE** AND YOUR BUDGET

For over 65 years Flair have been

Flawless in design and technically perfect, Hydro Express and Verve offers superb quality with a fast fit system that is a firm favourite with professional installers.





developing shower doors and bathscreens for homeowners. Flair have built an expert knowledge of the industry and a comprehensive understanding of customer needs. The tradition of design excellence continues with the launch of the all new Hydro Express and Verve ranges.











SPECIFICATION COMPARISON

Choose to upgrade your Hydro Express to a stylish Verve shower door option.





VERVE WETROOM VERVE **8**E **6** TOUGHENED SAFETY GLASS TOUGHENED SAFETY GLASS Ī 1 1900mm 1900mm \mathbf{F} SOLID CHROME HANDLE DESIGN 50 QUICK RELEASE CHROME DOUBLE WHEEL ROLLER \odot \odot CLEARVUE GLASS COATING CLEARVUE GLASS COATING CHROME PLATED COVER CAPS CHROME PLATED COVER CAPS **50**[§] **25** PRODUCT ADJUSTMENT PRODUCT ADJUSTMENT

CE

EN 14428





Our **EXPRESS FIT** design allows the installer to fit Hydro Express & Verve in a guick and easy manner. We have pre-assembled the screws in the horizontal profile, leaving them ready to slot into place. The screw guide rail in the vertical profile makes it easier for the installer to secure the screws into position.

A simple and clever feature in the shower door design, making it quick and easy for the installer to assemble.





STEP 1

Align the horizontal and vertical shower door profiles together.



STEP 2

Slide pre-assembled screws into place on vertical profile, using the guide rails.



STEP 3

Tighten screws into position through the punched access port.

HYDRO WORKS WITH YOU

VERVE

I Door Quadra 2 Door Quadra Triple Panel Slid Slider Door Corner Entry D **Bi-Fold Door** Pivot Door Wetroom

HYDRO EXPRESS

2 Door Quadra Slider Door Corner Entry D **Bi-Fold Door** Pivot Door

BATHSCREENS

Hydro Bathscree Verve Bathscree

SLIMLINE SHOWER TRAYS SEE PAGE 50

ANTI-SLIP SHOWER TRAYS SEE PAGE 52

WETROOM ACCESSORIES SEE PAGE 56

nt & Offset Quadrant	10	
nt & Offset Quadrant	12	
er Door	14	
	16	
oor	18	
	20	
	24	
	26	

nt & Offset Quadrant	32	
	34	
)oor	36	
	38	
	40	

ens	42
ns	44

SHOWER TRAYS WITH TILING UPSTAND SEE PAGE 54

SHOWER DOOR MEASURING GUIDE SEE PAGE 58



Verve products have 6mm toughened safety glass with Clearvue protective coating to repel unwanted grime and limescale. Each sliding door has quick release double rollers for ease of cleaning. Verve also features an innovative fast fit system that is a firm favourite with installers.

Affordable quality is the essence of the Verve collection.

Verve Matte Black- Anodised Finish Anodising is an electrochemical process that converts the metal surface to a durable, corrosion resistant, anodic oxide finish. The aluminium oxide finish is not just applied to the surface like a paint or plating, but it is fully integrated with the underlying aluminium substrate so that it cannot chip or peel. For Verve Matte Black, this means a superbly robust product that is designed for the busiest of bathroom environments.

KEY FEATURES



POSITIVE MAGNETIC CLOSE ACTIOI















WITHOUT TREATMENT

CLEARVUE HYDROPHOBIC COATING

RESISTS THE BUILD UP OF GRIME AND

LIMESCALE ON THE GLASS SURFACE

WITH TREATMENT

Verve is the latest modern Shower Door collection brought to you by Flair Showers. The range features minimalist chrome profiles and a sleek contemporary handle design.



VERVE 1 DOOR QUADRANT & 1 DOOR OFFSET QUADRANT

VERVE - 1 DOOR QUADRANT

DESCRIPTION	ADJUSTMEN T MIN	MAX	ACCESS	CODE - SILVER	CODE - BLACK
I Door Quadrant 800mm	770mm	795mm	490mm	VOCQ80SC	-
I Door Quadrant 900mm	870mm	895mm	490mm	VOCQ90SC	VOCQ90BC
I Door Quadrant 1000mm	970mm	995mm	490mm	VOCQ100SC	-

VERVE - 1 DOOR OFFSET QUADRANT

DESCRIPTION	ADJUSTMENT MIN	SIZE MAX	ACCESS	CODE - SILVER	CODE - BLACK
Offset Quadrant 800 × 900mm	770-795mm	870-895mm	490mm	VOCQ80X90SC	_
Offset Quadrant 800 × 1000mm	770-795mm	970-995mm	490mm	VOCQ80X100SC	-
Offset Quadrant 900 × 1000mm	870-895mm	970-995mm	490mm	VOCQ90X100SC	-
Offset Quadrant 800 × 1200mm	770-795mm	1170-1195mm	490mm	VOCQ80X120SC	VOCQ80X120BC
Offset Quadrant 900 × 1200mm	870-895mm	1170-1195mm	490mm	VOCQ90X120SC	VOCQ90X120BC



RIGHT HANDED SILVER OFFSET QUADRANT TRAY INSTALLATION





10





*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.

PRODUCT ADJUSTMENT

1900mm

TOUGHENED SAFETY GLASS



SOLID CHROME HANDLE DESIGN









 \mathbf{F}

SOLID CHROME HANDLE DESIGN

0

CLEARVUE GLASS COATING

CHROME PLATED COVER CAPS

VERVE 2 DOOR QUADRANT & 2 DOOR OFFSET QUADRANT


VERVE - 2 DOOR QUADRANT				
DESCRIPTION ADJUSTMENT SIZE				
2 Door Quadrant 800mm	770mm	795mm		
2 Door Quadrant 900mm	870mm	895mm		

DESCRIPTION	ADJUSTMENT S MIN	MAX
Offset Quadrant 800 × 1000mm	770-795mm	970-99
Offset Quadrant 800 x 1200mm	770-795mm	70-
Offset Quadrant 900 x 1100mm	875-895mm	1070-1
Offset Quadrant 900 × 1200mm	870-895mm	70-









PRODUCT ADJUSTMENT

1900mm

TOUGHENED SAFETY GLASS

ACCESS	CODE - SILVER
390mm	VCQ80SC
540mm	VCQ90SC

	ACCESS	CODE - SILVER
5mm	470mm	VCQ80X100SC
195mm	470mm	VCQ80X120SC
095mm	540mm	VCQ90X110SC
195mm	540mm	VCQ90X120SC

AVAILABLE AUTUMN 2021

VERVE TRIPLE PANEL SLIDER

VERVE - SLIDER DOOR

DESCRIPTION	adjustmen Min	T SIZE MAX	ACCESS	CODE - SILVER
Triple Panel Slider Door 900mm	850mm	900mm	437mm	V3SA90SC
Triple Panel Slider Door 1000mm	950mm	1000mm	504mm	V3SA100SC
Triple Panel Slider Door 1100mm	1050mm	1100mm	570mm	V3SAI I OSC
Triple Panel Slider Door 1200mm	1150mm	1200mm	637mm	V3SA120SC

VERVE - SIDE PANELS

DESCRIPTION	adjustmen" Min	T SIZE MAX	ACCESS	CODE - SILVER
Side Panel 700mm	670mm	695mm	-	VSP70SC
Side Panel 760mm	730mm	755mm	-	VSP76SC
Side Panel 800mm	770mm	795mm	-	VSP80SC
Side Panel 900mm	870mm	895mm	-	VSP90SC
Side Panel 1000mm	970mm	995mm	-	VSPI00SC

*30mm compensating bar included with every Verve Side Panel from June 2021.

note,	when	using a	side	panel,	the	maxin	num
	door	adjustn	nent	is redu	iced	by 25	mm.

VERVE - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER
Verve 30mm Compensating Bar	VCB30SC

Please













VERVE SLIDER DOOR

VERVE - SLIDER DOOR

DESCRIPTION	ADJUSTMEN MIN	T SIZE MAX	ACCESS	CODE - SILVER	CODE - BLACK
Slider Door 1000mm	950mm	1000mm	380mm	VSA100SC	-
Slider Door 1100mm	1050mm	1100mm	430mm	VSAIIOSC	VSAIIOBC
Slider Door 1200mm	1150mm	1200mm	480mm	VSA120SC	VSA120BC
Slider Door 1300mm	1250mm	1300mm	530mm	VSA130SC	VSA130BC
Slider Door 1400mm	1350mm	1400mm	580mm	VSA140SC	VSA140BC
Slider Door 1500mm	1450mm	1500mm	580mm	VSA150SC	-
Slider Door 1600mm	1550mm	1600mm	580mm	VSA160SC	VSA160BC
Slider Door 1700mm	1650mm	1700mm	580mm	VSA170SC	VSA170BC
Slider Door 1800mm	1750mm	1800mm	580mm	VSA180SC	-

VERVE - SIDE PANELS

DESCRIPTION	adjustment Min	MAX	ACCESS	CODE - SILVER	CODE - BLACK
Side Panel 700mm	670mm	695mm	-	VSP70SC	VSP70BC
Side Panel 760mm	730mm	755mm	-	VSP76SC	-
Side Panel 800mm	770mm	795mm	-	VSP80SC	VSP80BC
Side Panel 900mm	870mm	895mm	-	VSP90SC	VSP90BC
Side Panel 1000mm	970mm	995mm	-	VSPI00SC	VSPI00BC

*30mm compensating bar included with every Verve Side Panel from June 2021.

VERVE - PROFILE EXTENSION

DESCRIPTION

Verve 30mm Compensating Bar



16





SLIDER DOOR SILVER

Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.

CODE - SILVER CODE - BLACK VCB30SC



VCB30BC



SLIDER DOOR WITH SIDE PANEL SILVER





VERVE CORNER ENTRY

VERVE - CORNER ENTRY						
DESCRIPTION	adjustme Min	MAX	ACCESS	CODE - SILVER		
Corner Entry 700mm	670mm	695mm	345mm	VCE70SSC		
Corner Entry 760mm	730mm	755mm	385mm	VCE76SSC		
Corner Entry 800mm	770mm	795mm	415mm	VCE80SSC		
Corner Entry 900mm	870mm	895mm	485mm	VCE90SSC		
Corner Entry 1000mm	970mm	995mm	555mm	VCEI00SSC		
Corner Entry 1200mm	1170mm	1195mm	555mm	VCE120SSC		



Note:Verve Corner entry is a two box product, code on both boxes are the same.







VERVE **BI-FOLD DOOR**

VERVE - BI-FOLD DOOR

DESCRIPTION	adjustmen Min	T SIZE MAX	ACCESS	CODE - SILVER	CODE - BLACK
Bi-Fold Door 700mm	650mm	700mm	413mm	VBF70SC	-
Bi-Fold Door 760mm	710mm	760mm	473mm	VBF76SC	-
Bi-Fold Door 800mm	750mm	800mm	513mm	VBF80SC	VBF80BC
Bi-Fold Door 900mm	850mm	900mm	613mm	VBF90SC	VBF90BC
Bi-Fold Door 1000mm	950mm	1000mm	713mm	VBFI00SC	VBFI00BC

VERVE - SIDE PANELS

DESCRIPTION	ADJUSTMENT MIN	SIZE MAX	ACCESS	CODE - SILVER	CODE - BLACK
Side Panel 700mm	670mm	695mm	-	VSP70SC	VSP70BC
Side Panel 760mm	730mm	755mm	-	VSP76SC	-
Side Panel 800mm	770mm	795mm	-	VSP80SC	VSP80BC
Side Panel 900mm	870mm	895mm	-	VSP90SC	VSP90BC
Side Panel 1000mm	970mm	995mm	-	VSPI00SC	VSPI00BC

*30mm compensating bar included with every Verve Side Panel from June 2021.

VERVE - INLINE PANELS

DESCRIPTION	CODE - SILVER	CODE - BLAC
Inline Panel 200mm	VIL20SC	_
Inline Panel 300mm	VIL30SC	_
Inline Panel 400mm	VIL40SC	-
Inline Panel 500mm	VIL50SC	-

VERVE - PROFILE EXTENSION


DESCRIPTION	CODE - SILVER	CODE - BL
Verve 30mm Compensating Bar	VCB30SC	VCB30BC

BLACK BC



Please note, when using a side panel, the imum door adjustment is reduced by 25mm.

VERVE BI-FOLD DOOR IN ALCOVE








VERVE PIVOT DOOR AND INLINE PANEL











VERVE PIVOT DOOR MATTE BLACK IN ALCOVE

EFIT QUICK FIT INSTALLATION

E)

XPRESS

INSTALLE

ECHO

REDUCING INSTALLATION TIME

RS CE

VERVE **PIVOT DOOR**

VERVE - PIVOT DOOR

DESCRIPTION	adjustmen Min	T SIZE MAX	ACCESS	CODE - SILVER	CODE - BLACK
Pivot Door 700mm	650mm	700mm	410mm	VPD70SC	-
Pivot Door 760mm	710mm	760mm	470mm	VPD76SC	-
Pivot Door 800mm	750mm	800mm	510mm	VPD80SC	VPD80BC
Pivot Door 900mm	850mm	900mm	610mm	VPD90SC	VPD90BC
Pivot Door 1000mm	950mm	1000mm	710mm	VPD100SC	VPD100BC

VERVE - SIDE PANELS

DESCRIPTION	ADJUSTMENT MIN	SIZE MAX	ACCESS	CODE - SILVER	CODE - BLACK
Side Panel 700mm	670mm	695mm	_	VSP70SC	VSP70BC
Side Panel 760mm	730mm	755mm	-	VSP76SC	-
Side Panel 800mm	770mm	795mm	_	VSP80SC	VSP80BC
Side Panel 900mm	870mm	895mm	-	VSP90SC	VSP90BC
Side Panel 1000mm	970mm	995mm	_	VSPI00SC	VSPI00BC

*30mm compensating bar included with every Verve Side Panel from June 2021.

VERVE - INLINE PANELS

DESCRIPTION	CODE - SILVER	CODE
Inline Panel 200mm	VIL20SC	_
Inline Panel 300mm	VIL30SC	_
Inline Panel 400mm	VIL40SC	_
Inline Panel 500mm	VIL50SC	_

VERVE - PROFILE EXTENSION

DESCRIPTION	CODE - SILVER	CODE
Verve 30mm Compensating Bar	VCB30SC	VCB3







Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.





- BLACK 30BC




VERVE PIVOT DOOR SILVER WITH FRAMELESS SIDE PANEL

VERVE WETROOM SCREENS

Choose a Verve wetroom for a luxurious walk-in shower experience. These versatile screens are suitable for shower tray or wetroom floor application.

Verve wetroom panels are constructed from 8mm toughened safety glass and offer superb quality at an affordable price-tag.



VERVE - POLISHED CHROME FINISH - WETROOMS

DESCRIPTION

Verve 700mm Wetroom With Support Bar - Bright Silve Verve 800mm Wetroom With Support Bar - Bright Silve Verve 900mm Wetroom With Support Bar - Bright Silve Verve 1000mm Wetroom With Support Bar - Bright Silv Verve 1200mm Wetroom With Support Bar - Bright Silv

DESCRIPTION

Verve 300mm Rotating Return Panel - Bright Silver

VERVE - T-PIECE STABILISING BAR

DESCRIPTION

Please Note; Rotating panel Sold Separately.

Verve T-Piece - Bright Silver

圓 RAY

	ADJUSTMENT MIN	SIZE MAX	CODE - SILVER	
er	675mm	690mm	VWR70SC	NEW
er	775mm	790mm	VWR80SC	NEW
er	875mm	890mm	VWR90SC	
lver	975mm	990mm	VWR100SC	
lver	1175mm	1190mm	VWR120SC	


VERVE - POLISHED CHROME FINISH - ROTATING RETURN PANEL

CODE - SILVER

VRP30SC

CODE - SILVER

S-VWRTS



VERVE - NEW MATTE BLACK WETROOM PROFILE KIT						
adjustme Min	NT SIZE MAX	CODE - BLACK				
875mm	890mm	VWRBLACKKIT				
T-PIECE	STABIL	ISING BAR				
		CODE - BLACK				
		S-VWRTBLK				
	ADJUSTME MIN 875mm	ADJUSTMENT SIZE				



*This matte black profile kit will suit Verve wetroom sizes 700mm, 800mm, 900mm, 1000mm & 1200mm. **Not suitable for installation with return panel.











The all new Hydro express is an exciting remodel of Hydro - a tried and trusted brand brought to you by Flair Showers. Hydro's new design is crisp and contemporary with sleek modern handles and minimalist chrome profiles.

Each door is 1850mm high and features 5/6mm toughened safety glass. Quick release rollers ensure easy cleaning while magnetic seals provide a watertight close.

This innovative range also boasts an express fit mechanism that is a firm favourite with installers.

your space and budget.

KEY FEATURES





Hydro Express - Designed to suit

HYDRO EXPRESS 2 DOOR QUADRANT & OFFSET QUADRANT

HYDRO EXPRESS - 2 DOOR QUADRANT ADJUSTMENT SIZE MIN MAX ACCESS CODE - SILVER

		1000	//00200	0001 011/11
2 Door Quadrant 800mm	770mm	795mm	395mm	HYCQ80SC
2 Door Quadrant 900mm	870mm	895mm	545mm	HYCQ90SC

HYDRO EXPRESS - OFFSET QUADRANT

DESCRIPTION	ADJUSTMENT SIZE MIN MAX	ACCESS	CODE - SILVER
Offset Quadrant 800×1000mm	770-795mm 970-995mm	475mm	HYCQ80X100SC
Offset Quadrant 800x1200mm	770-795mm 1170-1195m	m 475mm	HYCQ80X120SC
Offset Quadrant 900x1200mm	870-895mm 1170-1195m	m 545mm	HYCQ90X120SC



CONTEMPORARY HANDLE DESIGN

















HYDRO EXPRESS SLIDER DOOR





QUICK FIT INSTALLATION



HYDRO EXPRESS - SLIDER DOOR

DESCRIPTION	ADJUSTMEN MIN	T SIZE MAX	ACCESS	CODE - SILVER
Slider Door 1000mm	950mm	1000mm	380mm	HYSA100SC
Slider Door 1100mm	1050mm	1100mm	430mm	HYSAIIOSC
Slider Door 1200mm	1150mm	1200mm	480mm	HYSA120SC


HYDRO EXPRESS - SIDE PANELS

		T 017F			
DESCRIPTION	adjustmen Min	MAX	ACCESS	CODE - SILVER	
Side Panel 700mm	670mm	695mm	-	HYSP70SC	
Side Panel 760mm	730mm	755mm	-	HYSP76SC	
Side Panel 800mm	770mm	795mm	-	HYSP80SC	
Side Panel 900mm	870mm	895mm	-	HYSP90SC	
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.					
DESCRIPTION				CODE - SILVER	

Hydro Express Compensating Bar 30mm	HYCB30SC







HYDRO EXPRESS CORNER ENTRY DOOR





HYDRO EXPRESS - CORNER ENTRY						
DESCRIPTION	adjustmen Min	T SIZE Max	ACCESS	CODE - SILVER		
Corner Entry 760mm	730mm	755mm	390mm	HYCE76SC		
Corner Entry 800mm	770mm	795mm	420mm	HYCE80SC		
Corner Entry 900mm	870mm	895mm	490mm	HYCE90SC		











HYDRO EXPRESS BI-FOLD DOORS

HYDRO EXPRESS - BI-FOLD DOOR

DESCRIPTION	adjustmen Min	T SIZE MAX	ACCESS	CODE - SILVER
Bi-Fold Door 760mm	710mm	760mm	473mm	HYBF76SC
Bi-Fold Door 800mm	750mm	800mm	513mm	HYBF80SC
Bi-Fold Door 900mm	850mm	900mm	613mm	HYBF90SC
Bi-Fold Door 1000mm	950mm	1000mm	7I3mm	HYBFI00SC
Bi-Fold Door I I 00mm	1050mm	1100mm	813mm	HYBFIIOSC

HYDRO EXPRESS - SIDE PANELS

DESCRIPTION	ADJUSTMEN MIN	T SIZE MAX	ACCESS	CODE - SILVER	
	(70	(05			
Side Panel 700mm	670mm	695mm	-	HYSP70SC	
Side Panel 760mm	730mm	755mm	-	HYSP76SC	
Side Panel 800mm	770mm	795mm	-	HYSP80SC	
Side Panel 900mm	870mm	895mm	-	HYSP90SC	
Please note, when using a side panel, the maximum door adjustment is reduced by 25mm.					
DESCRIPTION					

DESCRIPTION	CODE - SILVER
30mm Wall Profile Extension	HYCB30SC



BI-FOLD DOOR WITH SIDE PANEL

QUICK FIT INSTALLATION



REVERSIBLE FOR LEFT OR RIGHT HANDED INSTALLATION

POSITIVE MAGNETIC CLOSE ACTION









HYDRO EXPRESS PIVOT DOOR

HYDRO EXPRESS - PIVOT DOOR

DESCRIPTION	adjustment Min	SIZE Max
Pivot Door 760mm	710mm	760mm
Pivot Door 800mm	750mm	800mm
Pivot Door 900mm	850mm	900mm

HYDRO EXPRESS - SIDE PANELS

		ADJUSTMENT SIZE	
DESCRIPTION	MIN	MAX	
Side Panel 700mm	670mm	695mr	
Side Panel 760mm	730mm	755mr	
Side Panel 800mm	770mm	795mr	
Side Panel 900mm	870mm	895mr	

Please note, when using a side panel, the maximum door adjustment is rec

DESCRIPTION

Hydro Express Compensating Bar 30mm





40

ACCESS	CODE - SILVER
480mm	HYPD76SC
520mm	HYPD80SC
620mm	HYPD90SC

	ACCESS	CODE - SILVER
n	-	HYSP70SC
n	-	HYSP76SC
n	-	HYSP80SC
n	-	HYSP90SC
duced by 25mm.		
		CODE - SILVER

HYCB30SC

HYDRO 4 & 5 PANEL BATHSCREENS



HYDRO - BATHSCREEN

DESCRIPTION	SIZE	COLOUR	CODE
4 Panel Bath Screen	1400 x 850mm	Silver	PBSG4SC
5 Panel Bath Screen	1400 x 1100mm	Silver	PBSG5SC
5 Panel Bath Screen	1400 x 1100mm	White	PBSG5WC


BATH PANELS

High gloss acrylic white bath panels.

BATH PANELS				
PRODUCT DESCRIPTION	SIZE	COLOUR	CODE	
Front Bath Panel	533 x 1700mm	White	BP5FWH	
End Bath Panel	533 x 71 l mm	White	BP5EWH	



IMPORTANT NOTE:



These bath screens are a water deflector and splash proof only.
It is advised that all bath screens are fitted to the inside edge of the bath to ensure maximum effectiveness.

VERVE CURVED BATHSCREENS



6MM CURVED 2 PANEL BATHSCREEN BOTH PANELS ROTATING - VBS5SC



6мм CURVED 2 PANEL BATH SCREEN -1 FIXED & 1 ROTATING PANEL - VBS7SC



- These bath screens are a water deflector and splash proof only.It is advised that all bath screens are fitted to the inside edge
- of the bath to ensure maximum effectiveness.




6мм SAIL BATHSCREEN WITH TOWEL RAIL- VBS12SC

VERVE - CURVED BATHSCREENS


DESCRIPTION

6mm Curved 2 Panel Bathscreen Both Panels Rotating 6mm Curved 2 Panel Bathscreen - | Fixed & | Rotating Panel 6mm Sail Bathscreen With Towel Rail 6mm Curved Rotating Bathscreen 6mm Curved Rotating Bathscreen With Towel Rail Verve Bathscreen L-Shape Silver Profile with Cover Strip - 150





6мм CURVED ROTATING BATHSCREEN - VBSISC




6мм CURVED ROTATING BATHSCREEN WITH TOWEL RAIL - VBS3SC

	HEIGHT	WIDTH	CODE
	1500mm	900mm	VBS5SC
<u>.</u>	1500mm	900mm	VBS7SC
	1500mm	800mm	VBS12SC
	1400mm	800mm	VBSISC
	1500mm	800mm	VBS3SC
00mm (2	Profiles Per	Pack)	S-VLPSC


IMPORTANT NOTE:

- These bath screens are a water deflector and splash proof only.
 It is advised that all bath screens are fitted to the inside edge of the bath to ensure maximum effectiveness.



6мм 2 PANEL SCREEN -BOTH PANELS ROTATING - SQUARE EDGE - VBS6SC





6мм 2 PANEL BATH SCREEN -1 FIXED & 1 ROTATING PANEL - VBS8SC

VERVE - SQUARE BATHSCREENS

DESCRIPTION

6mm 2 Panel Screen - Both Panels Rotating - Square Edge 6mm 2 Panel Bath Screen - I Fixed & I Rotating Panel 6mm Rotating Bathscreen - Square Edge with Towel Rail

VERVE SQUARE BATHSCREENS


6мм ROTATING BATHSCREEN -SQUARE EDGE WITH TOWEL RAIL - VBS4SC

HEIGHT	WIDTH	CODE
1500mm	900mm	VBS6SC
1500mm	900mm	VBS8SC
1500mm	800mm	VBS4SC

VERVE SQUARE BATHSCREENS



6мм ROTATING BATHSCREEN -SQUARE EDGE - VBS2SC



6мм FIXED BATHSCEEN WITH CHROME ANGLED SUPPORT BAR - VBSIOSC




6мм BATHSCREEN DEFLECTOR -300мм WIDE - FBSG30SG

VERVE - SQUARE BATHSCREENS

DESCRIPTION

6mm Rotating Bathscreen - Square Edge 6mm Fixed Bathsceen with Chrome Angled Support Bar 6mm Bathscreen Deflector - 300mm Wide Curtain Rail Bathscreen 300mm





CURTAIN RAIL BATHSCREEN 300MM - VBS9SC

HEIGHT	WIDTH	CODE
1400mm	800mm	VBS2SC
1400mm	850mm	VBSIOSC
1430mm	300mm	FBSG30SG
1400mm	850mm	VBS9SC

SLIMLINE SHOWER TRAYS

Extensive selection of shower tray shapes and sizes to complement your bathroom to accompany the Hydro Express and Verve Ranges.

- Strong and rigid construction
- Manufactured to British Standard BS6340/5
- Tough high gloss ABS acrylic capped surface finish
- Easy-to-clean and maintain

SHOWER TRAY INSTALLATION All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.



SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
800×700 mm Slimline Rectangle Tray	TSL8070R
900 × 700mm Slimline Rectangle Tray	TSL9070R
900 × 760mm Slimline Rectangle Tray	TSL9076R
900 × 800mm Slimline Rectangle Tray	TSL9080R
1000 × 700mm Slimline Rectangle Tray	TSLI0070R
1000 × 760mm Slimline Rectangle Tray	TSLI0076R
1000 × 800mm Slimline Rectangle Tray	TSLI0080R
1000 × 900mm Slimline Rectangle Tray	TSL10090R
1100 × 700mm Slimline Rectangle Tray	TSLI 1070R
I 100 × 760mm Slimline Rectangle Tray	TSLI 1076R
I 100 × 800mm Slimline Rectangle Tray	TSLI 1080R
I 100 × 900mm Slimline Rectangle Tray	TSLI 1090R
1200 × 700mm Slimline Rectangle Tray	TSLI2070R
1200 × 760mm Slimline Rectangle Tray	TSLI2076R
1200 × 800mm Slimline Rectangle Tray	TSLI2080R
1200 × 900mm Slimline Rectangle Tray	TSLI2090R
1 300 × 800mm Slimline Rectangle Tray	TSLI 3080R
1 300 × 900mm Slimline Rectangle Tray	TSLI 3090R
1400 × 700mm Slimline Rectangle Tray	TSL14070R
1400 × 800mm Slimline Rectangle Tray	TSL14080R
1400 × 900mm Slimline Rectangle Tray	TSL14090R
1500 × 700mm Slimline Rectangle Tray	TSL15070R
1500 × 760mm Slimline Rectangle Tray	TSLI5076R
1500×800 mm Slimline Rectangle Tray	TSLI5080R
1500 × 900mm Slimline Rectangle Tray	TSL15090R
1600 × 700mm Slimline Rectangle Tray	TSLI6070R
1600 × 800mm Slimline Rectangle Tray	TSLI6080R
1600 × 900mm Slimline Rectangle Tray	TSL16090R
1700 × 700mm Slimline Rectangle Tray	TSL17070R
1700 × 750mm Slimline Rectangle Tray	TSLI7075R
1700 x 800mm Slimline Rectangle Tray	TSL17080R
1700 x 900mm Slimline Rectangle Tray	TSL17090R
1800 x 800mm Slimline Rectangle Tray	TSL18080R
1800 x 900mm Slimline Rectangle Tray	TSL18090R
2000 × 900mm Slimline Rectangle Tray	TSL20090R



SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
700×700 mm Slimline Square Tray	TSL70S
760×760 mm Slimline Square Tray	TSL76S
800×800 mm Slimline Square Tray	TSL80S
900 \times 900mm Slimline Square Tray	TSL90S
1000 × 1000mm Slimline Square Tray	TSL100S
1200 × 1200mm Slimline Square Tray	TSLI20S

SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
800 × 800mm Slimline Quadrant Tray	TSL80Q
900 × 900mm Slimline Quadrant Tray	TSL90Q
1000 × 1000mm Slimline Quadrant Tray	TSL100Q

OFFSET QUADRANT

PRODUCT DESCRIPTION

CODE

900 × 800mm Offset Quadrant Tray - Left	TSL9080LOQ
900 × 800mm Offset Quadrant Tray - Right	TSL9080ROQ
1000 × 800mm Offset Quadrant Tray - Left	TSL10080LOQ
1000 × 800mm Offset Quadrant Tray - Right	TSL10080ROQ
1000 × 900mm Offset Quadrant Tray - Left	TSL10090LOQ
1000 × 900mm Offset Quadrant Tray - Right	TSL10090ROQ
1100 x 800mm Offset Quadrant Tray - Left	TSLI 1080LOQ
1100 × 800mm Offset Quadrant Tray - Right	TSLI I 080ROQ
1100 x 900mm Offset Quadrant Tray - Left	TSLI I 090LOQ
1100 × 900mm Offset Quadrant Tray - Right	TSLI I 090ROQ
1200 × 800mm Offset Quadrant Tray - Left	TSL12080LOQ
1200×800 mm Offset Quadrant Tray - Right	TSLI 2080ROQ
1200 × 900mm Offset Quadrant Tray - Left	TSL12090LOQ
$1200 \times 900 \text{mm}$ Offset Quadrant Tray - Right	TSLI 2090ROQ

NOTE: It is normal for a small amount of localized water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.









OFFSET QUADRANT **RIGHT HAND**

ANTI-SLIP SHOWER TRAYS

ANTI-SLIP SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Rectangle Tray 1000 × 800mm	ASTSL10080R
Anti-Slip Slimline Rectangle Tray 1000 × 900mm	ASTSL10090R
Anti-Slip Slimline Rectangle Tray 00 × 800mm	ASTSLI 1080R
Anti-Slip Slimline Rectangle Tray 100 × 900mm	ASTSLI 1090R
Anti-Slip Slimline Rectangle Tray 1200 × 700mm	ASTSL12070R
Anti-Slip Slimline Rectangle Tray 200 × 760mm	ASTSL12076R
Anti-Slip Slimline Rectangle Tray 200 × 800mm	ASTSL12080R
Anti-Slip Slimline Rectangle Tray 200 × 900mm	ASTSL12090R
Anti-Slip Slimline Rectangle Tray 1400 × 700mm	ASTSL14070R
Anti-Slip Slimline Rectangle Tray 1400 × 800mm	ASTSL14080R
Anti-Slip Slimline Rectangle Tray 1400 × 900mm	ASTSL14090R
Anti-Slip Slimline Rectangle Tray 500 × 700mm	ASTSL15070R
Anti-Slip Slimline Rectangle Tray 1500 × 800mm	ASTSL15080R
Anti-Slip Slimline Rectangle Tray 500 × 900mm	ASTSL15090R
Anti-Slip Slimline Rectangle Tray 1 600 × 700mm	ASTSL16070R
Anti-Slip Slimline Rectangle Tray 600 × 800mm	ASTSL16080R
Anti-Slip Slimline Rectangle Tray 1600 × 900mm	ASTSL16090R
Anti-Slip Slimline Rectangle Tray 1700 × 700mm	ASTSL17070R
Anti-Slip Slimline Rectangle Tray 1700 × 800mm	ASTSL17080R
Anti-Slip Slimline Rectangle Tray 1700 × 900mm	ASTSL17090R

ANTI-SLIP SLIMLINE SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Square Tray 800mm	ASTSL80S
Anti-Slip Slimline Square Tray 900mm	ASTSL90S
Anti-Slip Slimline Square Tray 1000mm	ASTSLI00S

ANTI-SLIP SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Quadrant Tray 800mm	ASTSL80Q
Anti-Slip Slimline Quadrant Tray 900mm	ASTSL90Q
Anti-Slip Slimline Quadrant Tray 1000mm	ASTSLI00Q

- Anti-slip coating for extra safety in the showering space

- Pendulum slip tested, in accordance with British Standard BS7976:2
- Classified as low slip potential



SHOWER TRAY INSTALLATION All shower trays must be installed as per instructions supplied. Please note: Silicone sealants, foams, mastics, installation compound adhesive etc. must not be used as a substitute for cement. Ensure shower tray is installed 100% level and water test to ensure it is draining correctly. Fitting of Shower Tray is acceptance of quality.



NOTE: It is normal for a small amount of localized water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

ANTI-SLIP OFFSET QUADRANT

PRODUCT DESCRIPTION

Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Left ASTSL10080LOQ Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - Right ASTSL10080ROQ Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Left ASTSL10090LOQ Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - Right ASTSL10090ROQ Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Left Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - Right ASTSL12080ROQ Anti-Slip Slimline Offset Quadrant Tray 1200 × 900mm - Left Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - Right ASTSL12090ROQ

CORNER SHOWER TRAY WASTES

CORNER SHOWER TRAY WASTES

PRODUCT DESCRIPTION

800 x 800mm Slimline Quadrant Tray - Corner Waste 900 x 900mm Slimline Quadrant Tray - Corner Waste 800 x 800mm Slimline Square Tray - Corner Waste 900 x 900mm Slimline Square Tray - Corner Waste 900 x 800mm Slimline Rectangle Tray - Corner Waste 1000 x 800mm Slimline Rectangle Tray - Corner Waste 1200 × 800mm Slimline Rectangle Tray - Corner Waste 1200 × 900mm Slimline Rectangle Tray - Corner Waste



SQUARE TRAY

RECTANGLE TRAY CORNER WASTE

CORNER WASTE

С	O	DE

ASTSL12080LOQ ASTSL12090LOQ

\sim	\sim	г

CTSL800

CTSL900

CTSL80S

CTSL90S

CTSL9080R

CTSL10080R

CTSL12080R

CTSL12090R



900mm QUADRANT TRAY CORNER WASTE



800mm QUADRANT TRAY CORNER WASTE

SLIMLINE SHOWER TRAYS WITH TILING UPSTAND

EASY PLUMB KIT SUITS ALL SLIMLINE SHOWER TRAYS

SLIMLINE SQUARE


PRODUCT DESCRIPTION	CODE
Slimline Tray 760mm Square Tray Upstand With Waste	TSL76SU
Slimline Tray 800mm Square Tray Upstand With Waste	TSL80SU
Slimline Tray 900mm Square Tray Upstand With Waste	TSL90SU

SLIMLINE RECTANGLE

PRODUCT DESCRIPTION	CODE
Slimline Tray 900 x 760mm Rectangle Tray Upstand With Waste	TSL9076RU
Slimline Tray 1000 \times 760mm Rectangle Tray Upstand With Waste	TSLI0076RU
Slimline Tray 1000 \times 800mm Rectangle Tray Upstand With Waste	TSL10080RU
Slimline Tray 1200 \times 760mm Rectangle Tray Upstand With Waste	TSLI2076RU
Slimline Tray 1200 \times 800mm Rectangle Tray Upstand With Waste	TSLI 2080RU
Slimline Tray 1200 × 900mm Rectangle Tray Upstand With Waste	TSLI 2090RU
Slimline Tray 1400 \times 800mm Rectangle Tray Upstand With Waste	TSLI 4080RU
Slimline Tray 1400 \times 900mm Rectangle Tray Upstand With Waste	TSL14090RU
Slimline Tray 1700 x 750mm Rectangle Tray Upstand With Waste	TSL17075RU

SLIMLINE QUADRANT

PRODUCT DESCRIPTION	CODE
Slimline Tray 800mm Quadrant Upstand With Waste	TSL80QU
Slimline Tray 900mm Quadrant Upstand With Waste	TSL90QU





SLIMLINE SQUARE TRAY INCLUDING SHOWER WASTE AND UPSTAND



SLIMLINE RECTANGLE TRAY INCLUDING SHOWER WASTE AND UPSTAND




SLIMLINE QUADRANT TRAY INCLUDING SHOWER WASTE AND UPSTAND

Slimline easy plumb shower kits have adjustable

any of the Flair slimline trays and a kit.

(Suitable for maximum tray size of 2000mm)




PROSEAL WATERPROOF BARRIER SEAL

Flexible up-stand seal installed onto shower trays, baths and worktops eliminating the risk of water leakage.


	DC	NC.		Λ	
E	КC)5	=	А	L

PRODUCT DESCRIPTION	CODE
ProSeal 2 metre Roll	PROS2.0M
ProSeal 2.5 metre Roll	PROS2.5M
ProSeal 3 metre Roll	PROS3.0M
ProSeal 3.5 metre Roll	PROS3.5M
ProSeal 4 metre Roll	PROS4.0M
ProSeal 10 metre Roll	PROSI0.0M
ProSeal 20 metre Roll	PROS20.0M









METRIC CONVERTER NOMINAL GUIDE ONLY

METRIC (MM)	FEET (FT)	INCHES (INS)
700	2 ft 3.5	27.5
760	2 ft 6.0	30
800	2 ft 7.5	31.5
900	2 ft 11.4	35.5
1000	3 ft 3.5	39.5
1100	3 ft 7.3	43.3
1200	3 ft 11.2	47.2

Timbers placed at right angles to determine C

*All Flair Quadrant and Offset Quadrant trays have a 550mm radius.

Radius (mm)

500

525

550


Distance 'C' (mm)

207


288

249

The space left after tiling will determine the shower door size required.



FOR A CORNER



Measurement

А

В

С

QUALITY GUARANTEED

QUALITY GUARANTEED

At Flair we have an unwavering commitment to product quality.

All Flair products are CE approved and manufactured in accordance with ISO 9001 :2000 Quality Assurance systems. All glass is toughed safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.



HYDRO shower doors and bath screens are covered by a 10 year guarantee against manufacturer defect.



VERVE shower doors, bath screens and wetrooms are covered by a 20 year guarantee against manufacturer defect.

This guarantee is valid on condition that the goods are installed and maintained in accordance with the products fitting instructions and best practices.

Non glass and detachable parts such as rollers, seals etc. are subject to normal wear and tear during usage and are under guarantee for 12 months from time of purchase.


Please complete your product guarantee card included in the components box or register online at flairshowers.com/register.

Note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.

If a Flair shower enclosure is defective in materials or manufacture, please contact us on 00353 42 966 8000.

CLEARVUE GLASS TREATMENT SYSTEM

VERVE shower doors, wetroom panels and bath screens are supplied with a special glass coating designed to reduce limescale build up and make cleaning the glass easier.



WITHOUT TREATMENT

AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence.

We carry a full range of spare parts for each product range and have dedicated aftersales specialists to deal with any issues you may have.


If you have any queries, please contact Flair on 00353 42 966 8000.

RETURN POLICY

Flair will not accept return of any product that has been opened.

We do not accept return of any product if the packaging has been damaged.

If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice price will be charged.



- fitted to the glass.
- than repelling.
- The shower enclosure should be sealed on the outside only using silicone sealant.

SHOWER DOOR INSTALLATION ADVICE

BEFORE YOU INSTALL YOUR SHOWER ENCLOSURE PLEASE READ ALL INSTRUCTIONS, FAILURE TO DO SO MAY LEAD TO INVALIDATION OF YOUR GUARANTEE.

Flair Showers Ltd will not accept responsibility for any loss or damage, however caused, if the shower enclosure has not been installed as per the instructions.

- The shower tray MUST be fitted 100% level. The shower tray must be sealed correctly to prevent any water leakage.
- Glass edges are vulnerable and should be treated with care at all times. Contact with hard surfaces may result in glass breakage if due care is not taken. Check walls for electrical cabling or
- water pipes before drilling.
- Your shower enclosure, bath screen or wetroom must be inspected before installation. Check for all visual defects on the product before installation. Once the enclosure has been installed no claims of damage or defect will be accepted. Fitting of shower enclosure is acceptance of quality.
- The wall plugs supplied with the shower door are for use in solid walls. Timber frame, stud partition walls will require alternative fixings.
- Ensure vertical wall profiles are level and are an equal distance in from the trav
- Bath Screens and Side Panels are stated. All dimensions are
- Ensure adjustment at wall profiles are equal at both sides and that all screws
- Ensure hinges are level and securely

- Shower Doors, Wetroom Screens,
- adjustable between the dimensions approximate.

- Ensure magnets are the right orientation and are attracting rather



technical engineer's time. Subsequent charges will apply "to fix" a problem caused by incorrect installation.

BATH SCREEN INSTALLATION

- Care must be taken during assembly.

Flair will not accept responsibility where incorrect assembly results

in undue stress being put on any

components in this product.

- If there are any manufacturer

The bath screen must be installed on a 100% level surface with the bath edge free from obstructions.

Bath screens should not be used on a bath with roll top rim, stepped edge rim or where the bath handle void meets the bath screen seal. This will impact on the performance of the bathscreen and the guarantee will be void. The Bath screen should be fitted to the inside edge of the bath only.

A bath screen acts as a water deflector and is not 100% waterproof. If used appropriately under normal showering conditions and installed to the inside edge of the bath, water will be deflected into the showering area. Bath Screens are not suitable for power showers.

SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower Tray is acceptance of quality.

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

CLEANING GUIDELINES

- - with a pH of 5-8.

CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.


As part of our continuing policy of product improvement, we reserve the right to amend specifications, colours and prices without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads and shower wastes in the brochure is for illustrative purposes only.

*Errors and Omissions Exempt.

- Glass: Use a soft cloth and mild detergent, rinse off thoroughly. - Metallic Surfaces: Use a soft cloth and warm soapy water. Rinse off thoroughly. Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads. Only use detergents, cleaners and limescale removers

- The constant use of detergents will degrade the finish of the product over time if not thoroughly rinsed off. - In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with the use of a mild limescale remover. Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit/ dirt which may have collected over time.











DESIGNED TO SUIT YOUR **SPACE** AND YOUR BUDGET

HYDRO WORKS WITH YOU

VERVE HYDRO EXPRESS

EXPRESS FIT SHOWERING

EXPRES

QUICK FIT INSTALLATION





T +353 42 966 8000 E sales@flairshowers.com

FLAIRSHOWERS.COM

