

---

CREATING  
PERFECT  
HARMONY™

# HARMONY COLLECTIONS

UK - MARCH 2026



FIND  
YOUR  
FLAIR

ORO ETO ILI AYO

[FLAIRSHOWERS.COM](https://flairshowers.com)

# Care, craftsmanship and quality since 1952 in the everyday.

Flair have been designing showering solutions for over 70 years and perfecting them since. Our products are beautifully designed by our team of designers in Dublin and expertly engineered to stand the test of time in the busiest of bathrooms. From humble beginnings in Cavan, Ireland we are now a leader in creating quality showering solutions for the European market.

Attention to detail is seen in Flair's design language and careful consideration is given to every aspect of our shower enclosure and wetroom designs. Customer care is a core value for us - a happy customer is at the heart of everything we do.

Flair are proud recipients of several international design awards and hold numerous patents for our **Harmony Collections**. In recent years, our ORO, ETO, ILI and AYO product collections have all been recognised for their excellence in design, innovation and product quality.

flair  
—

# SURROUND YOURSELF WITH BEAUTY.



WATCH  
THE  
VIDEO



CREATING  
PERFECT  
HARMONY™

flair

FLAIR SHOWERS 9

ORO® COLLECTION 12

ETO® COLLECTION 46

ILI® COLLECTION 82

AYO® COLLECTION 108

SHOWER TRAYS 166

QUALITY GUARANTEED 180

HARMONY  
COLLECTIONS



# flair

---


At Flair our vision is to produce beautifully designed, expertly crafted showering solutions for everyone and every space so that you can **surround yourself with beauty** and **savour those precious moments** in your everyday. We do this by pushing the frontiers of shower design, with every little detail carefully considered to make the daily routine as harmonious as possible.

For many, showering has the power to lift spirits, calm the mind and invigorate. As you step into a Flair Shower, we encourage you to savour those precious moments in your sacred daily rituals.

Surround yourself with beauty.

**FIND YOUR FLAIR.  
CAPTURE THE MOMENT.**

# NEW PRODUCT DEVELOPMENT.



IDEA  
CONCEPT  
PROTOTYPE

With over 70 years of design and innovation behind us, at Flair we know that quality always stands above all.

Our local design team, driven by passion, pushes the boundaries of innovation - always discovering, evolving, and learning.

Every detail is a deliberate choice, carefully crafted to reflect beautiful design in every line and finish.

This is where innovation and quality come together in perfect balance.



ORO ETO ILI AYO



## DESIGN AWARDS

Flair are proud to have received three design accolades in recognition of the ORO shower door collection.



The **Good Design Award**, **RedDot Award**, and **iF Design Award** are seals of global design excellence and a testimony to our passion for product quality and innovation.



## PATENTED MAGNETIC GUIDE

The patented Magnetic Guide System is the first of the kind in the industry. It ensures the smoothest of motion for each sliding door as it glides along the bottom rail.



EXPLORE  
ORO

# THE ORO<sup>®</sup> COLLECTION

**ORO - the epitome of grace & beauty.**

With a graceful aesthetic, the award winning ORO collection is a union of design innovation and functional perfection. This signature collection sets the standard in frameless shower door design.

The hand crafted ORO door handles are one of a kind and distinctly individual. The patented magnetic guide system provides a smooth and effortless gliding action for each sliding door. Elegance shines through the curved profile and hinge detailing.

Each ORO detail is carefully considered to enhance your experience every day.

# FRAMELESS & ULTRA FRAMELESS 8mm SHOWER ENCLOSURE COLLECTION



# ORO®



SLIDING  
20



HINGE & HINGE  
AND INLINE  
28



SLIDING  
QUADRANT  
& OFFSET  
QUADRANT  
24



BIFOLD  
36




HINGED  
QUADRANT  
& OFFSET  
QUADRANT  
26



ULTRA  
FRAMELESS  
COLLECTION  
38

# DOORS



SILVER



MATTE BLACK

# FINISHES

S - Silver  
B - Matte Black





# FUNCTIONAL DETAILS

<p><b>8mm</b> TOUGHENED SAFETY GLASS</p>	<p><b>2000mm</b> HEIGHT</p>	<p><b>20mm</b> PROFILE ADJUSTMENT</p>			
<p>ULTRA CLEAR SEALS</p>	<p>SEAMLESS INTERIOR COVER STRIPS</p>	<p>ULTRA SLIM COVER CAPS</p>	<p>CRAFTED HANDLE DESIGN</p>	<p>CLEARVUE HYDROPHOBIC GLASS COATING</p>	<p><b>10mm</b> ULTRA LOW BOTTOM RAIL</p>
<p>CUSHION CLOSE DAMPENER MECHANISM</p>	<p>PATENTED MAGNETIC GUIDE SYSTEM</p>	<p>COUNTERSUNK INTERIOR HINGES</p>	<p>SHOWER TRAY OR WETROOM APPLICATION</p>	<p>LIFETIME GUARANTEE</p>	



EXPLORE  
ORO



# VISIONARY INNOVATIONS



PATENTED MAGNETIC GUIDE SYSTEM PROVIDES THE SMOOTHEST OF MOTION FOR EACH SLIDING DOOR



CURVED RADIUS DESIGN DETAILING



SIGNATURE HANDLE DESIGN



CURVED HINGE DESIGN



COUNTERSUNK INTERIOR HINGES FOR EASY CLEANING



UNIQUELY CRAFTED BI-FOLD HANDLE

# SLIDING DOOR

## FINISHES:

SILVER **MATTE BLACK**

The ORO Sliding Door glides effortlessly with patented magnetic guidance, 8mm toughened glass, a floating top rail, and a uniquely designed handle for a seamless experience.




SLIDING DOOR (RIGHT HAND)  
WITH SEMI FRAMED SIDE PANEL - SILVER

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
1100 - Left Hand	1060	1100	430	OROSA110LSC	-
1100 - Right Hand	1060	1100	430	OROSA110RSC	-
1200 - Left Hand	1160	1200	480	OROSA120LSC	OROSA120LBC
1200 - Right Hand	1160	1200	480	OROSA120RSC	OROSA120RBC
1400 - Left Hand	1360	1400	580	OROSA140LSC	OROSA140LBC
1400 - Right Hand	1360	1400	580	OROSA140RSC	OROSA140RBC
1500 - Left Hand	1460	1500	580	OROSA150LSC	OROSA150LBC
1500 - Right Hand	1460	1500	580	OROSA150RSC	OROSA150RBC
1600 - Left Hand	1560	1600	580	OROSA160LSC	-
1600 - Right Hand	1560	1600	580	OROSA160RSC	-

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	-
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	-
1200	1170	1190	OROSP120SC	-



## ACCESSORIES

DESCRIPTION	CODE	CODE
	SILVER	MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC

Note: Sliding Door may also be installed to close onto Side Panel, please check door handing before ordering.



SLIDING DOOR (LEFT HAND) IN ALCOVE -  
MATTE BLACK


# SLIDING DOOR WITH TWO INLINE PANELS

FINISHES:

SILVER

MATTE BLACK

The sliding door with two inline panels can be installed in an alcove or with a frameless side panel option and is the perfect choice for a large, luxurious showering zone.



## DOOR SIZE OPTIONS


SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
1400 - Left Hand	1360	1400	493	OROSA2IL140LSC	OROSA2IL140LBC
1400 - Right Hand	1360	1400	493	OROSA2IL140RSC	OROSA2IL140RBC
1500 - Left Hand	1460	1500	542	OROSA2IL150LSC*	OROSA2IL150LBC
1500 - Right Hand	1460	1500	542	OROSA2IL150RSC*	OROSA2IL150RBC
1600 - Left Hand	1560	1600	542	OROSA2IL160LSC	OROSA2IL160LBC
1600 - Right Hand	1560	1600	542	OROSA2IL160RSC	OROSA2IL160RBC
1700 - Left Hand	1660	1700	614	OROSA2IL170LSC	OROSA2IL170LBC
1700 - Right Hand	1660	1700	614	OROSA2IL170RSC	OROSA2IL170RBC
1800 - Left Hand*	1760	1800	614	OROSA2IL180LSC*	OROSA2IL180LBC*
1800 - Right Hand*	1760	1800	614	OROSA2IL180RSC*	OROSA2IL180RBC*
1900 - Left Hand	1860	1900	614	OROSA2IL190LSC*	-
1900 - Right Hand	1860	1900	614	OROSA2IL190RSC*	-
2000 - Left Hand*	1960	2000	614	OROSA2IL200LSC*	OROSA2IL200LBC*
2000 - Right Hand*	1960	2000	614	OROSA2IL200RSC*	OROSA2IL200RBC*

## FRAMELESS SIDE PANEL OPTIONS \*To suit sliding door with two inline panels only

SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700 (SA2IL specific)	660	680	-	OROSA2ILSP70BC
800 (SA2IL specific)	760	780	OROSA2ILSP80SC	OROSA2ILSP80BC
900 (SA2IL specific)	860	880	OROSA2ILSP90SC	OROSA2ILSP90BC
1000 (SA2IL specific)	960	980	-	OROSA2ILSP100BC
1200 (SA2IL specific)	1160	1180	-	OROSA2ILSP120BC

Note - Two side panels can be made used to make a three sided enclosure.

\*Discontinued once stock is sold.



RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND FRAMELESS SIDE PANEL\* - SILVER

SLIDING DOOR WITH TWO INLINE PANELS

ORO

8mm GLASS


# SLIDING QUADRANT & OFFSET QUADRANT DOOR

FINISHES:

SILVER MATTE BLACK

The ORO Sliding Quadrant blends creative engineering with a floating top rail, concealed rollers, and a patented magnetic guide for effortless gliding and a sleek, polished look.

The ORO Sliding Offset Quadrant impresses with a floating rail, concealed rollers, a patented magnetic guide for smooth gliding, and perfectly symmetrical chrome handle.



SLIDING OFFSET QUADRANT (LEFT HAND) - SILVER  
(To suit left hand offset quadrant shower tray)



## SLIDING QUADRANT – DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
900 - Left Hand	870	890	480	OROSQ90LSC	OROSQ90LBC
900 - Right Hand	870	890	480	OROSQ90RSC	OROSQ90RBC
1000 - Left Hand*	970	990	480	OROSQ100LSC*	OROSQ100LBC*
1000 - Right Hand*	970	990	480	OROSQ100RSC*	OROSQ100RBC*

## SLIDING OFFSET QUADRANT – DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
1000 x 800 - Left Hand	770-970	790-990	480	OROSQ80X100LSC	-
1000 x 800 - Right Hand	770-970	790-990	480	OROSQ80X100RSC	-
1000 x 900 - Left Hand*	870-970	890-990	480	OROSQ90X100LSC*	-
1000 x 900 - Right Hand*	870-970	890-990	480	OROSQ90X100RSC*	-
1200 x 800 - Left Hand	770-1170	790-1190	480	-	OROSQ80X120LBC
1200 x 800 - Right Hand*	770-1170	790-1190	480	OROSQ80X120RSC	OROSQ80X120RBC
1200 x 900 - Left Hand	870-1170	890-1190	480	OROSQ90X120LSC	OROSQ90X120LBC
1200 x 900 - Right Hand	870-1170	890-1190	480	OROSQ90X120RSC	OROSQ90X120RBC

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
	20mm Compensating Wall Profile	OROCB20SC

\*Discontinued once stock is sold.



SLIDING QUADRANT (RIGHT HAND) - MATTE BLACK


# HINGED QUADRANT & OFFSET QUADRANT DOOR

FINISHES:

SILVER MATTE BLACK

The ORO Hinged Quadrant exudes elegance with frameless curved glass, seamless stabilising bars, flush hinges for easy cleaning, and ultra-clear magnetic seals for a perfect close.

The ORO Offset Hinged Quadrant sets the standard in frameless design with curved glass, minimalist stabilising bars, flush hinges for easy cleaning, and ultra-clear magnetic seals for a perfect close.



HINGED OFFSET QUADRANT (LEFT HAND) - SILVER



## HINGED QUADRANT – DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
900 - Left Hand	870	890	570	OROHQ90LSC	OROHQ90LBC
900 - Right Hand	870	890	570	OROHQ90RSC	OROHQ90RBC
1000 - Left Hand*	970	990	570	OROHQ100LSC*	OROHQ100LBC
1000 - Right Hand*	970	990	570	OROHQ100RSC*	OROHQ100RBC

## OFFSET HINGED QUADRANT – DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
1000 x 800 - Left Hand	770-970	790-990	570	OROHQ80X100LSC	-
1000 x 800 - Right Hand	770-970	790-990	570	OROHQ80X100RSC	-
1000 x 900 - Left Hand	870-970	890-990	570	OROHQ90X100LSC*	-
1000 x 900 - Right Hand	870-970	890-990	570	OROHQ90X100RSC*	-
1200 x 800 - Left Hand	770-1170	790-1190	570	OROHQ80X120LSC	OROHQ80X120LBC
1200 x 800 - Right Hand	770-1170	790-1190	570	OROHQ80X120RSC	OROHQ80X120RBC
1200 x 900 - Left Hand	870-1170	890-1190	570	OROHQ90X120LSC	OROHQ90X120LBC
1200 x 900 - Right Hand	870-1170	890-1190	570	OROHQ90X120RSC	OROHQ90X120RBC

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
	20mm Compensating Wall Profile	OROCB20SC

\*Discontinued once stock is sold.



HINGED QUADRANT (LEFT HAND) - MATTE BLACK

# HINGE DOOR

## FINISHES:

SILVER MATTE BLACK

The 8mm ORO Hinged Door is perfect for small spaces, with frameless curved detailing, concealed fixings, flush hinges for easy cleaning, and ultra-clear magnetic seals for a smooth, precise close.



HINGE DOOR IN ALCOVE - MATTE BLACK



STAINLESS STEEL STRAIGHT STABILISING BAR

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
800	760	800	660	OROHD80SC	OROHD80BC
900	860	900	760	OROHD90SC	OROHD90BC
1000	960	1000	860	OROHD100SC	-

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	-
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	-
1200	1170	1190	OROSP120SC	-



UNIVERSAL SUITABLE FOR LEFT OR RIGHT HAND OPENING

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Straight Stabilising Bar 1050mm	S-ORO105SSB	S-ORO105SSBMB

Note: Stabilising bar must be purchased with the hinge door and semi framed side panel with silver or black corner profile.



HINGE DOOR WITH SEMI FRAMED SIDE PANEL - SILVER

# INLINE PANEL TO SUIT HINGE DOOR

FINISHES:

SILVER MATTE BLACK

The ORO hinge door with an inline panel offers a sleek, frameless design for alcove installation, combining elegance with flexible sizing.

## INLINE PANEL OPTIONS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK
100 (No Stabilising Bar Required)	OROIL10SC	–
200 (No Stabilising Bar Required)	OROIL20SC	–
300 (450mm Stabilising Bar Included)	OROIL30SC	OROIL30BC
400 (450mm Stabilising Bar Included)	OROIL40SC	OROIL40BC
500 (450mm Stabilising Bar Included)	OROIL50SC	–
600 (450mm Stabilising Bar Included)	OROIL60SC	–

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE MIN (mm)	ADJUSTMENT SIZE MAX (mm)	ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
800	760	800	660	OROHD80SC	OROHD80BC
900	860	900	760	OROHD90SC	OROHD90BC
1000	960	1000	860	OROHD100SC	–

## BOTTOM BARRIER BAR – TO SUIT HINGE DOOR WITH INLINE PANEL APPLICATION

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
Bottom Barrier Bar   600mm	OROILBB-BFHDS	OROILBB-BFHDB

Note: Inline panels only suitable for alcove or recess application (not compatible with side panels).



HINGE DOOR WITH INLINE PANEL IN ALCOVE - SILVER

# HINGE & INLINE DOOR

## FINISHES:

SILVER **MATTE BLACK**

The ORO Hinge & Inline Door makes a bold statement with curved flush hinges, a sleek T-bar stabiliser, ultra-clear magnetic seals, and perfectly symmetrical chrome handles for effortless elegance.



HINGE & INLINE DOOR (LEFT HAND) IN ALCOVE - SILVER

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
1100 - Left Hand	1060	1100	740	OROHD110LSC	-
1100 - Right Hand	1060	1100	740	OROHD110RSC	-
1200 - Left Hand	1160	1200	740	OROHD120LSC	OROHD120LBC
1200 - Right Hand	1160	1200	740	OROHD120RSC	OROHD120RBC
1400 - Left Hand	1360	1400	740	OROHD140LSC	-
1400 - Right Hand	1360	1400	740	OROHD140RSC*	-
1600 - Left Hand*	1560	1600	740	OROHD160LSC*	-
1600 - Right Hand*	1560	1600	740	OROHD160RSC	-

## SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)


SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	-
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	-
1200	1170	1190	OROSP120SC	-

## ACCESSORIES


DESCRIPTION	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Straight Stabilising Bar 1600mm with T Piece	S-ORO160SSB+TB	S-ORO160SSBMB+TB

Note: Stabilising bar must be purchased with the hinge and inline door and semi framed side panel. Stabilising bar is standard 1600mm and can be resized to suit all door sizes.

\*Discontinued once stock is sold.



HINGE & INLINE DOOR (LEFT HAND) WITH SEMI FRAMED SIDE PANEL - MATTE BLACK



HINGE & INLINE OPEN POSITION MEASUREMENTS		
DOOR SIZE	FIXED INLINE PANEL SIZE	DOOR OPEN EXTERNAL PROTRUSION*
1100mm	350mm	770mm
1200mm	400mm	770mm
1400mm	600mm	770mm
1600mm	750mm	770mm

\*Door opens to 90° angle.

# INLINE PANEL TO SUIT HINGE & INLINE DOOR

FINISHES:

SILVER MATTE BLACK

The ORO Hinge & Inline Door pairs frameless elegance with 8mm Clearvue-coated glass and flush hinges, offering a spacious feel and effortless cleaning without compromising functionality.

## INLINE PANEL OPTIONS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK
100 (No Stabilising Bar Required)	OROIL10SC	–
200 (No Stabilising Bar Required)	OROIL20SC	–
300 (450mm Stabilising Bar Included)	OROIL30SC	OROIL30BC
400 (450mm Stabilising Bar Included)	OROIL40SC	OROIL40BC
500 (450mm Stabilising Bar Included)	OROIL50SC	–
600 (450mm Stabilising Bar Included)	OROIL60SC	–

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
1100 - Left Hand	1060 1100	740	OROHD110LSC	–
1100 - Right Hand	1060 1100	740	OROHD110RSC	–
1200 - Left Hand	1160 1200	740	OROHD120LSC	OROHD120LBC
1200 - Right Hand	1160 1200	740	OROHD120RSC	OROHD120RBC
1400 - Left Hand	1360 1400	740	OROHD140LSC	–
1400 - Right Hand	1360 1400	740	OROHD140RSC*	–
1600 - Left Hand*	1560 1600	740	OROHD160LSC*	–
1600 - Right Hand*	1560 1600	740	OROHD160RSC	–

## BOTTOM BARRIER BAR – TO SUIT HINGE DOOR WITH INLINE PANEL APPLICATION

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
Bottom Barrier Bar 2200mm	OROILBB-HDILS	OROILBB-HDILB

Note: Inline panels only suitable for alcove or recess application (not compatible with side panels).



HINGE & INLINE DOOR WITH INLINE PANEL IN ALCOVE - SILVER

# BIFOLD DOOR

## FINISHES:

SILVER MATTE BLACK

The ORO Bifold Door features an innovative 180° hinge for flexible inwards and outwards opening, self-stop action, and exceptional stability, all complemented by its signature handle design.



BIFOLD DOOR (RIGHT HAND) WITH SEMI FRAMED SIDE PANEL - SILVER

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE (mm)		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
700	660	700	483	OROB70SC*	—
760	720	760	538	OROB76SC	—
800	760	800	575	OROB80SC	OROB80BC
900	860	900	668	OROB90SC	OROB90BC
1000	960	1000	759	OROB100SC	OROB100BC

## SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)


SIZE (mm)	ADJUSTMENT SIZE (mm)		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	—
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	—
1200	1170	1190	OROSP120SC	—



Note: Stabilising bar must be purchased with the bifold door and semi framed side panel with silver or black corner profile.

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Straight Stabilising Bar 1050mm	S-ORO105SSB	S-ORO105SSBMB




BIFOLD DOOR IN ALCOVE - MATTE BLACK

# HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

FINISHES:

SILVER MATTE BLACK

The ORO Hinge Door and ultra-frameless corner side panel offer modular flexibility, sleek styling, and durable support with a minimalist chrome stabilising bar.



## STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

SIZE (mm)	ADJUSTMENT SIZE		CODE	
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	660	680	OROCSP70SC	-
760	720	740	OROCSP76SC*	-
800	760	780	OROCSP80SC	OROCSP80BC
900	860	880	OROCSP90SC	OROCSP90BC
1000	960	980	OROCSP100SC	-

## STEP 2 - SELECT SIZE OF DOOR

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
800	760	800	660	OROHD80SC	OROHD80BC
900	860	900	760	OROHD90SC	OROHD90BC
1000	960	1000	860	OROHD100SC	-

## STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

SIZE (mm)	CODE	
	SILVER	MATTE BLACK
100	OROKIT1	-
200	OROKIT2	-
300	OROKIT3	OROKIT3B
400	OROKIT4	OROKIT4B



NOTE: HINGE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY. Each corner inline panel kit includes the following components: inline panel, bottom barrier bar and stabilising bar with fixing brackets. Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

ORO

8mm GLASS


# HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

FINISHES:

SILVER

MATTE BLACK

The ORO Hinge and Inline door with an ultra-frameless corner panel creates a bold style statement, ideal for spacious showers with durable, minimalist support.



HINGE AND INLINE DOOR (LEFT HAND) WITH ULTRA FRAMELESS CORNER SIDE PANEL - SILVER

## STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	660	680	OROCSP70SC	-
760	720	740	OROCSP76SC*	-
800	760	780	OROCSP80SC	OROCSP80BC
900	860	880	OROCSP90SC	OROCSP90BC
1000	960	980	OROCSP100SC	-


## STEP 2 - SELECT SIZE OF DOOR

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
1100 - Left Hand	1060	1100	740	OROHD110LSC*	-
1100 - Right Hand	1060	1100	740	OROHD110RSC	-
1200 - Left Hand	1160	1200	740	OROHD120LSC	OROHD120LBC
1200 - Right Hand	1160	1200	740	OROHD120RSC	OROHD120RBC

## STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

SIZE (mm)	CODE	CODE
	SILVER	MATTE BLACK
100	OROKIT5	-
200	OROKIT6	-
300	OROKIT7	OROKIT7B
400	OROKIT8	OROKIT8B

NOTE: HINGE AND INLINE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.  
Tolerance of 20mm in the inline panel measurement reflecting the 20mm profile adjustment.  
Each corner inline panel kit includes the following components: inline panel, bottom barrier bar and stabilising bar with fixing brackets.  
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.




HINGE AND INLINE DOOR (LEFT HAND) WITH ULTRA FRAMELESS CORNER SIDE PANEL - MATTE BLACK

# BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

FINISHES:

SILVER **MATTE BLACK**

The ORO Bifold with an ultra-frameless corner panel offers versatile two-way opening, featuring a self-stop hinge and a raised stabilising bar for seamless functionality.



## STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

SIZE (mm)	ADJUSTMENT SIZE		CODE	
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	660	680	OROCSP70SC	-
760	720	740	OROCSP76SC	-
800	760	780	OROCSP80SC	OROCSP80BC
900	860	880	OROCSP90SC	OROCSP90BC
1000	960	980	OROCSP100SC	-

## STEP 2 - SELECT SIZE OF DOOR


SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
700	660	700	483	OROBF70SC	-
760	720	760	538	OROBF76SC	-
800	760	800	575	OROBF80SC	OROBF80BC
900	860	900	668	OROBF90SC	OROBF90BC
1000	960	1000	759	OROBF100SC	OROBF100BC

## STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

SIZE (mm)	CODE	
	SILVER	MATTE BLACK
100	OROKIT1	-
200	OROKIT2	-
300	OROKIT3	OROKIT3B
400	OROKIT4	OROKIT4B



NOTE: BIFOLD DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY. Each corner inline panel kit includes the following components: Inline panel, bottom barrier bar and stabilising bar with fixing brackets. Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL - MATTE BLACK

# ALTERNATIVE HANDLES

FINISHES:

CHROME MATTE BLACK

An alternative choice of ORO handle design is available.


Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome or Matte Black finish.



DESCRIPTION	CODE	CODE
	CHROME	MATTE BLACK
ORO Alternative Handle (Compatible with all ORO doors except bifold)	S-OROHLE2	S-OROHLE2B
ORO Alternative Handle for Bifold	S-ETO-OROHLE1	S-ETO-OROHLE1B

## WATER RETENTION

For detailed information on water retention and recommended installation options, scan the QR code to access our Water Retention Guide.





## DESIGN AWARD

Flair are proud to have received the **Good Design** Award accolade in recognition of the ETO shower door collection.

The **Good Design** Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



## PATENTED CLICK FIT ASSEMBLY SYSTEM

This screw free assembly mechanism revolutionises the way ETO shower doors are fitted, reducing assembly time dramatically for installers.



EXPLORE  
ETO

# THE ETO<sup>®</sup> COLLECTION

Experience elegant practicality with ETO.

Crafted to seamlessly integrate into your daily routine, the ETO shower door collection combines robust design with clever functional innovations.

The uniquely shaped handle is beautifully precise and features a cleverly integrated towel hook. Softly curved hinges with a countersunk finish and a slim profile design create a refined shower door aesthetic.

The stylish yet functional simplicity of the ETO collection embodies Design with Purpose, a concept which lies at the heart of this collection.


# FRAMED 8mm SHOWER ENCLOSURE COLLECTION



# ETO®



# DOORS

-  SILVER
-  MATTE BLACK
-  GUNMETAL GREY
-  BRUSHED BRASS
-  BRUSHED NICKEL
-  BRUSHED BRONZE

## FINISHES

S - Silver  
 B - Matte Black  
 GM - Gunmetal Grey  
 BRB - Brushed Brass  
 BRN - Brushed Nickel  
 BRZC - Brushed Bronze

ETO sliding quadrant door in Brushed Bronze.




ONE DOOR OFFSET QUADRANT -  
 BRUSHED BRONZE




# FUNCTIONAL DETAILS

<p><b>8mm</b> TOUGHENED SAFETY GLASS</p>	<p><b>2000mm</b> HEIGHT</p>	<p><b>20mm</b> PROFILE ADJUSTMENT</p>				
<p>ULTRA CLEAR SEALS</p>	<p>SEAMLESS INTERIOR COVER STRIPS</p>	<p>ULTRA SLIM COVER CAPS</p>	<p>CRAFTED HANDLE DESIGN</p>	<p>CLEARVUE HYDROPHOBIC GLASS COATING</p>	<p>PRESS FIT SEAL DESIGN</p>	<p>PRE-ASSEMBLED PROFILE FRAME</p>
<p>SUITABLE FOR SIDE PANEL INSTALLATION</p>	<p>PATENTED MAGNETIC GUIDE SYSTEM</p>	<p>COUNTERSUNK INTERIOR HINGES</p>	<p>QUICK RELEASE DOUBLE WHEEL ROLLERS</p>	<p>REVERSIBLE</p>	<p>SHOWER TRAY OR WETROOM APPLICATION</p>	<p>LIFETIME GUARANTEE</p>



Gemstone Onyx Black tray.



# VISIONARY INNOVATIONS



MAGNETIC INFOLD LINKAGE SYSTEM FOR SMOOTH SEAMLESS GLIDING MOTION



ULTRA SLIM PROFILE AND COVER CAP



UNIQUELY CRAFTED HANDLE WITH INTEGRATED ROBE HOOK



SOFTLY CURVED HINGE DESIGN



COUNTERSUNK INTERIOR HINGES FOR EASY CLEANING

# INFOLD DOOR

## FINISHES:

SILVER MATTE BLACK GUNMETAL GREY


BRUSHED BRASS BRUSHED NICKEL BRUSHED BRONZE

The ETO Infold blends elegance with practicality, featuring a space-saving outward-opening design, smooth magnetic linkage for seamless glass edges, and 8mm toughened safety glass with ClearVue coating.



INFOLD DOOR WITH SEMI FRAMED SIDE PANEL - MATTE BLACK

## INFOLD - DOOR OPEN POSITION MEASUREMENTS



INFOLD DOOR (mm)	INTERIOR SIZE (mm)	EXTERIOR SIZE (mm)
700	250	292
760	250	352
800	250	392
900	357	386
1000	357	486

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)				
700	650	690	496	ETOIF70SC	ETOIF70BC	-
760	710	750	556	ETOIF76SC	ETOIF76BC	-
800	750	790	596	ETOIF80SC	ETOIF80BC	ETOIF80GMC
900	850	890	696	ETOIF90SC	ETOIF90BC	ETOIF90GMC
1000	950	990	796	ETOIF100SC	ETOIF100BC	ETOIF100GMC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)			
700	660	680	ETOSP70SC	ETOSP70BC	ETOSP70GMC
760	720	740	ETOSP76SC	ETOSP76BC	-
800	760	780	ETOSP80SC	ETOSP80BC	ETOSP80GMC
900	860	880	ETOSP90SC	ETOSP90BC	ETOSP90GMC
1000	960	980	ETOSP100SC	ETOSP100BC	-
1100	1060	1080	ETOSP110SC	-	-
1200	1160	1180	ETOSP120SC	ETOSP120BC	-

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
10mm Compensating Wall Profile*	ETOCB10SC	ETOCB10BC	-
25mm Compensating Wall Profile	ETOCB25SC	ETOCB25BC	ETOCB25GM

NOTE: An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied. Infold Door is also suitable to be installed with an Inline Panel - For size options, please see page 70. \*10mm Compensating Wall Profile included with side panel.



INFOLD DOOR IN ALCOVE - GUNMETAL GREY

# INFOLD DOOR

## FINISHES:

SILVER

MATTE BLACK

GUNMETAL GREY

BRUSHED BRASS

BRUSHED NICKEL


BRUSHED BRONZE

The ETO Infold blends elegance with practicality, featuring a space-saving outward-opening design, smooth magnetic linkage for seamless glass edges, and 8mm toughened safety glass with ClearVue coating.



INFOLD DOOR IN ALCOVE - BRUSHED BRASS

### INFOLD - DOOR OPEN POSITION MEASUREMENTS



INFOLD DOOR (mm)	INTERIOR SIZE (mm)	EXTERIOR SIZE (mm)
800	250	392
900	357	386
1000	357	486

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE (mm)		ACCESS (mm)	CODE BRUSHED BRASS	CODE BRUSHED NICKEL	CODE BRUSHED BRONZE
	MIN	MAX				
800	750	790	596	ETOIF80BRBC	ETOIF80BRNC	ETOIF80BRZC
900	850	890	696	ETOIF90BRBC	ETOIF90BRNC	ETOIF90BRZC
1000	950	990	796	ETOIF100BRBC	ETOIF100BRNC	ETOIF100BRZC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE (mm)		CODE BRUSHED BRASS	CODE BRUSHED NICKEL	CODE BRUSHED BRONZE
	MIN	MAX			
700	660	680	ETOSP70BRBC	ETOSP70BRNC	ETOSP70BRZC
800	760	780	ETOSP80BRBC	ETOSP80BRNC	ETOSP80BRZC
900	860	880	ETOSP90BRBC	ETOSP90BRNC	ETOSP90BRZC
1000	960	980	ETOSPI00BRBC	-	-

## ACCESSORIES

DESCRIPTION	CODE BRUSHED BRASS	CODE BRUSHED NICKEL	CODE BRUSHED BRONZE
10mm Compensating Wall Profile*	ETOCB10BRB	-	-
25mm Compensating Wall Profile	ETOCB25BRB	ETOCB25BRN	ETOCB25BRZ

NOTE: An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied. Infold Door is also suitable to be installed with an Inline Panel - For size options, please see page 70. \*10mm Compensating Wall Profile included with side panel.



INFOLD DOOR WITH SEMI FRAMED SIDE PANEL - BRUSHED NICKEL

# HINGE DOOR

## FINISHES:

SILVER MATTE BLACK GUNMETAL GREY

BRUSHED BRASS BRUSHED NICKEL BRUSHED BRONZE

The ETO Hinge door combines stylish simplicity with functionality, featuring flush-to-glass hinges for easy cleaning, 8mm ClearVue-coated safety glass, and versatile installation options.



HINGE DOOR IN ALCOVE - MATTE BLACK

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)				
800	750	790	646	ETOHD80SC	ETOHD80BC	ETOHD80GMC
900	850	890	746	ETOHD90SC	ETOHD90BC	ETOHD90GMC
1000	950	990	846	ETOHD100SC	-	ETOHD100GMC


## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)			
700	660	680	ETOSP70SC	ETOSP70BC	ETOSP70GMC
760	720	740	ETOSP76SC	ETOSP76BC	-
800	760	780	ETOSP80SC	ETOSP80BC	ETOSP80GMC
900	860	880	ETOSP90SC	ETOSP90BC	ETOSP90GMC
1000	960	980	ETOSP100SC	ETOSP100BC	-
1100	1060	1080	ETOSP110SC	-	-
1200	1160	1180	ETOSP120SC	ETOSP120BC	-

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
10mm Compensating Wall Profile*	ETOCB10SC	ETOCB10BC	-
25mm Compensating Wall Profile	ETOCB25SC	ETOCB25BC	ETOCB25GM

NOTE: An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied. Hinge Door is also suitable to be installed with an Inline Panel - For size options, please see page 70. \*10mm Compensating Wall Profile included with side panel.



HINGE DOOR WITH SEMI FRAMED SIDE PANEL - GUNMETAL GREY

# HINGE DOOR

## FINISHES:

SILVER

MATTE BLACK

GUNMETAL GREY

BRUSHED BRASS

BRUSHED NICKEL

BRUSHED BRONZE

The ETO Hinge door combines stylish simplicity with functionality, featuring flush-to-glass hinges for easy cleaning, 8mm ClearVue-coated safety glass, and versatile installation options.



HINGE DOOR WITH SEMI FRAMED SIDE PANEL

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE	CODE
	MIN (mm)	MAX (mm)		BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
800	750	790	596	ETOHD80BRBC	ETOHD80BRNC	ETOHD80BRZC
900	850	890	646	ETOHD90BRBC	ETOHD90BRNC	ETOHD90BRZC
1000	950	990	846	ETOHD100BRBC	ETOHD100BRNC	ETOHD100BRZC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE	CODE
	MIN (mm)	MAX (mm)	BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
700	660	680	ETOSP70BRBC	ETOSP70BRNC	ETOSP70BRZC
800	760	780	ETOSP80BRBC	ETOSP80BRNC	ETOSP80BRZC
900	860	880	ETOSP90BRBC	ETOSP90BRNC	ETOSP90BRZC
1000	960	980	ETOSP100BRBC	-	-

## ACCESSORIES

DESCRIPTION	CODE	CODE	CODE
	BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
10mm Compensating Wall Profile*	ETOCB10BRB	-	-
25mm Compensating Wall Profile	ETOCB25BRB	ETOCB25BRN	ETOCB25BRZ

NOTE: An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied. Hinge Door is also suitable to be installed with an Inline Panel - For size options, please see page 70. \*10mm Compensating Wall Profile included with side panel.



HINGE DOOR IN ALCOVE - BRUSHED BRASS

# HINGE & INLINE DOOR

## FINISHES:



The ETO Hinge and Inline door is a luxurious choice for spacious bathrooms, featuring semi-framed profiles, a functional ETO handle with an integrated towel hook, and flush countersunk hinges for easy cleaning, all with ClearVue-coated glass.



HINGE & INLINE DOOR WITH SEMI FRAMED SIDE PANEL - SILVER

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)				
1100	1050	1090	725	ETOHD110SC	-	-
1200	1150	1190	725	ETOHD120SC	ETOHD120BC	ETOHD120GMC
1300	1250	1290	725	ETOHD130SC	-	-
1400	1350	1390	725	ETOHD140SC	ETOHD140BC	ETOHD140GMC
1500	1450	1490	725	ETOHD150SC	-	-
1600	1550	1590	725	ETOHD160SC	-	-

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)			
700	660	680	ETOSP70SC	ETOSP70BC	ETOSP70GMC
760	720	740	ETOSP76SC	ETOSP76BC	-
800	760	780	ETOSP80SC	ETOSP80BC	ETOSP80GMC
900	860	880	ETOSP90SC	ETOSP90BC	ETOSP90GMC
1000	960	980	ETOSPI00SC	ETOSPI00BC	-
1100	1060	1080	ETOSPI10SC	-	-
1200	1160	1180	ETOSPI20SC	ETOSPI20BC	-

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
10mm Compensating Wall Profile*	ETOCB10SC	ETOCB10BC	-
25mm Compensating Wall Profile	ETOCB25SC	ETOCB25BC	ETOCB25GM

NOTE: An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.  
Hinge & Inline Door is also suitable to be installed with an Inline Panel - For size options, please see page 70.  
\*10mm Compensating Wall Profile included with side panel.



HINGE & INLINE DOOR IN ALCOVE - MATTE BLACK

# HINGE & INLINE DOOR

## FINISHES:

SILVER

MATTE BLACK

GUNMETAL GREY

BRUSHED BRASS

BRUSHED NICKEL

BRUSHED BRONZE

The ETO Hinge and Inline door is a luxurious choice for spacious bathrooms, featuring semi-framed profiles, a functional ETO handle with an integrated towel hook, and flush countersunk hinges for easy cleaning, all with ClearVue-coated glass.



HINGE & INLINE DOOR  
IN ALCOVE - BRUSHED BRASS

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE	CODE
	MIN (mm)	MAX (mm)		BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
1200	1150	1190	725	ETOHD120BRBC	ETOHD120BRNC	ETOHD120BRZC
1400	1350	1390	725	ETOHD140BRBC	ETOHD140BRNC	ETOHD140BRZC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE	CODE
	MIN (mm)	MAX (mm)	BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
700	660	680	ETOSP70BRBC	ETOSP70BRNC	ETOSP70BRZC
800	760	780	ETOSP80BRBC	ETOSP80BRNC	ETOSP80BRZC
900	860	880	ETOSP90BRBC	ETOSP90BRNC	ETOSP90BRZC
1000	960	980	ETOSP100BRBC	-	-

## ACCESSORIES

DESCRIPTION	CODE	CODE	CODE
	BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
10mm Compensating Wall Profile*	ETOCB10BRB	-	-
25mm Compensating Wall Profile	ETOCB25BRB	ETOCB25BRN	ETOCB25BRZ

NOTE: An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

Hinge & Inline Door is also suitable to be installed with an Inline Panel - For size options, please see page 70.

\*10mm Compensating Wall Profile included with side panel.



HINGED DOOR CLOSING ONTO AN INLINE PANEL  
WITH SEMI-FRAMED SIDE PANEL - BRUSHED NICKEL

# SLIDING DOOR

## FINISHES:

SILVER MATTE BLACK GUNMETAL GREY

BRUSHED BRASS BRUSHED NICKEL BRUSHED BRONZE

The ETO Sliding Door combines minimalist profiles with durable 8mm toughened glass, smooth stainless steel wheel brackets, a magnetic cushion close, and a precision-crafted handle with an integrated towel hook.

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)				
1000	950	990	370	ETOSA100SC	-	-
1100	1050	1090	420	ETOSA110SC	ETOSA110BC	-
1200	1150	1190	470	ETOSA120SC	ETOSA120BC	ETOSA120GMC
1300	1250	1290	520	ETOSA130SC	-	-
1400	1350	1390	520	ETOSA140SC	ETOSA140BC	ETOSA140GMC
1500	1450	1490	570	ETOSA150SC	ETOSA150BC	ETOSA150GMC
1600	1550	1590	570	ETOSA160SC	-	-
1700	1650	1690	570	ETOSA170SC	-	-
1800	1750	1790	570	ETOSA180SC	-	-

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)			
700	660	680	ETOSP70SC	ETOSP70BC	ETOSP70GMC
760	720	740	ETOSP76SC	ETOSP76BC	-
800	760	780	ETOSP80SC	ETOSP80BC	ETOSP80GMC
900	860	880	ETOSP90SC	ETOSP90BC	ETOSP90GMC
1000	960	980	ETOSPI00SC	ETOSPI00BC	-
1100	1060	1080	ETOSPI10SC	-	-
1200	1160	1180	ETOSPI20SC	ETOSPI20BC	-

## FRAMELESS SIDE PANELS OPTIONS\* *(Suitable only for Sliding Door)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)			
700*	660	680	ETOFSP70SC*	ETOFSP70BC*	-
760*	720	740	ETOFSP76SC*	ETOFSP76BC*	-
800*	760	780	ETOFSP80SC*	ETOFSP80BC*	-
900*	860	880	ETOFSP90SC*	ETOFSP90BC*	-
1000*	960	980	ETOFSP100SC*	ETOFSP100BC*	-
1200*	1160	1180	ETOFSP120SC*	ETOFSP120BC*	-

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
10mm Compensating Wall Profile*	ETOCB10SC	ETOCB10BC	-
25mm Compensating Wall Profile	ETOCB25SC	ETOCB25BC	ETOCB25GM

NOTE: An ETO Sliding Door installed with a side panel must be installed with the 10mm compensating profile supplied. Sliding Door is also suitable to be installed with an Inline Panel - For size options, please see page 70. \*10mm Compensating Wall Profile included with side panel.

\*Discontinued once stock is sold.



SLIDING DOOR WITH SEMI FRAMED SIDE PANEL - GUNMETAL GREY



SLIDING DOOR WITH FRAMELESS SIDE PANEL - SILVER

# SLIDING DOOR

## FINISHES:

SILVER MATTE BLACK GUNMETAL GREY

BRUSHED BRASS BRUSHED NICKEL BRUSHED BRONZE

The ETO Sliding Door combines minimalist profiles with durable 8mm toughened glass, smooth stainless steel wheel brackets, a magnetic cushion close, and a precision-crafted handle with an integrated towel hook.



SLIDING DOOR IN ALCOVE - BRUSHED NICKEL

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE	CODE
	MIN (mm)	MAX (mm)		BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
1100	1050	1090	420	ETOSA110BRBC	ETOSA110BRNC	-
1200	1150	1190	470	ETOSA120BRBC	ETOSA120BRNC	ETOSA120BRZC
1400	1350	1390	520	ETOSA140BRBC	ETOSA140BRNC	ETOSA140BRZC
1500	1450	1490	570	ETOSA150BRBC	ETOSA150BRNC	ETOSA150BRZC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE	CODE
	MIN (mm)	MAX (mm)	BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
700	660	680	ETOSP70BRBC	ETOSP70BRNC	ETOSP70BRZC
800	760	780	ETOSP80BRBC	ETOSP80BRNC	ETOSP80BRZC
900	860	880	ETOSP90BRBC	ETOSP90BRNC	ETOSP90BRZC
1000	960	980	ETOSPI00BRBC	-	-

## ACCESSORIES

DESCRIPTION	CODE	CODE	CODE
	BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
10mm Compensating Wall Profile*	ETOCB10BRB	-	-
25mm Compensating Wall Profile	ETOCB25BRB	ETOCB25BRN	ETOCB25BRZ

NOTE: An ETO Sliding Door installed with a side panel must be installed with the 10mm compensating profile supplied. Sliding Door is also suitable to be installed with an Inline Panel - For size options, please see page 70. \*10mm Compensating Wall Profile included with side panel.



SLIDING DOOR WITH SEMI FRAMED SIDE PANEL - BRUSHED BRONZE

# INLINE PANELS

## FINISHES:

- SILVER
- MATTE BLACK
- GUNMETAL GREY
- BRUSHED BRASS
- BRUSHED NICKEL
- BRUSHED BRONZE

ETO Inline Panels provide flexible installation with various ETO door types, making them a versatile solution for a wide range of bathroom designs.

For *Infold Door* size options, please see pages 54-57.  
 For *Hinge Door* size options, please see pages 58-61.  
 For *Hinge and Inline Door* size options, please see pages 62-65.  
 For *Sliding Door* size options, please see pages 66-69.



INFOLD DOOR WITH INLINE PANEL ON BOTH SIDES - SILVER




HINGE AND INLINE DOOR WITH INLINE PANEL - MATTE BLACK

## INLINE PANEL OPTIONS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
150	ETOIL15SC	ETOIL15BC	-
200	ETOIL20SC	ETOIL20BC	-
300	ETOIL30SC	ETOIL30BC	ETOIL30GMC
400	ETOIL40SC	ETOIL40BC	ETOIL40GMC
450	ETOIL45SC	ETOIL45BC	-
500	ETOIL50SC	ETOIL50BC	-

SIZE (mm)	CODE BRUSHED BRASS	CODE BRUSHED NICKEL	CODE BRUSHED BRONZE
300	ETOIL30BRBC	ETOIL30BRNC	ETOIL30BRZC
400	ETOIL40BRBC	ETOIL40BRNC	ETOIL40BRZC

NOTE: An ETO Inline Panel can be installed on each or both sides on the Infold Door with compensating profile supplied.



INFOLD DOOR WITH INLINE PANEL - BRUSHED BRONZE

# ONE DOOR QUADRANT & OFFSET QUADRANT

FINISHES:

- SILVER
- MATTE BLACK
- GUNMETAL GREY
- BRUSHED BRASS
- BRUSHED NICKEL
- BRUSHED BRONZE

The ETO One Door Quadrant and Offset Quadrant maximises corner space with a smooth magnetic cushion close, durable stainless steel quick-release rollers, and 8mm ClearVue-coated glass. The central door opening ensures easy access while accommodating your bathroom layout.



ONE DOOR QUADRANT - GUNMETAL GREY

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE GM / GREY
	MIN (mm)	MAX (mm)				
800	770	790	440	ETOOCQ80SC	-	-
900	870	890	484	ETOOCQ90SC	ETOOCQ90BC	ETOOCQ90GMCL
1000	970	990	484	ETOOCQ100SC	ETOOCQ100BC	-
1000 x 800*	770-970	790-990	440	ETOOCQ100X80SCL	ETOOCQ100X80BCL	-
1200 x 800*	770-1170	790-1190	440	ETOOCQ120X80SCL	ETOOCQ120X80BCL	ETOOCQ120X80GMCL
1200 x 900*	870-1170	890-1190	484	ETOOCQ120X90SCL	ETOOCQ120X90BCL	ETOOCQ120X90GMCL

\*Long Side Opening



ONE DOOR OFFSET QUADRANT - MATTE BLACK

# ONE DOOR QUADRANT & OFFSET QUADRANT

## FINISHES:

SILVER MATTE BLACK GUNMETAL GREY

BRUSHED BRASS BRUSHED NICKEL BRUSHED BRONZE

The ETO One Door Quadrant and Offset Quadrant optimises corner space with a smooth magnetic cushion close, durable stainless steel quick-release rollers, and 8mm ClearVue-coated glass. Its centrally positioned door ensures easy access while accommodating your bathroom layout.



ONE DOOR QUADRANT - BRUSHED NICKEL

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE	CODE
	MIN (mm)	MAX (mm)		BRUSHED BRASS	BRUSHED NICKEL	BRUSHED BRONZE
900	870	890	484	ETOOCQ90BRBC	ETOOCQ90BRNC	ETOOCQ90BRZC
1000 x 800*	770-970	790-990	440	ETOOCQ100X80BRBCL	-	-
1200 x 800*	770-790	1170-1190	440	ETOOCQ120X80BRBCL	ETOOCQ120X80BRNCL	ETOOCQ120X80BRZCL
1200 x 900*	870-1170	890-1190	484	ETOOCQ120X90BRBCL	ETOOCQ120X90BRNCL	ETOOCQ120X90BRZCL

\*Long Side Opening



ONE DOOR OFFSET QUADRANT - BRUSHED BRASS

# TWO DOOR QUADRANT & OFFSET QUADRANT

FINISH:

SILVER

The Two Door Quadrant and Offset Quadrant offer contemporary elegance with smooth magnetic cushion close, 8mm ClearVue-coated glass, and durable quick-release double wheel rollers for lasting performance.



TWO DOOR OFFSET QUADRANT - SILVER

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE (mm)		ACCESS (mm)	CODE
	MIN	MAX		SILVER
900	870	890	528	ETOCQ90SC
1100 x 800*	770 - 1070	790 - 1090	458	ETOCQ80X1105C*
1100 x 900*	870 - 1070	890 - 1090	528	ETOCQ90X1105C*
1200 x 800	770 - 1170	790 - 1190	458	ETOCQ80X1205C
1200 x 900	870 - 1170	890 - 1190	528	ETOCQ90X1205C

NOTE: Dedicated 1100 x 800mm and 1100 x 900mm offset quadrant slimline shower trays now available.

\*Discontinued once stock is sold.



TWO DOOR QUADRANT - SILVER

# CORNER ENTRY

FINISH:

SILVER

The ETO Corner Entry features a sleek semi-frameless design with space-saving corner sliding doors, flush-finish brackets, and quick-release double rollers for easy cleaning. The magnetic cushion close ensures a smooth stop, while superior magnetic seals provide a secure, watertight closure.



ETO CORNER ENTRY  
HANDLE DESIGN



SLEEK FLUSH CORNER  
BRACKET DESIGN

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE MIN (mm)	MAX (mm)	ACCESS (mm)	CODE SILVER
800	770	790	392	ETOCE80SC
900	870	890	462	ETOCE90SC



# ALTERNATIVE HANDLES

## FINISHES:

CHROME MATTE BLACK BRUSHED BRASS


An alternative choice of ETO handle design is available.

Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome, Matte Black or Brushed Brass finish.



## ACCESSORIES

DESCRIPTION	CODE CHROME	CODE MATTE BLACK	CODE BRUSHED BRASS
ETO Alternative Handle	S-ETO-OROHLE1	S-ETO-OROHLE1B	S-ETO-OROHLE1BRB





## PATENTED CLICK FIT ASSEMBLY SYSTEM

This screw free assembly mechanism revolutionises the way ILI shower doors are fitted, reducing assembly time dramatically for installers.



EXPLORE  
ILI

# THE ILI<sup>®</sup> COLLECTION

Embrace everyday adventure with ILI.

ILI is a fusion of original style and practical affordability. Crafted from 6mm glass, the unique handle features a cleverly integrated towel hook. The minimalist profiles and neatly curved hinges give simple, clean lines to the door aesthetic.


Each sliding door features a silent wheel track system while clearvue coating ensuring the shower door glass remains sparkling clean.

# FRAMED 6mm SHOWER ENCLOSURE COLLECTION




 FIND  
 YOUR  
 ILI

ILI®



# DOORS



SILVER\*



MATTE BLACK




BRUSHED BRASS

# FINISHES

S - Silver\*  
B - Matte Black  
BRB - Brushed Brass

\*BABY ILLI available in Silver only, see page 100.



ILLI hinged quadrant door in Silver with Gemstone White tray.



# FUNCTIONAL DETAILS

<b>6mm</b> TOUGHENED SAFETY GLASS	<b>1950mm</b> HEIGHT	<b>25mm</b> PROFILE ADJUSTMENT				
ULTRA CLEAR SEALS	SEAMLESS INTERIOR COVER STRIPS	ULTRA SLIM COVER CAPS	CRAFTED HANDLE DESIGN	CLEARVUE HYDROPHOBIC GLASS COATING	PRESS FIT SEAL DESIGN	PRE-ASSEMBLED PROFILE FRAME
SUITABLE FOR SIDE PANEL INSTALLATION	MAGNETIC BIFOLD HINGE	SILENT WHEEL ROLLER MECHANISM	QUICK RELEASE DOUBLE WHEEL ROLLERS	REVERSIBLE	SHOWER TRAY OR WETROOM APPLICATION	LIFETIME GUARANTEE

# VISIONARY INNOVATIONS



DOUBLE WHEEL ROLLERS GLIDE ALONG AN INNOVATIVE SILENT WHEEL TRACK SYSTEM



CONCEALED DOOR STOP MECHANISM

UNIQUELY CRAFTED HANDLE WITH INTEGRATED ROBE HOOK



SOFTLY CURVED EXTERIOR HINGE DESIGN



SOFTLY CURVED INTERIOR HINGE DESIGN



# BIFOLD DOOR

## FINISHES:

SILVER


**MATTE BLACK**

BRUSHED BRASS

The space-saving Ili Bifold door is ideal for smaller bathrooms, featuring an inward-opening design, seamless magnetic hinge functionality, and a lifetime guarantee for peace of mind.



### BIFOLD - DOOR OPEN POSITION MEASUREMENTS



BIFOLD DOOR (mm)	X SIZE (mm)	Y SIZE (mm)	Z SIZE (mm)
700	650-700	472	313
760	710-760	472	313
800	750-800	512	333
850	800-850	521	354
900	850-900	571	379
100m	950-1000	671	431

## DOOR SIZE OPTIONS


SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	MIN (mm)	MAX (mm)				
700	650	700	472	ILIBF70SC	ILIBF70BC	-
760	710	760	472	ILIBF76SC	ILIBF76BC	-
800	750	800	512	ILIBF80SC	ILIBF80BC	ILIBF80BRBC
850	800	850	521	ILIBF85SC	-	-
900	850	900	571	ILIBF90SC	ILIBF90BC	ILIBF90BRBC
1000	950	1000	671	ILIBF100SC	ILIBF100BC	ILIBF100BRBC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	MIN (mm)	MAX (mm)			
700	665	690	ILISP70SC	ILISP70BC	ILISP70BRBC
760	725	750	ILISP76SC	ILISP76BC	-
800	765	790	ILISP80SC	ILISP80BC	ILISP80BRBC
900	865	890	ILISP90SC	ILISP90BC	ILISP90BRBC
1000	965	990	ILISP100SC	ILISP100BC	-

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	25mm Compensating Wall Profile	ILICB25SC	ILICB25BC




BIFOLD DOOR WITH SEMI FRAMED SIDE PANEL - BRUSHED BRASS

# SLIDING DOOR

## FINISHES:

SILVER MATTE BLACK BRUSHED BRASS

The ILI Sliding Door combines a silent wheel track system for smooth operation with ultra-slim profiles and 6mm toughened glass, offering a sleek design in eight size options.



## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	MIN (mm)	MAX (mm)				
1000	950	1000	370	ILISA100SC	ILISA100BC	ILISA100BRBC
1100	1050	1100	420	ILISA110SC	ILISA110BC	ILISA110BRBC
1200	1150	1200	470	ILISA120SC	ILISA120BC	ILISA120BRBC
1250	1200	1250	495	ILISA125SC	—	—
1300	1250	1300	520	ILISA130SC	—	—
1400	1350	1400	570	ILISA140SC	ILISA140BC	ILISA140BRBC
1500	1450	1500	570	ILISA150SC	ILISA150BC	ILISA150BRBC
1600	1550	1600	570	ILISA160SC	ILISA160BC	—
1700	1650	1700	570	ILISA170SC	ILISA170BC	ILISA170BRBC

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*


SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	MIN (mm)	MAX (mm)			
700	665	690	ILISP70SC	ILISP70BC	ILISP70BRBC
760	725	750	ILISP76SC	ILISP76BC	—
800	765	790	ILISP80SC	ILISP80BC	ILISP80BRBC
900	865	890	ILISP90SC	ILISP90BC	ILISP90BRBC
1000	965	990	ILISP100SC	ILISP100BC	—

## FRAMELESS SIDE PANELS *(Suitable only for Sliding Door)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	665	690	ILIFSP70SC	ILIFSP70BC
760	725	750	ILIFSP76SC	—
800	765	790	ILIFSP80SC	ILIFSP80BC
900	865	890	ILIFSP90SC	ILIFSP90BC
1000	965	990	ILIFSP100SC	ILIFSP100BC

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	25mm Compensating Wall Profile	ILICB25SC	ILICB25BC



# HINGE DOOR

## FINISHES:

SILVER MATTE BLACK

The ILI Hinge Door is perfect for compact spaces, featuring an outward-opening design, firm magnetic closure, ultra-clear bottom seal for water retention, and concealed hinges for a sleek finish inside and out.



ALCOVE INSTALLATION - SILVER

## DOOR SIZE OPTIONS


SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
760	710	760	600	ILHD76SC	ILHD76BC
800	750	800	640	ILHD80SC	ILHD80BC
850	800	850	690	ILHD85SC	ILHD85BC
900	850	900	740	ILHD90SC	ILHD90BC
1000	950	1000	840	ILHD100SC	-

## SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	665	690	ILISP70SC	ILISP70BC
760	725	750	ILISP76SC	ILISP76BC
800	765	790	ILISP80SC	ILISP80BC
900	865	890	ILISP90SC	ILISP90BC
1000	965	990	ILISP100SC	ILISP100BC

## ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
25mm Compensating Wall Profile	ILICB25SC	ILICB25BC



HINGE DOOR WITH SEMI FRAMED SIDE PANEL - MATTE BLACK

# ONE DOOR SLIDING QUADRANT & OFFSET QUADRANT

FINISHES:

SILVER

MATTE BLACK

BRUSHED BRASS

The ILLI One Door Quadrant and Offset Quadrant maximises corner shower space with a smooth silent wheel mechanism, quick-release stainless steel rollers for easy cleaning, and ClearVue-coated glass to resist grime and limescale.




ONE DOOR SLIDING QUADRANT - SILVER



ONE DOOR OFFSET SLIDING QUADRANT - MATTE BLACK

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	MIN (mm)	MAX (mm)				
900	870-895	870-895	485	ILICOQ90SC	ILICOQ90BC	ILICOQ90BRBC
800 x 1000	770-795	970-995	436	ILICOQ80X100SC	ILICOQ80X100BC	-
800 x 1200	770-795	1170-1195	436	ILICOQ80X120SC	ILICOQ80X120BC	ILICOQ80X120BRBC
900 x 1200	870-895	1170-1195	485	ILICOQ90X120SC	ILICOQ90X120BC	ILICOQ90X120BRBC



ONE DOOR SLIDING QUADRANT - BRUSHED BRASS

# HINGED QUADRANT & HINGED OFFSET QUADRANT

FINISHES:

SILVER

**MATTE BLACK**

BRUSHED BRASS

The Hinged Quadrant and Hinged Offset Quadrant offer a unique corner shower solution, featuring vertical magnetic seals for a secure close, concealed fixings for a sleek interior, and ClearVue-coated 6mm glass for easy cleaning.



HINGED QUADRANT - BRUSHED BRASS



HINGED OFFSET QUADRANT - SILVER  
OFFSET QUADRANT DOOR MUST HINGE FROM THE LONG SIDE

## DOOR SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
	MIN (mm)	MAX (mm)				
900	870-895	870-895	585	ILIHQ90SC	ILIHQ90BC	ILIHQ90BRBC
800 x 1200	770-795	1170-1195	585	ILIHQ80X120SC	ILIHQ80X120BC	ILIHQ80X120BRBC
900 x 1200	870-895	1170-1195	585	ILIHQ90X120SC	ILIHQ90X120BC	ILIHQ90X120BRBC



HINGED QUADRANT - MATTE BLACK



## PATENTED CLICK FIT ASSEMBLY SYSTEM

This screw free assembly mechanism revolutionises the way Ili shower doors are fitted, reducing assembly time dramatically for installers.



EXPLORE  
ILI

## THE BABY Ili<sup>®</sup> COLLECTION

Born out of the ingenuity of the Ili collection, BABY Ili is a reduced height offering that is the perfect fit where ceiling height is restricted.

At 1800mm high, Baby Ili fits seamlessly under low ceilings. An ideal solution for attic or loft style bathrooms.

## FRAMED 6mm, 1800mm HIGH SHOWER ENCLOSURE COLLECTION



FIND  
YOUR  
BABY ILI

### KEY FEATURES



### FINISHES



↑↓  
1800mm  
HEIGHT



BABY ILI SLIDING DOOR  
in alcove – Silver

# BABY ILI

**1800MM HEIGHT** ON ALL BABY ILI SHOWER DOORS

FINISHES:

SILVER

## HINGE DOOR – SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE
	MIN (mm)	MAX (mm)		SILVER
700	650	700	640	ILI180HD70SC
760	710	760	640	ILI180HD76SC
800	750	800	640	ILI180HD80SC
900	850	900	740	ILI180HD90SC

## SLIDING DOOR – SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE
	MIN (mm)	MAX (mm)		SILVER
1000	950	1000	470	ILI180SA100SC
1200	1150	1200	470	ILI180SA120SC
1400	1350	1400	470	ILI180SA140SC

## SEMI FRAMED SIDE PANEL (INCLUDES CORNER PROFILE) – SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE		CODE
	MIN (mm)	MAX (mm)	SILVER
700	665	690	ILI180SP70SC
800	765	790	ILI180SP80SC
900	865	890	ILI180SP90SC
1000	965	990	ILI180SP100SC



SLIDING DOOR WITH SEMI FRAMED SIDE PANEL

↑  
↓  
**1800mm**  
HEIGHT

# BABY ILI

1800MM HEIGHT ON ALL BABY ILI SHOWER DOORS

FINISHES:

SILVER

## BIFOLD DOOR – SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	ACCESS (mm)	CODE SILVER
700	650 700	472	ILI180BF70SC
800	750 800	512	ILI180BF80SC
900	850 900	571	ILI180BF90SC
1000	950 1000	671	ILI180BF100SC


## SEMI FRAMED SIDE PANEL (INCLUDES CORNER PROFILE) – SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	CODE SILVER
700	665 690	ILI180SP70SC
800	765 790	ILI180SP80SC
900	865 890	ILI180SP90SC
1000	965 990	ILI180SP100SC

## ONE DOOR SLIDING QUADRANT – SIZE OPTIONS

SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	ACCESS (mm)	CODE SILVER
800	770 795	436	ILI180COQ80SC
900	870 895	485	ILI180COQ90SC

### BIFOLD - DOOR OPEN POSITION MEASUREMENTS



BIFOLD DOOR (mm)	X SIZE (mm)	Y SIZE (mm)	Z SIZE (mm)
700	650-700	412	283
800	750-800	512	333
900	850-900	571	379
1000	950-1000	671	431



1800mm HEIGHT

BIFOLD DOOR & ONE DOOR SLIDING QUADRANT

BABY ILI

6mm GLASS



## DESIGN AWARD

Flair are proud to have received the **Good Design** Award accolade in recognition of the AYO wetroom collection.

The **Good Design** Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



EXPLORE  
AYO

# THE AYO<sup>®</sup> COLLECTION

The AYO modular wetroom collection is crafted to create a truly personal shower experience.


Standing tall at a height of 2 metres, AYO comes in 8mm and 10mm glass which is treated with a hydrophobic coating that resists the build up of grime and lime scale.

With an abundance of configurations and fixture innovations such as recessed channels, fixed and rotating panels, ultra-clear seals and stylish stabilising bar options, makes this a truly versatile modular wetroom system. AYO boasts 3 glass options - clear, fluted and opaque.

Now available in 9 high quality colour finishes, AYO will pair perfectly with other signature elements in any bathroom.

## MODULAR WETROOM COLLECTION 8mm & 10mm

ENHANCE  
YOUR  
SHOWERING  
EXPERIENCE  
EVERYDAY.



AYO®



CHOOSE  
YOUR AYO  
YOUR WAY  
**116**



10MM WETROOM  
COLLECTION  
**138**



8MM CLEAR,  
FLUTED &  
OPAQUE GLASS  
COLLECTION  
**118**



MODULAR  
**146**



8MM BABY AYO  
1800MM HIGH  
COLLECTION  
**129**




8MM  
BATHSCREENS  
**162**



8MM FRAMED  
BLACK  
COLLECTION  
**132**

# WETROOMS





## FINISHES


S - Silver  
 SS - Stainless Steel  
 W - White  
 B - Matte Black  
 BRB - Brushed Brass

PG - Polished Gold  
 BRMN - Matte Nickel  
 BRN - Brushed Nickel  
 CTRY BRZ - Country Bronze

## PVD

The PVD coating is applied to high grade 304 stainless steel base material. The result is a superbly robust and hard wearing finish.

\* Polished Stainless Steel is high grade 304 stainless steel.



AYO 8mm fluted wetroom panel with straight stabilising bar in Matte Nickel.



AYO 8mm Linear Framed wetroom panel with straight stabilising bar in Matte Black.

## PERSONALISE YOUR SHOWERING SPACE

Choose your finish.  
Choose your glass.  
**Make it yours.**



## EXPLORE YOUR OPTIONS

AYO SILVER & MATTE BLACK - 8mm or 10mm

AYO COLOUR - 8mm or 10mm

AYO FLUTED - 8mm

AYO FRAMED - 8mm (Clear & Fluted Glass)



## FUNCTIONAL DETAILS

<p><b>8mm</b> OR <b>10mm</b></p> <p>TOUGHENED SAFETY GLASS</p>	<p><b>2000mm</b> HEIGHT</p>	<p>ULTRA CLEAR SEALS</p>	<p>RANGE OF STABILISING SOLUTIONS</p>	<p>CLEARVUE HYDROPHOBIC GLASS COATING</p>	<p>ALUMINIUM FLOOR PROTECTOR STRIP AVAILABLE</p>	<p>ULTRA CLEAR BOTTOM FLOOR PROTECTOR STRIP INCLUDED</p>
<p>CONCEALED FIXINGS</p>	<p>ECO FRIENDLY PVD TECHNOLOGY</p>	<p>SHOWER TRAY OR WETROOM APPLICATION</p>	<p>REVERSIBLE</p>	<p>20 YEAR GUARANTEE</p>		

# CHOOSE YOUR AYO® YOUR WAY

## FIND YOUR PERFECT AYO WETROOM

### AYO WETROOMS

(FROM PAGE 118 (8MM) OR PAGE 140 (10MM))

Discover our three most popular wetroom configurations - designed to make choosing and ordering quick and easy.

### AYO MODULAR

(FROM PAGE 146)

A step-by-step process that will help bring your dream shower space to life and is tailored to create a unique shower enclosure design that suits your style. Choose from a variety of materials, colours and finishes to create the perfect ambience.



### AYO SINGLE WETROOM PANEL

A classic and simple option.  
Ideal for minimalist, modern wetrooms.

8 OR 10mm  
TOUGHENED  
SAFETY GLASS

FOR A  
CORNER  
SPACE

FOR AN  
ALCOVE  
SPACE



### AYO WETROOM PANEL WITH ROTATING PANEL

Looking for extra splash protection?  
A stylish solution that maintains an open,  
flexible showering space.

Start by picking your front panel size on page 120  
(for 8mm glass) or page 140 (for 10mm glass),  
then select your rotating panel.

Note - All rotating panels  
can be retro fitted.

8 OR 10mm  
TOUGHENED  
SAFETY GLASS

FOR A  
CORNER  
SPACE



### AYO CORNER WETROOM

Creating a corner shower?  
Designed to maximise space and minimise splash.

Pick two panels in your required sizes.  
For an optional rotating panel, see page 122  
(for 8mm glass) or page 142 (for 10mm glass).


Pick three panels in your required size  
for a straight space.

8 OR 10mm  
TOUGHENED  
SAFETY GLASS

FOR A  
CORNER  
SPACE

FOR A  
STRAIGHT  
SPACE

CHOOSE FROM  
9 PREMIUM  
FINISHES



# AYO<sup>®</sup> 8MM CLEAR, FLUTED & OPAQUE GLASS COLLECTION

Designed for style-conscious spaces, AYO offers wetroom panel configurations in clear, fluted, and opaque glass.

Each setup includes a premium glass panel, a 15mm wall profile, and a stabilising bar, making it easy to achieve a sleek, minimalist shower space that blends functionality with contemporary design.




FLUTED GLASS - BRUSHED BRASS

# AYO® WETROOM 8MM CLEAR GLASS

FINISHES:

- SILVER
- MATTE BLACK**
- BRUSHED BRASS
- MATTE NICKEL
- BRUSHED NICKEL
- COUNTRY BRONZE
- WHITE\*

Includes an 8mm clear glass panel, a 15mm wall profile and a suitable stabilising bar solution.



AYO – 8MM WETROOM			
SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO8MWR30SC	AYO8MWR30BC	–
400	AYO8MWR40SC	AYO8MWR40BC	–
450	AYO8MWR45SC	AYO8MWR45BC	AYO8MWR45-CBRB
500	AYO8MWR50SC	AYO8MWR50BC	AYO8MWR50-CBRB
600	AYO8MWR60SC	AYO8MWR60BC	AYO8MWR60-CBRB
700	AYO8MWR70SC	AYO8MWR70BC	AYO8MWR70-CBRB
760	AYO8MWR76SC	AYO8MWR76BC	AYO8MWR76-CBRB
800	AYO8MWR80SC	AYO8MWR80BC	AYO8MWR80-CBRB
900	AYO8MWR90SC	AYO8MWR90BC	AYO8MWR90-CBRB
1000	AYO8MWR100SC	AYO8MWR100BC	AYO8MWR100-CBRB
1100	AYO8MWR110SC	AYO8MWR110BC	AYO8MWR110-CBRB
1200	AYO8MWR120SC	AYO8MWR120BC	AYO8MWR120-CBRB
1400	AYO8MWR140SC	AYO8MWR140BC	AYO8MWR140-CBRB
1500	AYO8MWR150SC	AYO8MWR150BC	AYO8MWR150-CBRB
1600	AYO8MWR160SC	AYO8MWR160BC	AYO8MWR160-CBRB

1200mm Straight Stabilising Bar included with wetrooms 700mm and over.  
350mm Angled Stabilising Bar included with 300 & 400mm wetrooms.  
650mm Angled Stabilising Bar included with 450, 500 & 600mm wetrooms.

AYO – 8MM WETROOM			
SIZE (mm)	CODE MATTE NICKEL	CODE BRUSHED NICKEL	CODE COUNTRY BRONZE
450	–	–	AYO8MWR45-CCTRYBRZ
500	–	–	AYO8MWR50-CCTRYBRZ
600	–	–	AYO8MWR60-CCTRYBRZ
700	AYO8MWR70-CBRMN	AYO8MWR70-CBRN	AYO8MWR70-CCTRYBRZ
760	–	–	AYO8MWR76-CCTRYBRZ
800	AYO8MWR80-CBRMN	AYO8MWR80-CBRN	AYO8MWR80-CCTRYBRZ
900	AYO8MWR90-CBRMN	AYO8MWR90-CBRN	AYO8MWR90-CCTRYBRZ
1000	AYO8MWR100-CBRMN	AYO8MWR100-CBRN	AYO8MWR100-CCTRYBRZ
1100	AYO8MWR110-CBRMN	AYO8MWR110-CBRN	AYO8MWR110-CCTRYBRZ
1200	AYO8MWR120-CBRMN	AYO8MWR120-CBRN	AYO8MWR120-CCTRYBRZ
1400	AYO8MWR140-CBRMN	AYO8MWR140-CBRN	AYO8MWR140-CCTRYBRZ
1500	–	–	AYO8MWR150-CCTRYBRZ
1600	–	–	AYO8MWR160-CCTRYBRZ

SIZE (mm)	CODE WHITE*
700*	AYO8MWR70WC*
800*	AYO8MWR80WC*
900*	AYO8MWR90WC*
1000*	AYO8MWR100WC*
1100*	AYO8MWR110WC*
1200*	AYO8MWR120WC*
1400*	AYO8MWR140WC*

\*Discontinued once stock is sold.



# AYO® ROTATING PANEL 8MM CLEAR GLASS

FINISHES:


- SILVER
- MATTE BLACK
- BRUSHED BRASS
- MATTE NICKEL
- BRUSHED NICKEL
- COUNTRY BRONZE
- WHITE\*

Rotating panels help reduce water spray while keeping your space open.

**Rotating Panel:** Swings in and out for flexible access.

**Hinge Rotating Panel:** Opens in one direction, ideal for more defined spaces.

Note: Please order your front wetroom panel in the required size from page 120.



HINGE ROTATING PANEL - BRUSHED BRASS (PVD)




## AYO – 8MM HINGE ROTATING PANELS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO8HRP30SSC	AYO8HRP30BC	AYO8HRP30CBRBC
450	AYO8HRP45SSC	AYO8HRP45BC	AYO8HRP45CBRBC
500	AYO8HRP50SSC	AYO8HRP50BC	AYO8HRP50CBRBC


SIZE (mm)	CODE MATTE NICKEL	CODE BRUSHED NICKEL	CODE COUNTRY BRONZE
300	AYO8HRP30CBRMNC	AYO8HRP30CBRNC	AYO8HRP30CCTRYBRZ
450	AYO8HRP45CBRMNC	AYO8HRP45CBRNC	AYO8HRP45CCTRYBRZ
500	AYO8HRP50CBRMNC	AYO8HRP50CBRNC	AYO8HRP50CCTRYBRZ

## AYO – 8MM PLATED FINISH - HANDED HINGE ROTATING PANELS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK
300 – Right Hand	AYO8HRPR30SC	AYO8HRPR30BC
450 – Right Hand	AYO8HRPR45SC	AYO8HRPR45BC
500 – Right Hand	AYO8HRPR50SC	AYO8HRPR50BC
300 – Left Hand	AYO8HRPL30SC	AYO8HRPL30BC
450 – Left Hand	AYO8HRPL45SC	AYO8HRPL45BC
500 – Left Hand	AYO8HRPL50SC	AYO8HRPL50BC



LEFT HAND HINGE



RIGHT HAND HINGE

## AYO – 8MM ROTATING PANELS - RISE & FALL HINGE MECHANISM\*\*

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE WHITE*
300	AYO8RP30SC	AYO8RP30BC	AYO8RP30WC*
450	AYO8RP45SC	AYO8RP45BC	AYO8RP45WC*
500	AYO8RP50SC	AYO8RP50BC	–

\*\*Rotating Panels can be retrofitted.

\*Discontinued once stock is sold.



# AYO® CORNER WETROOM 8MM CLEAR GLASS

## FINISHES:




Start by choosing your front wetroom panel from page 120, then select your side panel size from the options below. You must also order a T-Piece to complete the corner installation.

Create a spacious, stylish corner wetroom with a sleek two-panel layout supported by stainless steel stabilising bars. Add a matching T-piece for enhanced stability and a seamless, modern finish.

**Note: Order your front panel in the size you need from page 120.**

This page 124, shows some of our most popular sizes for corner configurations, but any size can be used to create your ideal layout.



STRAIGHT WETROOM WITH T-PIECE - COUNTRY BRONZE

## AYO – 8MM CORNER WETROOMS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
700	AYO8MWR70SC	AYO8MWR70BC	AYO8MWR70-CBRB
760	AYO8MWR76SC	AYO8MWR76BC	AYO8MWR76-CBRB
800	AYO8MWR80SC	AYO8MWR80BC	AYO8MWR80-CBRB
900	AYO8MWR90SC	AYO8MWR90BC	AYO8MWR90-CBRB

SIZE (mm)	CODE MATTE NICKEL	CODE BRUSHED NICKEL	CODE COUNTRY BRONZE
700	AYO8MWR70-CBRMN	AYO8MWR70-CBRN	AYO8MWR70-CCTRYBRZ
760	-	-	AYO8MWR76-CCTRYBRZ
800	AYO8MWR80-CBRMN	AYO8MWR80-CBRN	AYO8MWR80-CCTRYBRZ
900	AYO8MWR90-CBRMN	AYO8MWR90-CBRN	AYO8MWR90-CCTRYBRZ

SIZE (mm)	CODE WHITE*
700*	AYO8MWR70WC*
800*	AYO8MWR80WC*
900*	AYO8MWR90WC*

1200mm Straight Stabilising Bar included with wetrooms 700mm and over.

*\*Discontinued once stock is sold.*

Choose your optional rotating panel from page 122.

CORNER WETROOM WITH T-PIECE - MATTE BLACK



T-PIECE - SILVER



## AYO – T-PIECES

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
T-Piece	AYOTPS	AYOTPB	AYOTP-CBRB

SIZE (mm)	CODE MATTE NICKEL	CODE BRUSHED NICKEL	CODE COUNTRY BRONZE
T-Piece	AYOTP-CBRMN	AYOTP-CBRN	AYOTP-CCTRYBRZ


SIZE (mm)	CODE WHITE*
T-Piece	AYOTPW*

# AYO® WETROOM

## 8MM FLUTED GLASS

Note: To create a corner wetroom, order two panels in your required sizes along with a T-piece connector (T-piece codes available on page 125). Add a rotating panel if you would like extra splash protection.

FINISHES:



Each item below includes an 8mm fluted glass panel, a 15mm wall profile and a straight stabilising bar.

### AYO – 8MM WETROOMS - FLUTED GLASS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
700	AYO8MWR70SFC	AYO8MWR70BFC	AYO8MWR70F-CBRB
800	AYO8MWR80SFC	AYO8MWR80BFC	AYO8MWR80F-CBRB
900	AYO8MWR90SFC	AYO8MWR90BFC	AYO8MWR90F-CBRB
1000	AYO8MWR100SFC	AYO8MWR100BFC	AYO8MWR100F-CBRB
1200	AYO8MWR120SFC	AYO8MWR120BFC	AYO8MWR120F-CBRB
1400	AYO8MWR140SFC	AYO8MWR140BFC	AYO8MWR140F-CBRB

### 8MM HINGE ROTATING PANEL - FLUTED GLASS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO8HRP30SSFC	AYO8HRP30BFC	AYO8HRP30BBFC

SIZE (mm)	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
700	AYO8MWR70F-CPG*	AYO8MWR70F-CBRMIN	AYO8MWR70F-CBRN
800	AYO8MWR80F-CPG*	AYO8MWR80F-CBRMIN	AYO8MWR80F-CBRN
900	AYO8MWR90F-CPG*	AYO8MWR90F-CBRMIN	AYO8MWR90F-CBRN
1000	AYO8MWR100F-CPG*	AYO8MWR100F-CBRMIN	AYO8MWR100F-CBRN
1200	AYO8MWR120F-CPG*	AYO8MWR120F-CBRMIN	AYO8MWR120F-CBRN
1400	AYO8MWR140F-CPG*	AYO8MWR140F-CBRMIN	AYO8MWR140F-CBRN


### 8MM HINGE ROTATING PANEL - FLUTED GLASS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO8HRP30PGFC	AYO8HRP30BRMNF	AYO8HRP30BRNFC

SIZE (mm)	CODE COUNTRY BRONZE
700	AYO8MWR70F-CCTRYBRZ
800	AYO8MWR80F-CCTRYBRZ
900	AYO8MWR90F-CCTRYBRZ
1000	AYO8MWR100F-CCTRYBRZ
1200	AYO8MWR120F-CCTRYBRZ
1400	AYO8MWR140F-CCTRYBRZ

### 8MM HINGE ROTATING PANEL - FLUTED GLASS

SIZE (mm)	CODE COUNTRY BRONZE
300	AYO8HRP30CCTRYBRZFC



# AYO® WETROOM

## 8MM OPAQUE GLASS

FINISHES:



Each item below includes an 8mm opaque glass panel, a 15mm wall profile and a straight stabilising bar.

### AYO – 8MM WETROOMS - OPAQUE GLASS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK
800	AYO8MWR80SPC	AYO8MWR80BPC
900	AYO8MWR90SPC	AYO8MWR90BPC
1000	AYO8MWR100SPC	AYO8MWR100BPC
1200	AYO8MWR120SPC	AYO8MWR120BPC
1400	AYO8MWR140SPC	AYO8MWR140BPC





EXPLORE  
AYO

## THE BABY AYO<sup>®</sup> COLLECTION


BABY AYO brings the versatility of the AYO modular wetroom collection into a reduced height format, making it ideal for spaces where ceiling height is restricted.

Standing at 1800mm high, it fits seamlessly beneath lower ceilings, making it perfect for attic, loft-style and compact bathrooms.

Crafted from 8mm toughened clear glass with a hydrophobic coating to resist grime and limescale, BABY AYO offers a wide range of configurations and fixture innovations, including recessed channels, fixed and rotating panels, ultra-clear seals and stylish stabilising bar options.

Available in Silver, Matte Black and Brushed Brass finishes, BABY AYO delivers a clean, contemporary wetroom solution without compromise.

## 1800mm HIGH WETROOM COLLECTION



WETROOM PANEL - MATTE BLACK

### KEY FEATURES

- TOUGHENED SAFETY GLASS
- 1800mm HEIGHT
- ULTRA CLEAR SEALS
- RANGE OF STABILISING SOLUTIONS
- CLEARVUE HYDROPHOBIC GLASS COATING
- CONCEALED FIXINGS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- 20 YEAR GUARANTEE

### FINISHES



WETROOM PANEL WITH ROTATING PANEL - MATTE BLACK (ROTATING PANEL ONLY AVAILABLE IN SILVER AND MATTE BLACK)

# BABY AYO® WETROOM 8MM CLEAR GLASS

FINISHES:

- SILVER
- MATTE BLACK**
- BRUSHED BRASS



WETROOM PANEL - BRUSHED BRASS  
CORNER WALK-IN WETROOM WITH T-PIECE - SILVER

### BABY AYO – 8MM WETROOM / 1800MM HEIGHT

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
700	AYO8180MWR70SC	AYO8180MWR70BC	AYO8180MWR70BRBC
800	AYO8180MWR80SC	AYO8180MWR80BC	AYO8180MWR80BRBC
900	AYO8180MWR90SC	AYO8180MWR90BC	AYO8180MWR90BRBC
1000	AYO8180MWR100SC	AYO8180MWR100BC	AYO8180MWR100BRBC
1200	AYO8180MWR120SC	AYO8180MWR120BC	AYO8180MWR120BRBC
1400	AYO8180MWR140SC	AYO8180MWR140BC	AYO8180MWR140BRBC

### BABY AYO – 8MM ROTATING PANELS 1800MM HEIGHT

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO8180RP30SC	AYO8180RP30BC	-

### AYO – T-PIECES

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
T-Piece	AYOTPS	AYOTPB	AYOTP-CBRB

1200mm Straight Stabilising Bar included with wetrooms 700mm and over.

# AYO<sup>®</sup> 8MM FRAMED BLACK COLLECTION

AVAILABLE IN CLEAR GLASS & FLUTED GLASS

Bold and beautifully engineered, AYO Framed brings industrial-inspired style to the modern bathroom.

Each 2-metre high panel features 8mm toughened glass with a flush, easy-clean interior, a protective hydrophobic coating, and a striking black metal frame bonded to the exterior for stand-out design and lasting durability.

8mm  
TOUGHENED  
SAFETY GLASS

FOR A  
CORNER  
SPACE

FOR AN  
ALCOVE  
SPACE



FRAMED WETROOM IN FLUTED GLASS

# AYO® FRAMED WETROOM 8MM CLEAR GLASS

FINISH:

**MATTE BLACK**

Comes complete with 8mm Framed Wetroom Panel (clear glass) with 15mm Wall profile and 1200mm Straight Stabilising Bar.



8MM FRAMED WETROOM

AYO – 8MM FRAMED WETROOM	
SIZE (mm)	CODE MATTE BLACK
700	AYO8MWRFB70BC
760	AYO8MWRFB76BC
800	AYO8MWRFB80BC
900	AYO8MWRFB90BC
1000	AYO8MWRFB100BC
1100	AYO8MWRFB110BC
1200	AYO8MWRFB120BC
1400	AYO8MWRFB140BC

AYO – 8MM FRAMED CORNER WALK-IN**	
SIZE (mm)	CODE MATTE BLACK
700	AYO8MWRFB70TBC
760	AYO8MWRFB76TBC
800	AYO8MWRFB80TBC
900	AYO8MWRFB90TBC
1000	AYO8MWRFB100TBC

\*\*Includes T-Piece

AYO – FRAMED ROTATING PANEL	
SIZE (mm)	CODE MATTE BLACK
300	AYO8RPF30BC
450	AYO8RPF45BC*

ACCESSORIES	
DESCRIPTION	CODE MATTE BLACK
1200mm Straight Stabilising Bar	AYOSSBB
1400mm Straight Stabilising Bar	AYO140SSBB
L Shape Stabilising Bar - Length 1410mm / Height 220mm	AYOLSSBB
Top of Glass to Ceiling Bar - 600mm	AYOCSBB
Two Piece Floor to Ceiling Stabilising Bar	AYOF2CSBB



8MM FRAMED WETROOM WITH ROTATING PANEL

FINISH:

**MATTE BLACK**

Comes complete with 8mm Linear Wetroom Panel (clear glass) with 15mm Wall profile and 1200mm Straight Stabilising Bar.



8MM LINEAR WETROOM

AYO – 8MM LINEAR WETROOM	
SIZE (mm)	CODE MATTE BLACK
700	AYO8MWRFB70BC
760	AYO8MWRFB76BC
800	AYO8MWRFB80BC
900	AYO8MWRFB90BC
1000	AYO8MWRFB100BC
1100	AYO8MWRFB110BC
1200	AYO8MWRFB120BC
1400	AYO8MWRFB140BC



8MM LINEAR CORNER WALK-IN WETROOM WITH T-PIECE

AYO – 8MM LINEAR CORNER WALK-IN*	
SIZE (mm)	CODE MATTE BLACK
700	AYO8MWRFB70TBC
760	AYO8MWRFB76TBC
800	AYO8MWRFB80TBC
900	AYO8MWRFB90TBC
1000	AYO8MWRFB100TBC

\*Includes T-Piece

AYO – LINEAR ROTATING PANEL	
SIZE (mm)	CODE MATTE BLACK
300	AYO8RPF30BC
450	AYO8RPF45BC



8MM LINEAR WETROOM WITH ROTATING PANEL

ACCESSORIES	
DESCRIPTION	CODE MATTE BLACK
1200mm Straight Stabilising Bar	AYOSSBB
1400mm Straight Stabilising Bar	AYO140SSBB
L Shape Stabilising Bar - Length 1410mm / Height 220mm	AYOLSSBB
Top of Glass to Ceiling Bar - 600mm	AYOCSBB
Two Piece Floor to Ceiling Stabilising Bar	AYOF2CSBB

\*Discontinued once stock is sold.

# AYO® FRAMED WETROOM 8MM FLUTED GLASS

FINISH:

**MATTE BLACK**

Comes complete with 8mm Framed Wetroom Panel (fluted glass) with 15mm Wall profile and 1200mm Straight Stabilising Bar.

## AYO – 8MM FRAMED WETROOM


SIZE (mm)	CODE MATTE BLACK
700	AYO8MWRFB70BFC
800	AYO8MWRFB80BFC
900	AYO8MWRFB90BFC
1000	AYO8MWRFB100BFC
1100	AYO8MWRFB110BFC
1200	AYO8MWRFB120BFC
1400	AYO8MWRFB140BFC

## AYO – 8MM FRAMED CORNER WALK-IN\*


SIZE (mm)	CODE MATTE BLACK
700	AYO8MWRFB70TBFC
800	AYO8MWRFB80TBFC
900	AYO8MWRFB90TBFC
1000	AYO8MWRFB100TBFC

## ACCESSORIES

DESCRIPTION	CODE MATTE BLACK
T-Piece	AYOTPB



8MM FRAMED WETROOM



T-Piece Stabilising Bar

8MM FRAMED WETROOM WITH SIDE PANEL AND T-PIECE

Note: To create a Corner Walk-In Wetroom, order a second Framed Wetroom in your desired size of Side Panel as above and separate T-Piece.




FRAMED WALK-IN WETROOM IN FLUTED GLASS

# AYO<sup>®</sup> 10MM WETROOM COLLECTION

Designed for style-conscious spaces, AYO offers complete wetroom panels with 10mm glass.

Includes a 2mm high glass panel, 15mm wall profile, and a stabilising bar, making it easy to achieve a beautifully minimalist showering solution.



10mm  
TOUGHENED  
SAFETY GLASS

FOR A  
CORNER  
SPACE


FOR AN  
ALCOVE  
SPACE



10MM AYO - COUNTRY BRONZE

# AYO® WETROOM 10MM CLEAR GLASS

FINISHES:



Includes a 10mm clear glass panel, a 15mm wall profile and a suitable stabilising bar solution.



COUNTRY BRONZE (PVD)

AYO – 10MM WETROOMS			
SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO10MWR30SC	AYO10MWR30BC	–
400	AYO10MWR40SC	AYO10MWR40BC	–
450	AYO10MWR45SC	AYO10MWR45BC	AYO10MWR45-CBRB
500	AYO10MWR50SC	AYO10MWR50BC	AYO10MWR50-CBRB
600	AYO10MWR60SC	AYO10MWR60BC	AYO10MWR60-CBRB
700	AYO10MWR70SC	AYO10MWR70BC	AYO10MWR70-CBRB
760	AYO10MWR76SC	AYO10MWR76BC	AYO10MWR76-CBRB
800	AYO10MWR80SC	AYO10MWR80BC	AYO10MWR80-CBRB
900	AYO10MWR90SC	AYO10MWR90BC	AYO10MWR90-CBRB
1000	AYO10MWR100SC	AYO10MWR100BC	AYO10MWR100-CBRB
1100	AYO10MWR110SC	AYO10MWR110BC	AYO10MWR110-CBRB
1200	AYO10MWR120SC	AYO10MWR120BC	AYO10MWR120-CBRB
1400	AYO10MWR140SC	AYO10MWR140BC	AYO10MWR140-CBRB

1200mm Straight Stabilising Bar included with wetrooms 700mm and over.  
350mm Angled Stabilising Bar included with 300 & 400mm wetrooms.  
650mm Angled Stabilising Bar included with 450, 500 & 600mm wetrooms.

AYO – 10MM WETROOMS			
SIZE (mm)	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
450	AYO10MWR45-CPG*	AYO10MWR45-CBRMN	AYO10MWR45-CBRN
500	AYO10MWR50-CPG*	AYO10MWR50-CBRMN	AYO10MWR50-CBRN
600	AYO10MWR60-CPG*	AYO10MWR60-CBRMN	AYO10MWR60-CBRN
700	AYO10MWR70-CPG*	AYO10MWR70-CBRMN	AYO10MWR70-CBRN
760	AYO10MWR76-CPG*	AYO10MWR76-CBRMN	AYO10MWR76-CBRN
800	AYO10MWR80-CPG*	AYO10MWR80-CBRMN	AYO10MWR80-CBRN
900	AYO10MWR90-CPG*	AYO10MWR90-CBRMN	AYO10MWR90-CBRN
1000	AYO10MWR100-CPG*	AYO10MWR100-CBRMN	AYO10MWR100-CBRN
1100	AYO10MWR110-CPG*	AYO10MWR110-CBRMN	AYO10MWR110-CBRN
1200	AYO10MWR120-CPG*	AYO10MWR120-CBRMN	AYO10MWR120-CBRN
1400	AYO10MWR140-CPG*	AYO10MWR140-CBRMN	AYO10MWR140-CBRN

SIZE (mm)	CODE COUNTRY BRONZE	CODE STAINLESS STEEL	CODE WHITE*
450	AYO10MWR45-CCTRYBRZ	AYO10MWR45-SS	AYO10MWR45WC*
500	AYO10MWR50-CCTRYBRZ	AYO10MWR50-SS	AYO10MWR50WC*
600	AYO10MWR60-CCTRYBRZ	AYO10MWR60-SS	AYO10MWR60WC*
700	AYO10MWR70-CCTRYBRZ	AYO10MWR70-SS	AYO10MWR70WC*
760	AYO10MWR76-CCTRYBRZ	AYO10MWR76-SS	AYO10MWR76WC*
800	AYO10MWR80-CCTRYBRZ	AYO10MWR80-SS	AYO10MWR80WC*
900	AYO10MWR90-CCTRYBRZ	AYO10MWR90-SS	AYO10MWR90WC*
1000	AYO10MWR100-CCTRYBRZ	AYO10MWR100-SS	AYO10MWR100WC*
1100	AYO10MWR110-CCTRYBRZ	AYO10MWR110-SS	AYO10MWR110WC*
1200	AYO10MWR120-CCTRYBRZ	AYO10MWR120-SS	AYO10MWR120WC*
1400	AYO10MWR140-CCTRYBRZ	AYO10MWR140-SS	AYO10MWR140WC*

\*Discontinued once stock is sold.

# AYO® ROTATING PANEL 10MM CLEAR GLASS

FINISHES:




Rotating panels help reduce water spray while keeping your space open.

**Rotating Panel:** Swings in and out for flexible access.

**Hinge Rotating Panel:** Opens in one direction, ideal for more defined spaces.

**Note:** Please order your front wetroom panel in the required size from page 140.



## AYO – 10MM ROTATING PANELS - RISE & FALL HINGE MECHANISM\*\*

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE WHITE*
300	AYO10RP30SC	AYO10RP30BC	AYO10RP30WC*
450	AYO10RP45SC	AYO10RP45BC	AYO10RP45WC*
500	AYO10RP50SC	AYO10RP50BC	-

\*\*Rotating Panels can be retrofitted.



ROTATING PANEL - MATTE BLACK



HINGE ROTATING PANEL - BRUSHED BRASS (PVD)

## AYO – 10MM HINGE ROTATING PANEL

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO10HRP30SSC	AYO10HRP30BC	AYO10HRP30CBRBC
450	AYO10HRP45SSC	AYO10HRP45BC	AYO10HRP45CBRBC
500	AYO10HRP50SSC	AYO10HRP50BC	AYO10HRP50CBRBC

SIZE (mm)	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
300	AYO10HRP30CPGC*	AYO10HRP30CBMNC	AYO10HRP30CBRNC
450	AYO10HRP45CPGC*	AYO10HRP45CBMNC	AYO10HRP45CBRNC
500	AYO10HRP50CPGC*	AYO10HRP50CBMNC	AYO10HRP50CBRNC

SIZE (mm)	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
300	AYO10HRP30CCTRYBRZC	AYO10HRP30SSC
450	AYO10HRP45CCTRYBRZC	AYO10HRP45SSC
500	AYO10HRP50CCTRYBRZC	AYO10HRP50SSC

\*Discontinued once stock is sold.

# AYO® CORNER WETROOM 10MM CLEAR GLASS

**Note: Order your front panel in the size you need from page 140.**


This page 144, shows some of our most popular sizes for corner configurations, but any size can be used to create your ideal layout.

## FINISHES:

SILVER MATTE BLACK BRUSHED BRASS  
 POLISHED GOLD\* MATTE NICKEL BRUSHED NICKEL  
 COUNTRY BRONZE STAINLESS STEEL WHITE\*

Start by choosing your front wetroom panel from page 140, then select your side panel size from the options below. You must also order a T-Piece to complete the corner installation.

Create a spacious, stylish corner wetroom with a sleek two-panel layout supported by stainless steel stabilising bars. Add a matching T-piece for enhanced stability and a seamless, modern finish.



## AYO – 10MM CORNER WETROOMS

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
700	AYO10MWR70SC	AYO10MWR70BC	AYO10MWR70-CBRB
760	AYO10MWR76SC	AYO10MWR76BC	AYO10MWR76-CBRB
800	AYO10MWR80SC	AYO10MWR80BC	AYO10MWR80-CBRB
900	AYO10MWR90SC	AYO10MWR90BC	AYO10MWR90-CBRB

SIZE (mm)	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
700	AYO10MWR70-CPG*	AYO10MWR70-CBRMIN	AYO10MWR70-CBRN
760	AYO10MWR76-CPG*	AYO10MWR76-CBRMIN	AYO10MWR76-CBRN
800	AYO10MWR80-CPG*	AYO10MWR80-CBRMIN	AYO10MWR80-CBRN
900	AYO10MWR90-CPG*	AYO10MWR90-CBRMIN	AYO10MWR90-CBRN

SIZE (mm)	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
700	AYO10MWR70-CCTRYBRZ	AYO10MWR70-SS
760	AYO10MWR76-CCTRYBRZ	AYO10MWR76-SS
800	AYO10MWR80-CCTRYBRZ	AYO10MWR80-SS
900	AYO10MWR90-CCTRYBRZ	AYO10MWR90-SS

1200mm Straight Stabilising Bar included with wetrooms 700mm and over.

*\*Discontinued once stock is sold.*

Choose your optional rotating panel from page 142.



CORNER WALK-IN WITH STRAIGHT & ANGLES STABILISING - SILVER

## AYO – T-PIECES

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
T-Piece	AYOTPS	AYOTPB	AYOTP-CBRB

SIZE (mm)	CODE MATTE NICKEL	CODE BRUSHED NICKEL	CODE COUNTRY BRONZE
T-Piece	AYOTP-CBRMIN	AYOTP-CBRN	AYOTP-CCTRYBRZ

SIZE (mm)	CODE WHITE*
T-Piece	AYOTPW*

*\*Discontinued once stock is sold.*

# AYO<sup>®</sup> MODULAR

## YOUR SHOWER YOUR WAY

Elevate your showering experience with the flexibility and style of AYO Modular.

AYO Modular creates a step-by-step process that will help bring your dream shower space to life and is tailored to create a unique shower enclosure design that suits your style.

Choose from a variety of materials, colours and finishes to create the perfect ambience.

8 OR 10mm

TOUGHENED  
SAFETY GLASS



FOR A  
CORNER  
SPACE



FOR AN  
ALCOVE  
SPACE



FOR A  
STRAIGHT  
OPEN SPACE




HINGE ROTATING PANEL - CLEAR GLASS - MATTE BLACK

# THE PERFECT SHOWER MADE FOR YOU

## CHOOSE & MEASURE YOUR SPACE

First things first, analyse the area you have allowed for your shower, and get your measurements correct.

Then simply follow our 5 step process of selecting the components you need to create your personal shower sanctuary.



**Please note:**  
It is suggested to leave a minimum of 500mm wide access when measuring for your wetroom panel.



Fluted & opaque available in 8mm only

## FOLLOW OUR SIMPLE 5 STEP PROCESS

- 1**

**CHOOSE YOUR LAYOUT**

From page 150; Have a look at our configuration guide on the following pages to help you design your ideal shower space.
- 2**

**CHOOSE YOUR GLASS**

From page 152; Choose from an 8mm or 10mm thickness, and also if you'd prefer clear, fluted\* or opaque\* glass.  
\*8mm only
- 3**

**CHOOSE YOUR WALL PROFILE & STABILISING SOLUTION**

From page 154; Pick from a range of 9 finishes and a selection of stabilising solutions to suit your space and preference.
- 4**

**CHOOSE YOUR ACCESSORIES**

From page 158; If needed finish your shower space with one of our accessories - available in a range of finishes.
- 5**

**CHOOSE YOUR ROTATING PANEL**



From page 160; Add a rotating panel for added splash protection and a more versatile showering experience.

# STEP 1 CHOOSE YOUR LAYOUT

## ENDLESS SHOWERING POSSIBILITIES


With an almost infinite choice of wetroom layouts, AYO provides maximum flexibility as you personalise your dream shower space.

For ease of ordering, we have created the following layouts for the most popular wetroom configurations.






**LAYOUT A1**

- x1 Wall Profile
- x1 Glass Panel
- x1 Straight Stabilising Bar




**LAYOUT A2**

- x1 Wall Profile
- x1 Glass Panel
- x1 Straight Stabilising Bar
- x1 Hinged Rotating Panel




**LAYOUT C1**

- x1 Wall Profile
- x1 Glass Panel
- x1 Straight Stabilising Bar




**LAYOUT C2**

- x1 Wall Profile
- x1 Glass Panel
- x1 Straight Stabilising Bar
- x1 Rotating Panel




**LAYOUT C3**

- x2 Wall Profiles
- x2 Glass Panels
- x2 Straight Stabilising Bars
- x1 T-Piece
- x1 Rotating Panel




**LAYOUT S1**

- x1 Glass Panel
- x2 Straight Stabilising Bars



**LAYOUT S2**

- x2 Wall Profiles
- x3 Glass Panels
- x1 Ultra Clear Corner Seal
- x2 Straight Stabilising Bars
- x1 T-Piece



**LAYOUT S3**

- x2 Wall Profiles
- x3 Glass Panels
- x1 Ultra Clear Corner Seal
- x1 Rotating Panel
- x2 Straight Stabilising Bars
- x1 T-Piece

## STEP 2 CHOOSE YOUR GLASS

8mm  
TOUGHENED SAFETY GLASS

10mm  
TOUGHENED SAFETY GLASS

### 8mm Glass Wetroom Panel / 2000mm High

Suitable for use on wetroom floor or tray.

### 10mm Glass Wetroom Panel / 2000mm High

Suitable for use on wetroom floor or tray.

#### 8MM GLASS WETROOM PANELS – CLEAR GLASS, FLUTED GLASS, OPAQUE GLASS OPTIONS

SIZE (mm)	CODE CLEAR GLASS	CODE FLUTED	CODE OPAQUE
300	AYO8MW30C	AYO8MW30FC	–
400	AYO8MW40C	–	–
450	AYO8MW45C	–	–
500	AYO8MW50C	–	–
600	AYO8MW60C	–	–
700	AYO8MW70C	AYO8MW70FC	–
760	AYO8MW76C	–	–
800	AYO8MW80C	AYO8MW80FC	AYO8MW80PC*
900	AYO8MW90C	AYO8MW90FC	AYO8MW90PC
1000	AYO8MW100C	AYO8MW100FC	AYO8MW100PC
1100	AYO8MW110C	–	–
1200	AYO8MW120C	AYO8MW120FC	AYO8MW120PC
1400	AYO8MW140C	AYO8MW140FC	AYO8MW140PC
1500	AYO8MW150C	–	–
1600	AYO8MW160C	–	–

\*Discontinued once stock is sold.

#### 10MM GLASS WETROOM PANELS – CLEAR GLASS ONLY


SIZE (mm)	CODE CLEAR GLASS
300	AYO10MW30C
400	AYO10MW40C
450	AYO10MW45C
500	AYO10MW50C
600	AYO10MW60C
700	AYO10MW70C
760	AYO10MW76C
800	AYO10MW80C
900	AYO10MW90C
1000	AYO10MW100C
1100	AYO10MW110C
1200	AYO10MW120C
1400	AYO10MW140C

# STEP 3 CHOOSE YOUR WALL PROFILE & STABILISING SOLUTION

## WALL PROFILES

FINISHES:

- SILVER
- MATTE BLACK
- BRUSHED BRASS
- POLISHED GOLD\*
- MATTE NICKEL
- BRUSHED NICKEL
- COUNTRY BRONZE
- STAINLESS STEEL



WALL PROFILES			
DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
15mm Wall Profile	AYOMW15WJS	AYOMW15WJB	AYOMW15WJSS-CBRB
35mm Wall Profile	AYOMW35WJS	AYOMW35WJB	-
Recessed Channel Wall & Floor Profile 2000mm	AYOMWCWJS	AYOMWCWJB	AYOMWCWJSS-CBRB
15mm Anodised Brushed Brass Wall Profile	-	-	AYOMW15WJBRB

DESCRIPTION	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
15mm Wall Profile	AYOMW15WJSS-CPG*	AYOMW15WJSS-CBRMN	AYOMW15WJSS-CBRN
Recessed Channel Wall & Floor Profile 2000mm	AYOMWCWJSS-CPG*	-	AYOMWCWJSS-CBRN

DESCRIPTION	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
15mm Wall Profile	AYOMW15WJSS-CCTRYBRZ	AYOMW15WJSS-SS
Recessed Channel Wall & Floor Profile 2000mm	-	AYOMWCWJSS-SS

\*Discontinued once stock is sold.



MATTE BLACK WALL PROFILE (WITH HINGE ROTATING PANEL - SEE PAGE 160)

# STABILISING SOLUTIONS

## FINISHES:

SILVER STAINLESS STEEL MATTE BLACK BRUSHED BRASS  
POLISHED GOLD\* MATTE NICKEL BRUSHED NICKEL COUNTRY BRONZE



BLACK STAINLESS STEEL STRAIGHT STABILISING BAR



BLACK L SHAPED STABILISING BAR



STAINLESS STEEL ANGLED STABILISING BAR



FLOOR TO CEILING STABILISING BAR



TOP OF GLASS TO CEILING STABILISING BAR

## STRAIGHT STABILISING BARS

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
1200mm Straight Stabilising Bar	AYOSSBS	AYOSSBB	AYOSSB-CBRB
1400mm Straight Stabilising Bar	AYO140SSBS	AYO140SSBB	-

DESCRIPTION	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
1200mm Straight Stabilising Bar	AYOSSB-CPG*	AYOSSB-CBRMN	AYOSSB-CBRN

DESCRIPTION	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
1200mm Straight Stabilising Bar	AYOSSB-CCTRYBRZ	AYOSSBS
1400mm Straight Stabilising Bar	-	AYOMWCWJS-SS

\*Discontinued once stock is sold.

## ANGLED STABILISING BARS

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
350mm Angled Short Stabilising Bar for 300 & 400mm Panels	AYOASBS-SH	AYOASBB-SH	AYOASB-SH-CBRB
650mm Angled Stabilising Bar	AYOASBS	AYOASBB	AYOASB-CBRB

DESCRIPTION	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
350mm Angled Short Stabilising Bar for 300 & 400mm Panels	-	-	AYOASB-SH-CBRN
650mm Angled Stabilising Bar	AYOASB-CPG*	AYOASB-CBRMN	AYOASB-CBRMN

DESCRIPTION	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
350mm Angled Short Stabilising Bar for 300 & 400mm Panels	AYOASB-SH-CCTRYBRZ	AYOASBS-SH
650mm Angled Stabilising Bar	AYOASB-CCTRYBRZ	AYOASBS

\*Discontinued once stock is sold.

## CEILING STABILISING BARS

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
Top of Glass to Ceiling Stabilising Bar - 600mm	AYOCSBS	AYOCSBB	AYOCSB-CBRB
Floor to Ceiling Stabilising Bar - 2600mm	AYOFCSBS	AYOFCSBB	-
Two Piece Floor to Ceiling Stabilising Bar - 2600mm	AYOF2CSBS	AYOF2CSBB	-
Two Piece Floor to Ceiling Stabilising Bar - 3000mm	AYOF2CSB3S	AYOF2CSB3B	-

## OTHER STABILISING BARS

DESCRIPTION	CODE SILVER	CODE MATTE BLACK
L Shape Stabilising Bar - Length 1410mm / Height 220mm	AYOLSSBS	AYOLSSBB
Rotating Panel Stabilising Bar - 1200mm	AYORPSBS	AYORPSBB
1200mm Double Glass Bracket Stabilising Bar	AYODGBSBS	AYODGBSBB
1200mm Cuttable Stabilising Bar with Angle & Straight Bracket	AYOCASSBS	AYOCASSBB

## STEP 4 CHOOSE YOUR ACCESSORIES

Required depending on your configuration.


### Profile solutions

An array of wall profile solutions provides maximum versatility as each AYO wetroom aspiration becomes the reality.

All profile solutions are available in the standard Silver and Black options.

#### AYO COLOUR

Note: 15mm Wall Profile is available the premium colours - White, Brushed Brass, Matte Nickel, Stainless Steel and Polished Gold.



### Seal solutions

AYO maximises your shower's visual appeal by offering an extensive selection of discreet ultra clear seal options.



### SEALS – 2000MM HEIGHT

DESCRIPTION	CODE CLEAR SEAL	CODE BLACK SEAL
8mm Black Corner Seal	–	AYO8CSB
8mm Ultra Clear Corner Seal	AYO8CSC	–
8mm Ultra Clear H Joining Seal	AYO8JSC	–
10mm Black Corner Seal	–	AYO10CSB
10mm Ultra Clear Corner Seal	AYO10CSC	–
10mm Ultra Clear H Joining Seal	AYO10JSC	–

### VARIOUS ACCESSORIES

DESCRIPTION	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
8mm U Channel - 1000mm	AYO8UC1000S	AYO8UC1000B	–
8mm U Channel - 2000mm	AYO8UCS	AYO8UCB	–
10mm U Channel - 1000mm	AYO10UC1000S	AYO10UC1000B	–
10mm U Channel - 2000mm	AYO10UCS	AYO10UCB	–
Corner Profile - 2000mm Height	AYOCPS	AYOCPB	–
H-Joining Profile - 2000mm Height	AYOHJPS	AYOHJPB	–
End Profile - 2000mm Height	AYOEPS	AYOEPB	–
Glass Joining Bracket	AYOGJBS	AYOGJBB	–
T-Piece	AYOTPS	AYOTPB	AYOTP-CBRB
Fixed Leg Support	AYOFSLS	AYOFSLB	AYOFSLCBB

DESCRIPTION	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
T-Piece	AYOTP-CPG*	AYOTP-CBRMN	AYOTP-CBRN
Fixed Leg Support	–	–	–

DESCRIPTION	CODE COUNTRY BRONZE	CODE STAINLESS STEEL	CODE WHITE
T-Piece	AYOTP-CCTRYBRZ	AYOTPS	AYOTPW*
Fixed Leg Support	–	AYOFSLS	–

\*Discontinued once stock is sold.

## STEP 5 CHOOSE YOUR ROTATING PANEL

### 8MM ROTATING PANEL\*\*

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE WHITE*
300	AYO8RP30SC	AYO8RP30BC	AYO8RP30WC*
450	AYO8RP45SC	AYO8RP45BC	AYO8RP45WC*
500	AYO8RP50SC	AYO8RP50BC	–

\*\*Rotating Panels can be retrofitted.

### 8MM PLATED FINISH - HANDED HINGE DEFLECTOR PANEL

SIZE (mm)	CODE SILVER	CODE MATTE BLACK
300 – Right Hand	AYO8HRPR30SC	AYO8HRPR30BC
450 – Right Hand	AYO8HRPR45SC	AYO8HRPR45BC
500 – Right Hand	AYO8HRPR50SC	AYO8HRPR50BC
300 – Left Hand	AYO8HRPL30SC	AYO8HRPL30BC
450 – Left Hand	AYO8HRPL45SC	AYO8HRPL45BC
500 – Left Hand	AYO8HRPL50SC	AYO8HRPL50BC

### 8MM HINGE ROTATING DEFLECTOR PANEL

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO8HRP30SSC	AYO8HRP30BC	AYO8HRP30CBRBC
450	AYO8HRP45SSC	AYO8HRP45BC	AYO8HRP45CBRBC
500	AYO8HRP50SSC	AYO8HRP50BC	AYO8HRP50CBRBC

SIZE (mm)	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
300	AYO8HRP30CPGC*	AYO8HRP30CBRMNC	AYO8HRP30CBRNC
450	AYO8HRP45CPGC*	AYO8HRP45CBRMNC	AYO8HRP45CBRNC
500	AYO8HRP50CPGC*	AYO8HRP50CBRMNC	AYO8HRP50CBRNC

SIZE (mm)	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
300	AYO8HRP30CCTRYBRZC	AYO8HRP30SSC
450	AYO8HRP45CCTRYBRZC	AYO8HRP45SSC
500	AYO8HRP50CCTRYBRZC	AYO8HRP50SSC

\*Discontinued once stock is sold.

### FINISHES:

SILVER	MATTE BLACK	BRUSHED BRASS
POLISHED GOLD*	MATTE NICKEL	BRUSHED NICKEL
COUNTRY BRONZE	STAINLESS STEEL	WHITE*

### 10MM ROTATING PANEL - RISE AND FALL MECHANISM\*

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE WHITE*
300	AYO10RP30SC	AYO10RP30BC	AYO10RP30WC*
450	AYO10RP45SC	AYO10RP45BC	AYO10RP45WC*
500	AYO10RP50SC	AYO10RP50BC	–

\*Rotating Panels can be retrofitted.

### 10MM HINGE ROTATING DEFLECTOR PANEL

SIZE (mm)	CODE SILVER	CODE MATTE BLACK	CODE BRUSHED BRASS
300	AYO10HRP30SSC	AYO10HRP30BC	AYO10HRP30CBRBC
450	AYO10HRP45SSC	AYO10HRP45BC	AYO10HRP45CBRBC
500	AYO10HRP50SSC	AYO10HRP50BC	AYO10HRP50CBRBC

SIZE (mm)	CODE POLISHED GOLD*	CODE MATTE NICKEL	CODE BRUSHED NICKEL
300	AYO10HRP30CPGC*	AYO10HRP30CBRMNC	AYO10HRP30CBRNC
450	AYO10HRP45CPGC*	AYO10HRP45CBRMNC	AYO10HRP45CBRNC
500	AYO10HRP50CPGC*	AYO10HRP50CBRMNC	AYO10HRP50CBRNC

SIZE (mm)	CODE COUNTRY BRONZE	CODE STAINLESS STEEL
300	AYO10HRP30CCTRYBRZC	AYO10HRP30SSC
450	AYO10HRP45CCTRYBRZC	AYO10HRP45SSC
500	AYO10HRP50CCTRYBRZC	AYO10HRP50SSC

\*Discontinued once stock is sold.

# AYO<sup>®</sup> 8MM BATHSCREENS

AVAILABLE IN CLEAR GLASS & FLUTED GLASS

Elevate your over-bath showering with the 8mm AYO Bathscreens, available in both clear and fluted glass for a clean or textured look.

Finished in your choice of Matte Black, Silver, or Brushed Brass, each screen combines modern style with robust performance to complement any contemporary bathroom design.




# AYO® 8MM BATHSCREENS

FINISHES:

SILVER

MATTE BLACK

BRUSHED BRASS



## AYO 8MM BATHSCREENS - CLEAR GLASS

SIZE / DESCRIPTION	COLOUR	CODE
1500 x 800mm Frameless Bathscreen	Silver	AYO8BSSC
1500 x 800mm Frameless Bathscreen	Black	AYO8BSBC
1500 x 800mm Frameless Bathscreen	Brushed Brass	AYO8BSBRBC
1500 x 800mm Framed Bathscreen	Black	AYO8FBSBBC
1500 x 800mm Linear Bathscreen	Black	AYO8FHBSBBC

## AYO 8MM BATHSCREENS - FLUTED GLASS

SIZE / DESCRIPTION	COLOUR	CODE
1500 x 800mm Frameless Bathscreen Includes 15mm Wall Profile & 350mm Angled Stabilising Bar	Silver	AYO8BSFSC
1500 x 800mm Frameless Bathscreen Includes 15mm Wall Profile & 350mm Angled Stabilising Bar	Black	AYO8BSFBC
1500 x 800mm Frameless Bathscreen Includes 15mm Wall Profile & 350mm Angled Stabilising Bar	Brushed Brass	AYO8BSFBRBC
1500 x 800mm Framed Bathscreen	Black	AYO8FBSBFBC

# GEMSTONE

The Gemstone brand is synonymous with quality and style. This extensive selection of slate textured shower trays compliment the most beautiful of bathroom designs. With an ultra minimal height of 25 to 30mm, each tray is anti-slip rated and available in 4 colour options White, Graphite Black, Flint Grey and Onyx Black.

Choose from square or linear shape shower drain options. Both visually appealing and sensual to touch, a Gemstone shower tray will work perfectly in a wide variety of bathroom applications, be they classic, modern or contemporary in design.

# SHOWER TRAY COLLECTION

TEXTURED SLATE,  
SLIMLINE, ANTI-SLIP  
& ULTRA SLIM



# GEMSTONE

## KEY FEATURES

Slate texture – a natural stone resin composite with gel coat finish

**Anti slip rated** – Grade 3 Rating  
UNE ENV 12633:2003

Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey

Minimalist stainless steel waste cover in Square versions


Stone resin linear cover standard on all linear trays

Colour matched interior waste trap (Onyx Black, Graphite Black or Flint Grey = Grey interior waste / White tray - White interior waste)

Supplied with 90mm McAlpine high flow waste



## GEMSTONE TRAY COLOUR OPTIONS



WHITE TRAY with square waste.



FLINT GREY TRAY with colour matched grille.



STONE RESIN waste covers.

Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.

## GEMSTONE SLATE TRAY RANGE – SQUARE WASTE

HEIGHT – 25MM

includes 90mm McAlpine manufactured high flow waste



BRUSHED STAINLESS STEEL FINISH

### RECTANGULAR TRAYS

SIZE (mm)	CODE WHITE	CODE GRAPHITE BLACK	CODE FLINT GREY	CODE ONYX BLACK
1000 x 800	GEM10080RWS	GEM10080RBS	GEM10080RGS	GEM10080ROS
1000 x 900	GEM10090RWS	GEM10090RBS	GEM10090RGS	GEM10090ROS
1100 x 800	GEM11080RWS	GEM11080RBS	GEM11080RGS	–
1100 x 900	GEM11090RWS	GEM11090RBS	GEM11090RGS	–
1200 x 800	GEM12080RWS	GEM12080RBS	GEM12080RGS	GEM12080ROS
1200 x 900	GEM12090RWS	GEM12090RBS	GEM12090RGS	GEM12090ROS
1200 x 1000	–	GEM120100RBS	–	–
1400 x 800	GEM14080RWS	GEM14080RBS	GEM14080RGS	GEM14080ROS
1400 x 900	GEM14090RWS	GEM14090RBS	GEM14090RGS	GEM14090ROS
1400 x 1000	GEM140100RWS	–	–	–
1500 x 800	GEM15080RWS	GEM15080RBS	GEM15080RGS	–
1500 x 900	GEM15090RWS	GEM15090RBS	GEM15090RGS	–
1600 x 800	GEM16080RWS	GEM16080RBS	GEM16080RGS	GEM16080ROS
1600 x 900	GEM16090RWS	GEM16090RBS	GEM16090RGS	GEM16090ROS
1700 x 700	GEM17070RWS	GEM17070RBS	GEM17070RGS	–
1700 x 800	GEM17080RWS	GEM17080RBS	GEM17080RGS	GEM17080ROS
1700 x 900	GEM17090RWS	GEM17090RBS	GEM17090RGS	GEM17090ROS
1800 x 800	GEM18080RWS	GEM18080RBS	GEM18080RGS	–
1800 x 900	GEM18090RWS	GEM18090RBS	GEM18090RGS	–
2000 x 800	–	GEM20080RBS	–	GEM20080ROS
2000 x 900	GEM20090RWS	GEM20090RBS	–	GEM20090ROS

### SQUARE TRAYS

SIZE (mm)	CODE WHITE	CODE GRAPHITE BLACK	CODE FLINT GREY	CODE ONYX BLACK
800	GEM80SWS	GEM80SBS	GEM80SGS	GEM80SOS
900	GEM90SWS	GEM90SBS	GEM90SGS	GEM90SOS
1000	GEM100SWS	GEM100SBS	GEM100SGS	–

### OFFSET QUADRANT TRAYS – LEFT HAND

SIZE (mm)	CODE WHITE	CODE GRAPHITE BLACK	CODE FLINT GREY	CODE ONYX BLACK
1000 x 800	GEM10080QWSL	GEM10080QBSL	GEM10080QGSL	–
1200 x 800	GEM12080QWSL	GEM12080QBSL	GEM12080QGSL	GEM12080QOSL
1200 x 900	GEM12090QWSL	GEM12090QBSL	GEM12090QGSL	GEM12090QOSL

### OFFSET QUADRANT TRAYS – RIGHT HAND

SIZE (mm)	CODE WHITE	CODE GRAPHITE BLACK	CODE FLINT GREY	CODE ONYX BLACK
1000 x 800	GEM10080QWSR	GEM10080QBSR	GEM10080QGSR	–
1200 x 800	GEM12080QWSR	GEM12080QBSR	GEM12080QGSR	GEM12080QOSR
1200 x 900	GEM12090QWSR	GEM12090QBSR	GEM12090QGSR	GEM12090QOSR

### QUADRANT TRAYS

SIZE (mm)	CODE WHITE	CODE GRAPHITE BLACK	CODE FLINT GREY	CODE ONYX BLACK
900	GEM90QWS	GEM90QBS	GEM90QGS	GEM90QOS
1000	GEM100QWS	GEM100QBS	GEM100QGS	–

### COLOUR MATCHED METAL GRILLES – SQUARE

DESCRIPTION	COLOUR	CODE
Square Grille	White	GEMGSW
Square Grille	Chrome	GEMGSC
Square Grille	Flint Grey	GEMGSG
Square Grille	Graphite Black	GEMGSB
Square Grille	Onyx Black	GEMGSOB

## GEMSTONE SLATE TRAY RANGE – LINEAR WASTE

HEIGHT – 30MM

includes 90mm McAlpine manufactured high flow waste



### RECTANGULAR TRAYS – INCLUDES STONE RESIN LINEAR GRILLE COVER

SIZE (mm)	CODE WHITE	CODE GRAPHITE BLACK	CODE FLINT GREY	CODE ONYX BLACK
1200 x 800	GEM12080RWL	GEM12080RBL	GEM12080RGL	GEM12080ROBL
1200 x 900	GEM12090RWL	GEM12090RBL	GEM12090RGL	GEM12090ROBL
1400 x 800	GEM14080RWL	GEM14080RBL	GEM14080RGL	GEM14080ROBL
1400 x 900	GEM14090RWL	GEM14090RBL	GEM14090RGL	GEM14090ROBL
1500 x 800	GEM15080RWL	GEM15080RBL	GEM15080RGL	–
1500 x 900	GEM15090RWL	GEM15090RBL	GEM15090RGL	–
1600 x 800	GEM16080RWL	GEM16080RBL	GEM16080RGL	–
1600 x 900	GEM16090RWL	GEM16090RBL	GEM16090RGL	–
1700 x 700	GEM17070RWL	GEM17070RBL	GEM17070RGL	GEM17070ROBL
1700 x 800	GEM17080RWL	GEM17080RBL	GEM17080RGL	GEM17080ROBL
1700 x 900	GEM17090RWL	GEM17090RBL	GEM17090RGL	GEM17090ROBL

### COLOUR MATCHED METAL GRILLES – LINEAR (STAINLESS STEEL MATERIAL)

SIZE (mm)	CODE WHITE	CODE CHROME	CODE GREY	CODE BLACK	CODE ONYX BLACK
700mm	GEMG70LW	GEMG70LC	GEMG70LG	GEMG70LB	GEMG70LOB
800mm	GEMG80LW	GEMG80LC	GEMG80LG	GEMG80LB	GEMG80LOB
900mm	GEMG90LW	GEMG90LC	GEMG90LG	GEMG90LB	GEMG90LOB

## GEMSTONE INFORMATION

### GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

**The following are excluded from the guarantee:**

- Damage caused by misuse.
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads).
- Damage caused by improper installation.
- Damage caused by the improper handling of the product.

Our products must be installed by qualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

**Before installing the tray you should make sure that:**

- The tray drains well and is 100% level.
- It has no anomalies.
- **The tray has been stored in a horizontal position on a flat surface until installation.**

### CLEANING

- Routine: rinse and leave to dry.
- Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product.

**Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.**

### CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

### CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

CLEANING SOLVENT (PRODUCT)	EXPOSURE TIME (DAYS)	RESULT OF VISUAL INSPECTION
Don Limpio Neutral PH	4	No Visible Effect
Perfumed Home Bleach	4	Slight Bleaching
Ace	4	Slight Bleaching
Perfumed Ammonia	4	No Visible Effect
Viakal	4	Slight Bleaching
Cillit Bang	4	No Visible Effect
KH-7 Anti-lime	4	No Visible Effect
White Wine Vinegar	4	No Visible Effect
Povidone Iodine	4	No Visible Effect
Hydrochloric Acid	4	No Visible Effect
Hydrogen Peroxide	4	No Visible Effect
Cleaning Solvent	4	No Visible Effect
Methylated Spirits	4	No Visible Effect
Acetone	4	No Visible Effect
Nail Polish Remover	4	No Visible Effect

### PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.

### FAQ

**Can it be cut?**

Yes, with a diamond cutting wheel.

**Please note, Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.**

**Can it be repaired?**

Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

**How should the product be cleaned?**

We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.

**What material should I use to install the products?**

Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.



## SLIMLINE

40mm high stone resin tray with waste.



RECTANGLE TRAY



SQUARE TRAY



OFFSET QUADRANT TRAY



QUADRANT TRAY

## ULTRA SLIM

25mm high stone resin tray with waste and White grille.



RECTANGLE TRAY



SQUARE TRAY



QUADRANT TRAY



OFFSET QUADRANT TRAY

Brushed Brass and Matte Black grilles available with Ultra Slim trays.

## SLIMLINE SHOWER TRAYS

HEIGHT – 40MM (INCLUDES WASTE)

Note. There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.

### RECTANGULAR TRAYS

SIZE (mm)	CODE WHITE
800 x 700	TSL8070R
900 x 700	TSL9070R
900 x 760	TSL9076R
900 x 800	TSL9080R
1000 x 700	TSL10070R
1000 x 760	TSL10076R
1000 x 800	TSL10080R
1000 x 900	TSL10090R
1100 x 700	TSL11070R
1100 x 760	TSL11076R
1100 x 800	TSL11080R
1100 x 900	TSL11090R
1200 x 700	TSL12070R
1200 x 760	TSL12076R
1200 x 800	TSL12080R
1200 x 900	TSL12090R
1200 x 1000	TSL120100R*
1300 x 800	TSL13080R
1300 x 900	TSL13090R
1400 x 700	TSL14070R
1400 x 760	TSL14076R
1400 x 800	TSL14080R
1400 x 900	TSL14090R
1500 x 700	TSL15070R
1500 x 760	TSL15076R
1500 x 800	TSL15080R
1500 x 900	TSL15090R
1600 x 700	TSL16070R
1600 x 800	TSL16080R
1600 x 900	TSL16090R
1700 x 700	TSL17070R
1700 x 750	TSL17075R
1700 x 800	TSL17080R
1700 x 900	TSL17090R
1800 x 800	TSL18080R
1800 x 900	TSL18090R
2000 x 900	TSL20090R

### SQUARE TRAYS

SIZE (mm)	CODE WHITE
700 x 700	TSL705
760 x 760	TSL765
800 x 800	TSL805
900 x 900	TSL905
1000 x 1000	TSL1005
1200 x 1200	TSL1205

### QUADRANT TRAYS

SIZE (mm)	CODE WHITE
800 x 800	TSL80Q
900 x 900	TSL90Q
1000 x 1000	TSL100Q

### OFFSET QUADRANT TRAYS

SIZE (mm)	CODE WHITE
900 x 760 - Left	TSL9076LOQ
900 x 760 - Right	TSL9076ROQ
900 x 800 - Left	TSL9080LOQ
900 x 800 - Right	TSL9080ROQ
1000 x 800 - Left	TSL10080LOQ
1000 x 800 - Right	TSL10080ROQ
1000 x 900 - Left	TSL10090LOQ
1000 x 900 - Right	TSL10090ROQ
1100 x 800 - Left	TSL11080LOQ
1100 x 800 - Right	TSL11080ROQ
1100 x 900 - Left	TSL11090LOQ
1100 x 900 - Right	TSL11090ROQ
1200 x 800 - Left	TSL12080LOQ
1200 x 800 - Right	TSL12080ROQ
1200 x 900 - Left	TSL12090LOQ
1200 x 900 - Right	TSL12090ROQ



OFFSET QUADRANT LEFT HAND



OFFSET QUADRANT RIGHT HAND

\*1200 x 1000mm slimline rectangle tray is acrylic only.

## SLIMLINE ANTI-SLIP SHOWER TRAYS

HEIGHT – 40MM (INCLUDES WASTE)

Note. There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.

### RECTANGULAR TRAYS

SIZE (mm)	CODE WHITE
1000 x 800	ASTSLI0080R
1000 x 900	ASTSLI0090R
1100 x 800	ASTSLI1080R
1100 x 900	ASTSLI1090R
1200 x 700	ASTSLI2070R
1200 x 760	ASTSLI2076R
1200 x 800	ASTSLI2080R
1200 x 900	ASTSLI2090R
1400 x 700	ASTSLI4070R
1400 x 800	ASTSLI4080R
1400 x 900	ASTSLI4090R
1500 x 700	ASTSLI5070R
1500 x 800	ASTSLI5080R
1500 x 900	ASTSLI5090R
1600 x 700	ASTSLI6070R
1600 x 800	ASTSLI6080R
1600 x 900	ASTSLI6090R
1700 x 700	ASTSLI7070R
1700 x 800	ASTSLI7080R
1700 x 900	ASTSLI7090R

### SQUARE TRAYS

SIZE (mm)	CODE WHITE
800	ASTSL805
900	ASTSL905
1000	ASTSL1005

### QUADRANT TRAYS

SIZE (mm)	CODE WHITE
800	ASTSL80Q
900	ASTSL90Q
1000	ASTSL100Q

### OFFSET QUADRANT TRAYS

SIZE (mm)	CODE WHITE
1000 x 800 - Left	ASTSLI0080LOQ
1000 x 800 - Right	ASTSLI0080ROQ
1000 x 900 - Left	ASTSLI0090LOQ
1000 x 900 - Right	ASTSLI0090ROQ
1200 x 800 - Left	ASTSLI2080LOQ
1200 x 800 - Right	ASTSLI2080ROQ
1200 x 900 - Left	ASTSLI2090LOQ
1200 x 900 - Right	ASTSLI2090ROQ

### TRAYS WITH CORNER WASTE

SIZE (mm)	CODE WHITE
900 x 900 - Quadrant	CASTSL90Q
1000 x 1000 - Quadrant	CASTSL100Q
800 x 800 - Square	CASTSL80S
900 x 900 - Square	CASTSL90S
1000 x 1000 - Square	CASTSL100S
1000 x 800 - Rectangle	CASTSL10080R
1200 x 800 - Rectangle	CASTSL12080R
1200 x 900 - Rectangle	CASTSL12090R



ANTI-SLIP SURFACE

## ULTRA SLIM SHOWER TRAYS\*

HEIGHT – 25MM (INCLUDES WASTE & WHITE GRILLE)

Note. There is a tolerance of up to 10mm in tray sizes above the nominal dimensions.

This is to allow for potential shrinkage during the manufacturing process.

*\*Discontinued once stock is sold.*

### RECTANGULAR TRAYS\*

SIZE (mm)	CODE WHITE
1000 x 800	USLI0080R
1000 x 900	USLI0090R
1200 x 800	USLI2080R
1200 x 900	USLI2090R
1400 x 800	USLI4080R
1400 x 900	USLI4090R
1500 x 800	USLI5080R
1500 x 900	USLI5090R
1600 x 800	USLI6080R
1600 x 900	USLI6090R
1700 x 800	USLI7080R
1700 x 900	USLI7090R
1800 x 800	USLI8080R
1800 x 900	USLI8090R

### SQUARE TRAYS\*

SIZE (mm)	CODE WHITE
800 x 800	USL80S
900 x 900	USL90S
1000 x 1000	USLI00S

### QUADRANT TRAYS\*

SIZE (mm)	CODE WHITE
800 x 800	USL80Q
900 x 900	USL90Q

### OFFSET QUADRANT TRAYS\*

SIZE (mm)	CODE WHITE
1000 x 800 - Left	USLI0080LOQ
1000 x 800 - Right	USLI0080ROQ
1200 x 800 - Left	USLI2080LOQ
1200 x 800 - Right	USLI2080ROQ
1200 x 900 - Left	USLI2090LOQ
1200 x 900 - Right	USLI2090ROQ

### ULTRA SLIM TRAY GRILLS

DESCRIPTION	CODE WHITE
Brushed Brass	USLTGBB
Matte Black	USLTGMB
White	USLTGW
Chrome	USLTGC

## ULTRA SLIM ANTI-SLIP SHOWER TRAYS\*

HEIGHT – 25MM (INCLUDES WASTE & WHITE GRILLE)

Note. There is a tolerance of up to 10mm in tray sizes above the nominal dimensions.

This is to allow for potential shrinkage during the manufacturing process.

*\*Discontinued once stock is sold.*

### RECTANGULAR TRAYS\*

SIZE (mm)	CODE WHITE
1000 x 800	AUSLI0080R*
1200 x 800	AUSLI2080R
1200 x 900	AUSLI2090R
1400 x 800	AUSLI4080R
1400 x 900	AUSLI4090R
1500 x 800	AUSLI5080R
1600 x 800	AUSLI6080R
1600 x 900	AUSLI6090R
1700 x 800	AUSLI7080R
1700 x 900	AUSLI7090R

*\*Discontinued once stock is sold.*

### SQUARE TRAYS\*

SIZE (mm)	CODE WHITE
900 x 900	AUSL90S



ANTI-SLIP SURFACE

### The Benefits of using Anti-Slip Technology:

Clever Anti-Slip surface technology for a lifetime of showering confidence. Ideally suited to families with young children and those who just want to feel confident on their feet while in the shower, this unique patented technology ensures a lifetime of underfoot confidence when showering.

Unlike other Anti-Slip technologies which are applied on top of the surface of the tray after manufacture and wear away over time, our patented Anti-Slip surface is integrated directly into the shower tray at time of manufacture, meaning it never wears away and will last as long as the shower tray.

The Anti-Slip range offers a permanent guaranteed solution. When independently tested to the British standard 7976-2 test, the patent protected surface provided almost twice the bathroom industry standard of slip resistance.

### Smart Water Management Control

Our unique Smart Water Management Technology clears water instantly from the tray's surface. This greatly reduced the slip hazard of surplus water and soap deposits.

Although the tray surface appears almost flat, it combines perfectly with the vortex technology of the waste unit to create a vacuum effect beneath the surface.

The result is that almost all surplus water is actually drawn from the tray's surface instantly. In addition, no moving parts or hair traps means no maintenance and no risk of flooding.



ULTRA SLIM RECTANGLE TRAY INCLUDING WASTE AND WHITE GRILLE



ULTRA SLIM SQUARE TRAY INCLUDING WASTE AND WHITE GRILLE



ULTRA SLIM QUADRANT TRAY INCLUDING WASTE AND WHITE GRILLE



ULTRA SLIM OFFSET QUADRANT TRAY INCLUDING WASTE AND WHITE GRILLE

# SHOWER ACCESSORIES

## FLAIR EASY PLUMB KIT

Slimline Easy Plumb shower kits have adjustable legs for compliant installation and future waste access without compromising style. Any Flair slimline tray can be used with the kit, increasing tray height by 95mm.


Accessories are not to scale - for visual representation only.



DESCRIPTION	WEIGHT	CODE	TOTAL HEIGHT 135MM	ADJUSTABLE LEGS	CONCEALED FITTINGS	REMOVABLE FASCIA PANEL
Easy Plumb Riser Kit for all Square Trays & Rectangle Trays (Suitable for maximum tray size of 1200mm)	2kg	WD3				
Easy Plumb Riser Kit for all Quadrant Trays (Suitable for maximum tray size of 1200 x 900mm)	3kg	WD4				
Easy Plumb Kit for all Square & Rectangle Trays (Up to 2000mm in size)	2kg	WD5				

## PROSEAL WATERPROOF BARRIER SEAL

ROLL SIZE (mm)	CODE
2.0 metre	PROS2.0M
2.5 metre	PROS2.5M
3.0 metre	PROS3.0M
3.5 metre	PROS3.5M
4.0 metre	PROS4.0M
10 metre	PROS10.0M
20 metre	PROS20.0M



Flexible up-stand seal installed onto shower trays, baths and worktops eliminating the risk of water leakage.

## SHOWER WASTE

DESCRIPTION	CODE
Tourbillion 90mm Shower Trap & Waste - Chrome	WIRCHROME



McAlpine 90mm Shower Waste Matte Black Plastic Dome.

## McALPINE WASTES

DESCRIPTION	CODE
McAlpine 90mm Shower Waste Matte Black Plastic Dome	ST90MB10-70
McAlpine 90mm Shower Waste Matte White Plastic Dome	ST90WH10-70

## 90MM SLIM TRAY WASTES

Further enhance the look of your shower tray with our 90mm High Flow Shower Waste featuring a modern and stylish finish. Constructed from brass and plated in the following colours; Brushed Brass, Brushed Copper, Brushed Nickel, Matte Black and Matte White.



Brushed Brass  
TSLWASTEBC



Brushed Copper  
TSLWASTEBC




Brushed Nickel  
TSLWASTEBC



Matte Black  
TSLWASTEBC



Matte White  
TSLWASTEBC



# QUALITY GUARANTEED

## QUALITY GUARANTEED

Please consult the relevant consumer product brochure to view the Guarantee terms offered on each Flair product range.

At Flair we have an unwavering commitment to product quality.

All Flair products are CE approved and manufactured in accordance with ISO 9001:2015 Quality Assurance systems and ISO 14001:2015 Environmental Management systems. All glass is toughened safety glass and produced to EN12150. Flair products are performance tested to EN14428, ensuring the highest industry criteria is met.

**Note: Proof of purchase is necessary to validate your guarantee so retain purchase receipt for your Flair product.**

If a Flair shower enclosure is defective in materials or manufacture, please contact us on (Ireland & Northern Ireland) +353 42 966 8000 or (UK) 0800 1800 8050.

## AFTERSALES & SPARE PARTS SERVICE

Flair is 100% committed to customer service excellence.

We carry a full range of spare parts for each product range and have dedicated aftersales specialists to deal with any issues you may have.

If you have any queries, please contact Flair on 00353 42 966 8000.

## RETURN POLICY

Flair will not accept return of any product that has been opened.

We do not accept return of any product if the packaging has been damaged.

If the product is unopened and not damaged, we will accept the return of the product but a handling fee of 25% of the invoice will be charged.

## SHOWER DOOR INSTALLATION ADVICE

**BEFORE YOU INSTALL YOUR SHOWER ENCLOSURE PLEASE READ ALL INSTRUCTIONS. FAILURE TO DO SO MAY LEAD TO INVALIDATION OF YOUR GUARANTEE.**

Flair Showers Ltd will not accept responsibility for any loss or damage, however caused, if the shower enclosure has not been installed as per the instructions.

- The shower tray MUST be fitted 100% level. The shower tray must be sealed correctly to prevent any water leakage.
- Glass edges are vulnerable and should be treated with care at all times. Contact with hard surfaces may result in glass breakage if due care is not taken.
- Check walls for electrical cabling or water pipes before drilling.
- Your shower enclosure, bath screen or wetroom must be inspected before installation. Check for all visual defects on the product before installation. Once the enclosure has been installed no claims of damage or defect will be accepted. Fitting of shower enclosure is acceptance of quality.
- The wall plugs supplied with the shower door are for use in solid walls. Timber frame, stud partition walls will require alternative fixings.
- Ensure vertical wall profiles are level and are an equal distance in from the tray.
- Shower Doors, Wetroom Screens, Bath Screens and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.
- Ensure adjustment at wall profiles are equal at both sides and that all screws are fully tightened.
- Ensure hinges are level and securely fitted to the glass.
- Ensure magnets are the right orientation and are attracting rather than repelling.
- The shower enclosure should be sealed on the outside only using silicone sealant.

- Care must be taken during assembly. Flair will not accept responsibility where incorrect assembly results in undue stress being put on any components in this product.
- If there are any manufacturer defects, please contact us on (Ireland & Northern Ireland) +353 42 966 8000 or (UK) 0800 1800 8050.
- Note: If a problem has been caused by incorrect installation, a call-out charge will apply for the Flair technical engineer's time. Subsequent charges will apply "to fix" a problem caused by incorrect installation.

## BATH SCREEN INSTALLATION

The bath screen must be installed on a 100% level surface with the bath edge free from obstructions.

Bath screens should not be used on a bath with roll top rim, stepped edge rim or where the bath handle void meets the bath screen seal. This will impact on the performance of the bathscreen and the guarantee will be void. The Bath screen should be fitted to the inside edge of the bath only.

A bath screen acts as a water deflector and is not 100% waterproof. If used appropriately under normal showering conditions and installed to the inside edge of the bath, water will be deflected into the showering area. Bath Screens are not suitable for power showers.



## SHOWER TRAY INSTALLATION

All shower trays must be installed as per instructions supplied. Install on a base of fine sand, cement and cement additive. Please note: Silicone sealants, foams, mastics, installation compound adhesive or similar must not be used as a substitute for cement. Ensure shower tray is 100% level and water test to ensure water is draining correctly. If not satisfied at any stage do not proceed with fitting. Fitting of Shower-Tray is acceptance of quality.

NOTE: It is normal for a small amount of localised water to be retained on a shower tray surface after use. This should be wiped dry to prevent any build up of residue.

## CLEANING GUIDELINES

- Glass: Use a soft cloth and mild detergent, rinse off thoroughly.
- Metallic Surfaces: Use a soft cloth and warm soapy water. Rinse off thoroughly.
- Do not use "Spray & leave" cleaning products on the metal surface as these will cause damage to your product. These include acidic based cleaning products, bleaches, solvents or abrasive pads. Only use detergents, cleaners and limescale removers with a pH of 5-8.
- The constant use of detergents will degrade the finish of the product over time if not thoroughly rinsed off.
- In hard water areas, regular cleaning of your Flair door will help to prevent the build-up of limescale. Stubborn deposits of limescale can be removed with the use of a mild limescale remover.
- Check your shower door for functionality periodically. Ensure that the wheel track is free from any grit / dirt which may have collected over time.


## CONDITIONS OF SALE

Unless otherwise stated, all quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.

**As part of our continuing policy of product improvement, we reserve the right to amend specifications, colours and s without prior notice. Images are for illustrated purposes only. The colours and finishes shown in the catalogue are as accurate as possible within the limits of the printing process. The positioning of all shower heads and shower wastes in the brochure is for illustrative purposes only.**

\*Errors and Omissions Exempt.





Errors and Omissions Exempt.



BEHIND THE SCENES

WATCH THE VIDEO





flair  
—

Flair Showers

England / Scotland / Wales  
0800 180 8050

sales@flairshowers.com



FLAIRSHOWERS.COM

