

---

CREATING  
PERFECT  
HARMONY

EETTO

EURO  
NOVEMBER 2021

flair  
—



---

CREATING  
PERFECT  
HARMONY

# THE ETO<sup>®</sup> COLLECTION

At Flair we understand that our customers have an ever demanding daily routine. Be it first thing in the morning or as you finish the day, a shower has the power to lift your spirits, calm the mind and invigorate.

Designed to fit perfectly into your bathroom routine, the robust design of the ETO collection is coupled with clever functional innovations that will ensure long lasting high performance. The uniquely crafted handle is beautifully precise and features a cleverly integrated towel hook. Smooth sleek handle curvature creates a truly ergonomic and tactile experience for the user. The minimalist profiles and countersunk interior hinges complement the ETO handle design, creating an elegantly contemporary aesthetic.

The stylish yet functional simplicity throughout the ETO range embodies **Design with Purpose**, a concept which lies at the heart of the ETO collection.

As you explore the ETO catalogue, we hope you are captivated by every detail.



# VISIONARY INNOVATIONS

MAGNETIC INFOLD  
LINKAGE SYSTEM



UNIQUELY CRAFTED  
ETO HANDLE  
WITH INTEGRATED  
ROBE HOOK

SOFTLY CURVED  
ETO HINGE DESIGN



COUNTER SUNK  
INTERIOR HINGES



ULTRA SLIM PROFILE  
AND COVER CAP DESIGN

# FUNCTIONAL DETAILS

- 

2000mm  
HEIGHT

2 METRES  
HIGH
- 

ULTRA CLEAR  
SEALS

VISUALLY ATTRACTIVE  
ULTRA CLEAR DOOR SEALS
- 

8mm  
TOUGHENED  
SAFETY  
GLASS

8mm TOUGHENED  
SAFETY GLASS THICKNESS,  
CERTIFIED TO EN12150
- 

SEAMLESS  
INTERIOR  
COVER STRIPS

SEAMLESS INTERIOR  
COVER STRIPS CONCEAL ALL  
FIXATION POINTS INTERNALLY
- 

20mm  
PROFILE  
ADJUSTMENT

20mm ADJUSTMENT ON  
EACH WALL PROFILE
- 

ULTRA SLIM  
COVER CAPS

ULTRA SLIM COVER CAP  
DESIGN FOR A SLEEK AND  
MODERN DOOR AESTHETIC
- 

CRAFTED  
HANDLE DESIGN

PRECISELY CRAFTED SOLID CHROME  
PLATED ETO HANDLES THAT FEATURE  
AN INTEGRATED ROBE HOOK DESIGN
- 

PRESS FIT  
SEAL DESIGN

INNOVATIVE PRESS FIT SEAL DESIGN  
FOR EASE OF INSTALLATION
- 

CLEARVUE  
GLASS COATING

CLEARVUE IS A HYDROPHOBIC  
GLASS COATING THAT RESISTS  
THE BUILD UP OF LIMESCALE AND  
GRIME ON THE GLASS SURFACE
- 

PRE-ASSEMBLED  
PROFILE FRAME

PRE ASSEMBLED DOOR FRAME  
ON INFOLD & HINGE DOOR -  
FOR EASE OF INSTALLATION
- 

MAGNETIC  
CUSHION CLOSE  
DOOR SYSTEM

A MAGNETIZED PISTON DOOR  
CLOSE MECHANISM GIVES ETO  
SLIDING DOORS A CONTROLLED  
AND GENTLE CLOSE ACTION
- 

SUITABLE FOR  
SIDE PANEL  
INSTALLATION

SUITABLE FOR INSTALLATION  
WITH SIDE PANELS
- 

COUNTERSUNK  
INTERIOR  
HINGES

COUNTERSUNK INTERIOR  
HINGES ON ALL HINGE DOORS  
WITH A FLUSH TO GLASS FINISH  
FOR EASE OF CLEANING
- 

SHOWER TRAY  
OR WETROOM  
APPLICATION


SUITABLE FOR INSTALLATION ON  
SHOWER TRAY OR WETROOM FLOOR
- 

QUICK RELEASE  
DOUBLE WHEEL  
ROLLERS

SUPERIOR DOUBLE WHEEL  
ROLLERS WITH A STAINLESS  
STEEL WHEEL BEARING AND  
WHEEL BRACKET COMPOSITION -  
QUICK RELEASE DESIGN
- 

REVERSIBLE

ALL ETO DOOR STYLES ARE  
FULLY REVERSIBLE FOR LEFT OR  
RIGHT HAND INSTALLATION



# DESIGN WITH PURPOSE



## MAGNETIC INFOLD LINKAGE SYSTEM

The ETO Infold door features a pioneering magnetic linkage system which ensures the smoothest of motion as the door functions. The solid metal linkage arm is bonded directly to the glass and provides for an ultra minimalist infold door aesthetic. This innovative design removes the need for magnetic seals, giving a beautifully seamless glass edge on the door.

## MAGNETIC CUSHION CLOSE DOOR SYSTEM

A concealed piston door close system gives ETO sliding doors a controlled and gentle close action. Double rollers with stainless steel ball bearings and a stainless steel wheel bracket design deliver an effortless sliding experience as the door glides along the magnetised rail.





## PATENT PENDING CLICK FIT ASSEMBLY SYSTEM

With our installers in mind, Flair have designed ETO with a patent pending "Click Fit" Assembly System.

This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely.

The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ETO the shower door of choice for the busiest of bathrooms.

(European Application No 19170695.1)



IDEA  
CONCEPT  
PROTOTYPE  
ETO



ETO INFOLD DOOR  
WITH SIDE PANEL

# THE ETO<sup>®</sup> COLLECTION

INFOLD  
DOOR

14

HINGE  
DOOR

16

HINGE &  
INLINE DOOR

18

SLIDER  
DOOR

20

ONE DOOR  
SLIDING  
QUADRANT &  
OFFSET  
QUADRANT

22

TWO DOOR  
SLIDING  
QUADRANT

24

TWO DOOR  
OFFSET SLIDING  
QUADRANT

26

CORNER  
ENTRY DOOR

28

GEMSTONE  
SHOWER TRAYS

31

ANTI-SLIP  
SHOWER TRAYS

44

QUALITY  
GUARANTEED

48

QUALITY  
GUARANTEED

50

# INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Infold Door 700mm	650mm	690mm	496mm	ETOIF70SC
Infold Door 760mm	710mm	750mm	556mm	ETOIF76SC
Infold Door 800mm	750mm	790mm	596mm	ETOIF80SC
Infold Door 900mm	850mm	890mm	696mm	ETOIF90SC
Infold Door 1000mm	950mm	990mm	796mm	ETOIF100SC

## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC


**NOTE** – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

## COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC

 2000mm HEIGHT	 8mm TOUGHENED SAFETY GLASS	 20mm PROFILE ADJUSTMENT	 CRAFTED HANDLE DESIGN	 CLEARVUE GLASS COATING	 ULTRA CLEAR SEALS
 PRESS FIT SEAL DESIGN	 ULTRA SLIM CHROME PLATED COVER CAPS	 SEAMLESS INTERIOR COVER STRIPS	 SHOWER TRAY OR WETROOM APPLICATION	 REVERSIBLE	 PRE-ASSEMBLED PROFILE FRAME

### INFOLD - DOOR OPEN POSITION MEASUREMENTS



INFOLD DOOR SIZE	INTERIOR MEASUREMENT	EXTERIOR MEASUREMENT
700mm	250mm	292mm
760mm	250mm	352mm
800mm	250mm	392mm
900mm	357mm	386mm
1000mm	357mm	486mm



INFOLD DOOR WITH SIDE PANEL (FULLY OPEN DOOR POSITION)

INFOLD DOOR ALCOVE INSTALLATION



# HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge Door 800mm	750mm	790mm	646mm	ETOHD80SC
Hinge Door 900mm	850mm	890mm	746mm	ETOHD90SC
Hinge Door 1000mm	950mm	990mm	846mm	ETOHD100SC


## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC

**NOTE** – An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied.

## COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC

HINGE DOOR WITH SIDE PANEL



CURVED HINGE DETAILING WITH COUNTERSUNK INTERIOR FINISH



HINGE DOOR ALCOVE INSTALLATION



HINGE & INLINE DOOR  
ALCOVE INSTALLATION

HINGE & INLINE DOOR  
WITH SIDE PANEL



SOFTLY CURVED  
ETO HINGE  
DESIGN WITH  
COUNTERSUNK  
INTERIOR FINISH



# HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.


Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Hinge & Inline Door 1100mm	1050mm	1090mm	725mm	ETOHD110SC
Hinge & Inline Door 1200mm	1150mm	1190mm	725mm	ETOHD120SC
Hinge & Inline Door 1300mm	1250mm	1290mm	725mm	ETOHD130SC
Hinge & Inline Door 1400mm	1350mm	1390mm	725mm	ETOHD140SC
Hinge & Inline Door 1500mm	1450mm	1490mm	725mm	ETOHD150SC
Hinge & Inline Door 1600mm	1550mm	1590mm	725mm	ETOHD160SC

## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSP100SC
Side Panel 1200mm	1160mm	1180mm	ETOSP120SC



ELEGANTLY  
CRAFTED  
ETO HANDLE  
DESIGN

**NOTE** – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

## COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC




# SLIDER DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Slider is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Sliding Door 1000mm	950mm	990mm	370mm	ETOSA100SC
Sliding Door 1100mm	1050mm	1090mm	420mm	ETOSA110SC
Sliding Door 1200mm	1150mm	1190mm	470mm	ETOSA120SC
Sliding Door 1300mm	1250mm	1290mm	520mm	ETOSA130SC
Sliding Door 1400mm	1350mm	1390mm	570mm	ETOSA140SC
Sliding Door 1500mm	1450mm	1490mm	570mm	ETOSA150SC
Sliding Door 1600mm	1550mm	1590mm	570mm	ETOSA160SC
Sliding Door 1700mm	1650mm	1690mm	570mm	ETOSA170SC
Sliding Door 1800mm	1750mm	1790mm	570mm	ETOSA180SC



MAGNETIC CUSHION CLOSE DOOR SYSTEM



STAINLESS STEEL DOUBLE ROLLERS - QUICK RELEASE DESIGN



SLIDER DOOR ALCOVE INSTALLATION

## SIDE PANEL OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		CODE
	MIN	MAX	
Side Panel 700mm	660mm	680mm	ETOSP70SC
Side Panel 760mm	720mm	740mm	ETOSP76SC
Side Panel 800mm	760mm	780mm	ETOSP80SC
Side Panel 900mm	860mm	880mm	ETOSP90SC
Side Panel 1000mm	960mm	980mm	ETOSPI00SC
Side Panel 1200mm	1160mm	1180mm	ETOSPI20SC

**NOTE** – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

## COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE
Compensating Bar 10mm (included with side panel)	ETOCB10SC
Compensating Bar 25mm	ETOCB25SC



SLIDER DOOR WITH SIDE PANEL

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- 11 CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM



# ONE DOOR SLIDING QUADRANT

The ETO One Door Sliding Quadrant is perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.

ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface.


The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
One Door Quadrant 800mm	770mm	790mm	440mm	ETOOCQ80SC
One Door Quadrant 900mm	870mm	890mm	484mm	ETOOCQ90SC
One Door Quadrant 1000mm	970mm	990mm	484mm	ETOOCQ100SC
One Door Offset Quadrant 1000x800mm - Long Side Opening	770-970mm	790-990mm	440mm	ETOOCQ100X80SCL
One Door Offset Quadrant 1200x800mm - Long Side Opening	770-1170mm	790-1190mm	440mm	ETOOCQ120X80SCL
One Door Offset Quadrant 1200x900mm - Long Side Opening	870-1170mm	890-1190mm	484mm	ETOOCQ120X90SCL



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



ONE DOOR OFFSET QUADRANT

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM



ONE DOOR QUADRANT

# TWO DOOR SLIDING QUADRANT

Perfect for the every day, the gently curved detailing of this stylish Two Door Sliding Quadrant exudes contemporary elegance.

The magnetic cushion close door system brings both sliding doors to a controlled and gentle stop. The 8mm curved glass features ClearVue glass coating which repels against grime and limescale.

Superior quality double wheel rollers have a quick release design and are supported by stainless steel components, promising functional longevity in the busy bathroom environment.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Two Door Quadrant 900mm	870mm	890mm	528mm	ETOCQ90SC



SUPERIOR DOUBLE WHEEL ROLLER SYSTEM



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- 11 CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM

# TWO DOOR OFFSET SLIDING QUADRANT

With generous proportions, the ETO Two Door Offset Sliding Quadrant is a much favoured corner shower door choice for many discerning homeowners.

The magnetic cushion close door system brings this door to a controlled and gentle stop. The impressive 8mm curved glass features ClearVue hydrophobic coating which repels against grime and limescale.

The sleek yet sturdy metal profiles give this door a robust feel while its gently curved detailing captures the essence of contemporary elegance.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Two Door Offset Quadrant 1100 x 800mm	770 - 1070mm	790 - 1090mm	458mm	ETOCQ80X110SC
Two Door Offset Quadrant 1100 x 900mm	870 - 1070mm	890 - 1090mm	528mm	ETOCQ90X110SC
Two Door Offset Quadrant 1200 x 800mm	770 - 1170mm	790 - 1190mm	458mm	ETOCQ80X120SC
Two Door Offset Quadrant 1200 x 900mm	870 - 1170mm	890 - 1190mm	528mm	ETOCQ90X120SC



QUICK RELEASE BOTTOM ROLLERS



MAGNETIC CUSHION CLOSE DOOR SYSTEM

**NOTE** – Dedicated 1100 x 800mm and 1100 x 900mm offset quadrant slimline shower trays now available.






# CORNER ENTRY

The ETO Corner Entry boasts contemporary clean lines and a sturdy semi frameless design. The two door corner sliding configuration make the corner entry an ideal choice for the bathroom where space is limited.

The flush finish on the corner brackets provides for a truly seamless door aesthetic. Quick release double rollers ensure ease of cleaning while the magnetic cushion close system brings this door to a controlled and gentle stop.

Superior magnetic seals ensure watertightness and give a positive close action when both doors are drawn together.

## DOOR SIZE OPTIONS

PRODUCT DESCRIPTION	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
Corner Entry 800mm	770mm	790mm	392mm	ETOCE80SC
Corner Entry 900mm	870mm	890mm	462mm	ETOCE90SC



ETO CORNER ENTRY HANDLE DESIGN



SLEEK FLUSH CORNER BRACKET DESIGN




---

CREATING  
PERFECT  
HARMONY

GEMSTONE



## GEMSTONE SLATE TEXTURED TRAYS

The Gemstone brand is synonymous with quality and style. This extensive selection of slate textured shower trays compliment the most beautiful of bathroom designs. With an ultra minimal height of 25 to 30mm, each tray is anti-slip rated and available in 4 colour options - Onyx Black\*, Graphite Black, Flint Grey or White

Choose from square or linear shape waste options, with both chrome or colour matched grille finishes available depending on customer preference. Both visually appealing and sensual to touch, a Gemstone shower tray will work perfectly in a wide variety of bathroom applications, be they classic, modern or contemporary in design.

\*Onyx Black only available in 25mm height, Square waste.





FLINT GREY TRAY WITH LINEAR WASTE

# GEMSTONE TRAYS

## KEY FEATURES

Slate texture – a natural stone resin composite with gel coat finish

Anti slip rated – Grade 3 Rating  
UNE ENV 12633:2003

Available in 4 colours – Onyx Black, White, Graphite Black & Flint Grey


Minimalist stainless steel waste cover in Square or Linear version

Colour matched interior waste trap (Onyx Black, Graphite Black or Flint Grey tray = Grey interior waste / White tray = White interior waste)

Supplied with 90mm McAlpine high flow waste



## GEMSTONE TRAY COLOUR OPTIONS



Note: Gemstone tray colours are reproduced as accurately as the printing process will allow. There is no guarantee of exact colour match - this brochure is a visual aid only.


# GEMSTONE



WHITE TRAY WITH SQUARE WASTE

## WASTE DESIGN - SQUARE WASTE

25mm  
TRAY  
DEPTH



### SQUARE WASTE GRILL OPTION

- Available in Rectangle, Square, Quadrant and Offset Quadrant shapes

## COLOUR MATCHED GRILL OPTIONS



### COLOUR MATCHED GRILL OPTION

- Choose to match your shower tray grill to the precise colour of your tray. Available in White, Graphite Black and Flint Grey

## WASTE DESIGN - LINEAR WASTE

30mm  
TRAY  
DEPTH

### LINEAR WASTE GRILL OPTION

- Defined gradient on linear tray
- On trend to create the minimalist wetroom look
- Rectangular shower tray shape only



## LINEAR WASTE



### RECTANGLE TRAY

PRODUCT DESCRIPTION	CODE
White Rectangular Tray 1200 x 800mm - Linear Waste	GEM12080RVL
Graphite Black Rectangular Tray 1200 x 800mm - Linear Waste	GEM12080RBL
Flint Grey Rectangular Tray 1200 x 800mm - Linear Waste	GEM12080RGL
White Rectangular Tray 1200 x 900mm - Linear Waste	GEM12090RVL
Graphite Black Rectangular Tray 1200 x 900mm - Linear Waste	GEM12090RBL
Flint Grey Rectangular Tray 1200 x 900mm - Linear Waste	GEM12090RGL
White Rectangular Tray 1200 x 1000mm - Linear Waste	GEM120100RVL
Graphite Black Rectangular Tray 1200 x 1000mm - Linear Waste	GEM120100RBL
Flint Grey Rectangular Tray 1200 x 1000mm - Linear Waste	GEM120100RGL
White Rectangular Tray 1400 x 800mm - Linear Waste	GEM14080RVL
Graphite Black Rectangular Tray 1400 x 800mm - Linear Waste	GEM14080RBL
Flint Grey Rectangular Tray 1400 x 800mm - Linear Waste	GEM14080RGL
White Rectangular Tray 1400 x 900mm - Linear Waste	GEM14090RVL
Graphite Black Rectangular Tray 1400 x 900mm - Linear Waste	GEM14090RBL
Flint Grey Rectangular Tray 1400 x 900mm - Linear Waste	GEM14090RGL
White Rectangular Tray 1500 x 800mm - Linear Waste	GEM15080RVL
Graphite Black Rectangular Tray 1500 x 800mm - Linear Waste	GEM15080RBL
Flint Grey Rectangular Tray 1500 x 800mm - Linear Waste	GEM15080RGL
White Rectangular Tray 1500 x 900mm - Linear Waste	GEM15090RVL
Graphite Black Rectangular Tray 1500 x 900mm - Linear Waste	GEM15090RBL
Flint Grey Rectangular Tray 1500 x 900mm - Linear Waste	GEM15090RGL
White Rectangular Tray 1600 x 800mm - Linear Waste	GEM16080RVL
Graphite Black Rectangular Tray 1600 x 800mm - Linear Waste	GEM16080RBL
Flint Grey Rectangular Tray 1600 x 800mm - Linear Waste	GEM16080RGL
White Rectangular Tray 1600 x 900mm - Linear Waste	GEM16090RVL
Graphite Black Rectangular Tray 1600 x 900mm - Linear Waste	GEM16090RBL
Flint Grey Rectangular Tray 1600 x 900mm - Linear Waste	GEM16090RGL
White Rectangular Tray 1700 x 700mm - Linear Waste	GEM17070RVL
Graphite Black Rectangular Tray 1700 x 700mm - Linear Waste	GEM17070RBL
Flint Grey Rectangular Tray 1700 x 700mm - Linear Waste	GEM17070RGL
White Rectangular Tray 1700 x 800mm - Linear Waste	GEM17080RVL
Graphite Black Rectangular Tray 1700 x 800mm - Linear Waste	GEM17080RBL
Flint Grey Rectangular Tray 1700 x 800mm - Linear Waste	GEM17080RGL
White Rectangular Tray 1700 x 900mm - Linear Waste	GEM17090RVL

Flow rate 24 l/min when tested under a constant 15mm head of water, in accordance with clause 5 of BS EN 274-2:2002



GRAPHITE BLACK TRAY WITH LINEAR WASTE

## SQUARE WASTE



### SQUARE TRAY

PRODUCT DESCRIPTION	CODE
White Square Tray 900mm - Square Waste	GEM90SWS
Graphite Black Square Tray 900mm - Square Waste	GEM90SBS
Flint Grey Square Tray 900mm - Square Waste	GEM90SGS
Onyx Black Square Tray 900mm - Square Waste	GEM90SOS
White Square Tray 1000mm - Square Waste	GEM100SWS
Graphite Black Square Tray 1000mm - Square Waste	GEM100SBS
Flint Grey Square Tray 1000mm - Square Waste	GEM100SGS

### QUADRANT TRAY

PRODUCT DESCRIPTION	CODE
White Quadrant Tray 900mm - Square Waste	GEM90QWS
Graphite Black Quadrant Tray 900mm - Square Waste	GEM90QBS
Flint Grey Quadrant Tray 900mm - Square Waste	GEM90QGS
Onyx Black Quadrant Tray 900mm - Square Waste	GEM90QOS
White Quadrant Tray 1000mm - Square Waste	GEM100QWS
Graphite Black Quadrant tray 1000mm - Square Waste	GEM100QBS
Flint Grey Quadrant Tray 1000mm - Square Waste	GEM100QGS

### OFFSET QUADRANT TRAY

PRODUCT DESCRIPTION	CODE
White Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	GEM10080QWSL
White Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	GEM10080QWSR
Graphite Black Offset Tray 1000 x 800mm LEFT HAND - Square Waste	GEM10080QBLSL
Graphite Black Offset Tray 1000 x 800mm RIGHT HAND - Square Waste	GEM10080QBLSR
Flint Grey Offset Quadrant Tray 1000 x 800mm LEFT HAND - Square Waste	GEM10090QGSL
Flint Grey Offset Quadrant Tray 1000 x 800mm RIGHT HAND - Square Waste	GEM10080QGSR
White Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	GEM12080QWSL
White Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	GEM12080QWSR
Graphite Black Offset Tray 1200 x 800mm LEFT HAND - Square Waste	GEM12080QBLSL
Graphite Black Offset Tray 1200 x 800mm RIGHT HAND - Square Waste	GEM12080QBLSR
Flint Grey Offset Quadrant Tray 1200 x 800mm LEFT HAND - Square Waste	GEM12080QGSL
Flint Grey Offset Quadrant Tray 1200 x 800mm RIGHT HAND - Square Waste	GEM12080QGSR
Onyx Black Offset Tray 1200 x 800mm LEFT HAND - Square Waste	GEM12080QOSL
Onyx Black Offset Tray 1200 x 800mm RIGHT HAND - Square Waste	GEM12080QOSR
White Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	GEM12090QWSL
White Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	GEM12090QWSR
Graphite Black Offset Tray 1200 x 900mm LEFT HAND - Square Waste	GEM12090QBLSL
Graphite Black Offset Tray 1200 x 900mm RIGHT HAND - Square Waste	GEM12090QBLSR
Flint Grey Offset Quadrant Tray 1200 x 900mm LEFT HAND - Square Waste	GEM12090QGSL
Flint Grey Offset Quadrant Tray 1200 x 900mm RIGHT HAND - Square Waste	GEM12090QGSR
Onyx Black Offset Tray 1200 x 900mm LEFT HAND - Square Waste	GEM12090QOSL
Onyx Black Offset Tray 1200 x 900mm RIGHT HAND - Square Waste	GEM12090QOSR

## SQUARE WASTE

### RECTANGLE TRAY



PRODUCT DESCRIPTION	CODE
White Rectangular Tray 1000 x 800mm - Square Waste	GEM10080RWS
Graphite Black Rectangular Tray 1000 x 800mm - Square Waste	GEM10080RBS
Flint Grey Rectangular Tray 1000 x 800mm - Square Waste	GEM10080RGS
Onyx Black Rectangular Tray 1000 x 800mm - Square Waste	GEM10080ROS
White Rectangular Tray 1000 x 900mm - Square Waste	GEM10090RWS
Graphite Black Rectangular Tray 1000 x 900mm - Square Waste	GEM10090RBS
Flint Grey Rectangular Tray 1000 x 900mm - Square Waste	GEM10090RGS
Onyx Black Rectangular Tray 1000 x 900mm - Square Waste	GEM10090ROS
White Rectangular Tray 1100 x 800mm - Square Waste	GEM11080RWS
Graphite Black Rectangular Tray 1100 x 800mm - Square Waste	GEM11080RBS
Flint Grey Rectangular Tray 1100 x 800mm - Square Waste	GEM11080RGS
White Rectangular Tray 1100 x 900mm - Square Waste	GEM11090RWS
Graphite Black Rectangular Tray 1100 x 900mm - Square Waste	GEM11090RBS
Flint Grey Rectangular Tray 1100 x 900mm - Square Waste	GEM11090RGS
White Rectangular Tray 1200 x 800mm - Square Waste	GEM12080RWS
Graphite Black Rectangular Tray 1200 x 800mm - Square Waste	GEM12080RBS
Flint Grey Rectangular Tray 1200 x 800mm - Square Waste	GEM12080RGS
Onyx Black Rectangular Tray 1200 x 800mm - Square Waste	GEM12080ROS
White Rectangular Tray 1200 x 900mm - Square Waste	GEM12090RWS
Graphite Black Rectangular Tray 1200 x 900mm - Square Waste	GEM12090RBS
Flint Grey Rectangular Tray 1200 x 900mm - Square Waste	GEM12090RGS
Onyx Black Rectangular Tray 1200 x 900mm - Square Waste	GEM12090ROS
White Rectangular Tray 1200 x 1000mm - Square Waste	GEM120100RWS
Graphite Black Rectangular Tray 1200 x 1000mm - Square Waste	GEM120100RBS
Flint Grey Rectangular Tray 1200 x 1000mm - Square Waste	GEM120100RGS
Onyx Black Rectangular Tray 1200 x 1000mm - Square Waste	GEM120100ROS
White Rectangular Tray 1400 x 800mm - Square Waste	GEM14080RWS
Graphite Black Rectangular Tray 1400 x 800mm - Square Waste	GEM14080RBS
Flint Grey Rectangular Tray 1400 x 800mm - Square Waste	GEM14080RGS
Onyx Black Rectangular Tray 1400 x 800mm - Square Waste	GEM14080ROS
White Rectangular Tray 1400 x 900mm - Square Waste	GEM14090RWS
Graphite Black Rectangular Tray 1400 x 900mm - Square Waste	GEM14090RBS
Flint Grey Rectangular Tray 1400 x 900mm - Square Waste	GEM14090RGS
Onyx Black Rectangular Tray 1400 x 900mm - Square Waste	GEM14090ROS
White Rectangular Tray 1500 x 800mm - Square Waste	GEM15080RWS
Graphite Black Rectangular Tray 1500 x 800mm - Square Waste	GEM15080RBS
Flint Grey Rectangular Tray 1500 x 800mm - Square Waste	GEM15080RGS
White Rectangular Tray 1500 x 900mm - Square Waste	GEM15090RWS
Graphite Black Rectangular Tray 1500 x 900mm - Square Waste	GEM15090RBS
Flint Grey Rectangular Tray 1500 x 900mm - Square Waste	GEM15090RGS
White Rectangular Tray 1600 x 800mm - Square Waste	GEM16080RWS
Graphite Black Rectangular Tray 1600 x 800mm - Square Waste	GEM16080RBS
Flint Grey Rectangular Tray 1600 x 800mm - Square Waste	GEM16080RGS
Onyx Black Rectangular Tray 1600 x 800mm - Square Waste	GEM16080ROS

## SQUARE WASTE

### RECTANGLE TRAY



PRODUCT DESCRIPTION	CODE
White Rectangular Tray 1600 x 900mm - Square Waste	GEM16090RWS
Graphite Black Rectangular Tray 1600 x 900mm - Square Waste	GEM16090RBS
Flint Grey Rectangular Tray 1600 x 900mm - Square Waste	GEM16090RGS
Onyx Black Rectangular Tray 1600 x 900mm - Square Waste	GEM16090ROS
White Rectangular Tray 1700 x 700mm - Square Waste	GEM17070RWS
Graphite Black Rectangular Tray 1700 x 700mm - Square Waste	GEM17070RBS
Flint Grey Rectangular Tray 1700 x 700mm - Square Waste	GEM17070RGS
White Rectangular Tray 1700 x 800mm - Square Waste	GEM17080RWS
Graphite Black Rectangular Tray 1700 x 800mm - Square Waste	GEM17080RBS
Flint Grey Rectangular Tray 1700 x 800mm - Square Waste	GEM17080RGS
Onyx Black Rectangular Tray 1700 x 800mm - Square Waste	GEM17080ROS
White Rectangular Tray 1700 x 900mm - Square Waste	GEM17090RWS
Graphite Black Rectangular Tray 1700 x 900mm - Square Waste	GEM17090RBS
Flint Grey Rectangular Tray 1700 x 900mm - Square Waste	GEM17090RGS
Onyx Black Rectangular Tray 1700 x 900mm - Square Waste	GEM17090ROS
White Rectangular Tray 1800 x 800mm - Square Waste	GEM18080RWS
Graphite Black Rectangular Tray 1800 x 800mm - Square Waste	GEM18080RBS
Flint Grey Rectangular Tray 1800 x 800mm - Square Waste	GEM18080RGS
White Rectangular Tray 1800 x 900mm - Square Waste	GEM18090RWS
Graphite Black Rectangular Tray 1800 x 900mm - Square Waste	GEM18090RBS
Flint Grey Rectangular Tray 1800 x 900mm - Square Waste	GEM18090RGS




WHITE GEMSTONE TRAY,  
COUNTERSUNK WITH A  
FLUSH TO FLOOR FINISH

## COLOUR MATCHED WASTE GRILLS

### COLOURED GRILLS

PRODUCT DESCRIPTION	CODE
Gemstone Grill 70mm - Linear Graphite Black	GEMG70LB
Gemstone Grill 70mm - Linear Chrome	GEMG70LC
Gemstone Grill 70mm - Linear Flint Grey	GEMG70LG
Gemstone Grill 70mm - Linear White	GEMG70LW
Gemstone Grill 80mm - Linear Graphite Black	GEMG80LB
Gemstone Grill 80mm - Linear Chrome	GEMG80LC
Gemstone Grill 80mm - Linear Flint Grey	GEMG80LG
Gemstone Grill 80mm - Linear White	GEMG80LW
Gemstone Grill 90mm - Linear Graphite Black	GEMG90LB
Gemstone Grill 90mm - Linear Chrome	GEMG90LC
Gemstone Grill 90mm - Linear Flint Grey	GEMG90LG
Gemstone Grill 90mm - Linear White	GEMG90LW
Gemstone Grill Square - Graphite Black	GEMGSB
Gemstone Grill Square - Chrome	GEMGSC
Gemstone Grill Square - Flint Grey	GEMGSG
Gemstone Grill Square - White	GEMGSW
Gemstone Grill Square - Onyx Black	GEMGSOB



GRAPHITE BLACK  
COLOUR MATCHED GRILL



WHITE COLOUR  
MATCHED GRILL



## GEMSTONE INFORMATION

### GUARANTEE

Your Gemstone tray must be inspected 100% before installation. Fitting of tray is acceptance of quality. Please read fitting instructions fully before installation.

Before tiling and placing the screen or any other fixed material on the shower tray, please make sure that the perimeters of your tray are 100% level in all directions.

The guarantee only covers the replacement or repair of the product and excludes any other compensation, assembly or travel costs.

Gemstone Trays are guaranteed for 2 years, in accordance with current European regulations.

**The following are excluded from the guarantee:**

- Damage caused by misuse
- Damage caused by the use of unsuitable cleaning materials (do not use products containing acids, alcohol, chlorine or solvents, do not spill drain cleaners onto the shower tray, do not use metallic or scouring pads)
- Damage caused by improper installation
- Damage caused by the improper handling of the product

Our products must be installed by qualified personnel to be eligible for the product guarantee. An installation guide will be delivered with the tray for its proper placement.

**Before installing the tray you should make sure that:**

- The tray drains well and is 100% level
- It has no anomalies
- **The tray has been stored in a horizontal position, on a flat surface, until installation**

### CLEANING

- Routine: rinse and leave to dry
- Thorough: rub with a soft cloth with neutral liquid detergent; for limescale prevention use an anti-lime product

**Please note, Gemstone Trays are manufactured from a natural stone resin composition. You must allow for a tray thickness tolerance of 2 - 3mm.**

### CHEMICAL TESTS

Chemical resistance tested in accordance with UNE-EN 12527 - No deterioration.

### CHEMICAL TESTING COMPOSITION

Acetyl acid (10%), sodium hydroxide (10%), ethanol (70%), bleach, methylene blue (1%).

CLEANING SOLVENT (PRODUCT)	EXPOSURE TIME (DAYS)	RESULT OF VISUAL INSPECTION
Don Limpio Neutral PH	4	No Visible Effect
Perfumed Home Bleach	4	Slight Bleaching
Ace	4	Slight Bleaching
Perfumed Ammonia	4	No Visible Effect
Viakal	4	Slight Bleaching
Cillit Bang	4	No Visible Effect
KH-7 Anti-lime	4	No Visible Effect
White Wine Vinegar	4	No Visible Effect
Povidone Iodine	4	No Visible Effect
Hydrochloric Acid	4	No Visible Effect
Hydrogen Peroxide	4	No Visible Effect
Cleaning Solvent	4	No Visible Effect
Methylated Spirits	4	No Visible Effect
Acetone	4	No Visible Effect
Nail Polish Remover	4	No Visible Effect

### PACKAGING AND STORAGE

The products are delivered packed in individual boxes with expanded polystyrene reinforcements, including the drainage grate. **Gemstone trays must be stored in a horizontal position on a flat surface until installation. This prevents the tray from losing shape.**

### FAQ

**Can it be cut?**

Yes, with a diamond cutting wheel.

**Note - Maximum trim of 200mm on rectangular waste trays. Maximum trim of 100mm on linear waste trays, with the cut applied to opposite end to the linear drain.**

**Can it be repaired?**

Although they are highly resistant to any impact, we have a repair kit available to the customer. Please contact us on 01279 443 644 to order your Gemstone Tray repair kit. Lead time applies.

**How should the product be cleaned?**

We recommend cleaning with water and neutral soap, applied with a sponge, never with scouring products or tools.

**What material should I use to install the products?**

Your Gemstone tray must be installed on a fully level glue-cement or mortar base. For sealing the product, it is recommended to use MS flexible polyurethane sealant and / or a neutral silicone.

# ANTI-SLIP SHOWER TRAYS

HEIGHT 40mm (INCLUDING WASTE)

## RECTANGLE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Rectangle Tray 1000 x 800mm	ASTSLI0080R
Anti-Slip Slimline Rectangle Tray 1000 x 900mm	ASTSLI0090R
Anti-Slip Slimline Rectangle Tray 1100 x 800mm	ASTSLI1080R
Anti-Slip Slimline Rectangle Tray 1100 x 900mm	ASTSLI1090R
Anti-Slip Slimline Rectangle Tray 1200 x 700mm	ASTSLI2070R
Anti-Slip Slimline Rectangle Tray 1200 x 760mm	ASTSLI2076R
Anti-Slip Slimline Rectangle Tray 1200 x 800mm	ASTSLI2080R
Anti-Slip Slimline Rectangle Tray 1200 x 900mm	ASTSLI2090R
Anti-Slip Slimline Rectangle Tray 1400 x 700mm	ASTSLI4070R
Anti-Slip Slimline Rectangle Tray 1400 x 800mm	ASTSLI4080R
Anti-Slip Slimline Rectangle Tray 1400 x 900mm	ASTSLI4090R
Anti-Slip Slimline Rectangle Tray 1500 x 700mm	ASTSLI5070R
Anti-Slip Slimline Rectangle Tray 1500 x 800mm	ASTSLI5080R
Anti-Slip Slimline Rectangle Tray 1500 x 900mm	ASTSLI5090R
Anti-Slip Slimline Rectangle Tray 1600 x 700mm	ASTSLI6070R
Anti-Slip Slimline Rectangle Tray 1600 x 800mm	ASTSLI6080R
Anti-Slip Slimline Rectangle Tray 1600 x 900mm	ASTSLI6090R
Anti-Slip Slimline Rectangle Tray 1700 x 700mm	ASTSLI7070R
Anti-Slip Slimline Rectangle Tray 1700 x 800mm	ASTSLI7080R
Anti-Slip Slimline Rectangle Tray 1700 x 900mm	ASTSLI7090R

**Note** - There is a tolerance of up to 10mm in tray sizes above the nominal dimensions. This is to allow for potential shrinkage during the manufacturing process.



SQUARE TRAY



RECTANGLE TRAY



OFFSET QUADRANT TRAY



QUADRANT TRAY



TEXTURED ANTI-SLIP TRAY SURFACE

## SQUARE

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Square Tray 800mm	ASTSL80S
Anti-Slip Slimline Square Tray 900mm	ASTSL90S
Anti-Slip Slimline Square Tray 1000mm	ASTSL100S

## QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Quadrant Tray 800mm	ASTSL80Q
Anti-Slip Slimline Quadrant Tray 900mm	ASTSL90Q
Anti-Slip Slimline Quadrant Tray 1000mm	ASTSL100Q

## OFFSET QUADRANT

PRODUCT DESCRIPTION	CODE
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - <b>Left Hand</b>	ASTSLI0080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 800mm - <b>Right Hand</b>	ASTSLI0080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - <b>Left Hand</b>	ASTSLI0090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1000 x 900mm - <b>Right Hand</b>	ASTSLI0090ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - <b>Left Hand</b>	ASTSLI2080LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 800mm - <b>Right Hand</b>	ASTSLI2080ROQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - <b>Left Hand</b>	ASTSLI2090LOQ
Anti-Slip Slimline Offset Quadrant Tray 1200 x 900mm - <b>Right Hand</b>	ASTSLI2090ROQ

# DESIGNED FOR LIFE



SINCE  
1952

flair  
—

Founded in County Cavan in 1952, Flair have built up a trusted reputation as a specialist in the production of quality shower doors and bath screens. Our reputation has stood the test of time, making us the oldest manufacturer of our kind in Ireland. We are proud to be a brand of choice for customers.

With an unwavering commitment to customer care, Flair combine lifelong knowledge and expertise with advanced production techniques. We offer award winning designs that bring a new sense of enrichment to the bathroom and enjoyment to our customers.

The perfect blend of function and form. Designed for life.



**AWARD WINNING  
PRODUCT DESIGN**



# QUALITY GUARANTEED

### At Flair we have an unwavering commitment to product quality

All ETO Shower Doors are CE approved and quality tested to I.S. EN 14428-2015 Shower Enclosures - Functional Requirements and Test Methods. This includes all normative reference standards including I.S. EN 12150-1-2015 for toughened safety glass.

**ETO Shower Enclosures have been subject to lifetime shower door cycle testing consisting of 40,000 functional cycles, water tests, impact tests and corrosion tests for all components.**

ETO Doors are rigorously tested to ensure that they meet the highest possible industry standards. Transportation testing is also conducted so that the ETO product arrives to our customer in the best possible condition.

### INSTALLATION

Full installation instructions are provided with each ETO product to ensure correct installation. ETO Shower Doors and Side Panels are adjustable between the dimensions stated. All dimensions are approximate.

### ETO Lifetime Guarantee

ETO Shower Doors are covered by a lifetime guarantee against manufacturer defect. This guarantee is valid on the condition that goods are installed and maintained in accordance with the products fitting instructions and best practices. **\*Note: Non glass and detachable parts such as rollers, seals, door dampeners and cover caps are subject to normal wear and tear during usage and are under statutory guarantee for 2 years from time of purchase.**

We ask our customers to register their guarantee online at [www.flairshowers.com](http://www.flairshowers.com) or return the guarantee card that comes with every ETO door.

### CONDITIONS OF SALE

Unless otherwise stated, all price quotations are subject to acceptance within 30 days of date of issue. Other than in the case of faulty goods / incorrect despatch, Flair will not accept the return of any product.


### Aftersales & Spare Parts service

Flair is 100% committed to customer service excellence. We carry a full range of spare parts for each of our product ranges and have dedicated aftersales representatives to deal with any issues you may have.

If you would like to talk to our customer aftercare team, please contact us on +353 42 966 8000.

**AS PART OF OUR CONTINUING POLICY OF PRODUCT IMPROVEMENT, WE RESERVE THE RIGHT TO AMEND SPECIFICATIONS, COLOURS AND PRICES WITHOUT PRIOR NOTICE.**


\*Errors and Omissions Exempt.



---

# CREATE YOUR SPACE

Scale 5mm = 100mm  
25mm x 25mm Grid = 500mm x 500mm  
175mm x 200mm Whole Grid = 3500mm x 4000mm



I/CT/ETO/JN/PRICED



UP / NOVEMBER 2021

# DESIGNED FOR LIFE

Flair Showers Ltd.  
Rocks Road  
Kingscourt  
Co Cavan  
Ireland

T +353 42 966 8000  
E [sales@flairshowers.com](mailto:sales@flairshowers.com)

Connect with us



FLAIRSHOWERS.COM

---