



DESIGN AWARDS

Flair are proud to have received three design accolades in recognition of the ORO shower door collection.




The **Good Design** Award, **RedDot** Award, and **iF Design** Award are seals of global design excellence and a testimony to our passion for product quality and innovation.



PATENTED MAGNETIC GUIDE


The patented Magnetic Guide System is the first of the kind in the industry. It ensures the smoothest of motion for each sliding door as it glides along the bottom rail.




EXPLORE
ORO

ORO

FRAMELESS &
ULTRA FRAMELESS 8mm
SHOWER ENCLOSURE
COLLECTION



SILVER



MATTE BLACK

FINISHES

S - Silver
B - Matte Black


THE ORO[®] COLLECTION

ORO - the epitome of grace & beauty.

With a graceful aesthetic, the award winning ORO collection is a union of design innovation and functional perfection. This signature collection sets the standard in frameless shower door design.

The hand crafted ORO door handles are one of a kind and distinctly individual. The patented magnetic guide system provides a smooth and effortless gliding action for each sliding door. Elegance shines through the curved profile and hinge detailing.









Each ORO detail is carefully considered to enhance your experience every day.



IDEA
CONCEPT
PROTOTYPE
ORO












VISIONARY
DETAILS


 <p>2000mm HEIGHT</p>	2 METRES HIGH	 <p>SEAMLESS INTERIOR COVER STRIPS</p>	CONCEALED INTERIOR FIXATION POINTS
 <p>8mm TOUGHENED SAFETY GLASS</p>	8mm TOUGHENED SAFETY GLASS TO EN12150	 <p>ULTRA CLEAR SEALS</p>	INNOVATIVE ULTRA CLEAR SEALS
 <p>CLEARVUE GLASS COATING</p>	CLEARVUE IS A HYDROPHOBIC GLASS COATING THAT RESISTS THE BUILD UP OF LIMESCALE AND GRIME ON THE GLASS SURFACE	 <p>SUITABLE FOR SHOWER TRAY OR WETROOM INSTALLATION</p>	SUITABLE FOR SHOWER TRAY OR WETROOM FLOOR INSTALLATION
 <p>CRAFTED HANDLE DESIGN</p>	UNIQUELY CRAFTED CHROME PLATED HANDLE	 <p>LIFETIME GUARANTEE</p>	LIFETIME GUARANTEE

THE ORO® COLLECTION

SILVER & BLACK OPTIONS

 <p>SLIDING DOOR</p>	 <p>SLIDING DOOR WITH TWO INLINE PANELS</p>	 <p>SLIDING QUADRANT DOOR</p>
16	18	20
 <p>SLIDING OFFSET QUADRANT DOOR</p>	 <p>HINGED QUADRANT DOOR</p>	 <p>HINGED OFFSET QUADRANT DOOR</p>
22	24	26
 <p>BIFOLD DOOR</p>	 <p>HINGE DOOR</p>	 <p>HINGE DOOR WITH INLINE PANEL</p>
28	30	32
	 <p>HINGE & INLINE DOOR</p>	 <p>HINGE & INLINE DOOR WITH INLINE PANEL</p>
	34	36

THE ORO® ULTRA
FRAMELESS COLLECTION

 <p>BIFOLD DOOR / ULTRA FRAMELESS</p>	 <p>HINGE DOOR / ULTRA FRAMELESS</p>	 <p>HINGE & INLINE / ULTRA FRAMELESS</p>
38	40	42

VISIONARY INNOVATIONS

COUNTERSUNK INTERIOR HINGES
WITH FLUSH TO GLASS FINISH




CURVED HINGE
DETAILING



SIGNATURE
HANDLE
DESIGN



UNIQUELY CRAFTED
BI-FOLD HANDLE




PATENTED MAGNETIC
GUIDE SYSTEM




MINIMALIST BOTTOM
DOOR GUIDE


FUNCTIONAL INNOVATIONS



ULTRA
CLEAR
DOOR
SEALS



CUSHION
CLOSE
DAMPENER
SYSTEM



CURVED
RADIUS
DETAILING
THROUGHOUT





SLIDING DOOR (LEFT HAND)
WITH SEMI FRAMED SIDE PANEL - SILVER

Note: Sliding Door may also be installed to close onto
Side Panel, please check door handing before ordering.



SLIDING DOOR
(LEFT HAND) IN ALCOVE -
MATTE BLACK

SLIDING DOOR

SILVER MATTE BLACK

A delightful choice, the ORO Sliding Door glides along with smooth perfection. The patented magnetic guide on the bottom of the door is the first of it's kind on the market. 8mm toughened safety glass offers a tactile feeling of strength and quality.

The **floating top rail design** is a signature characteristic of the ORO range. With a **seamless interior cover cap**, the top rail also cleverly conceals the roller system. The finishing touch is the **unique handle design** – beautifully formed and a pleasure to use.

DOOR SIZE OPTIONS


PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
1100 - Left Hand	1060	1100	480	OROSA110LSC	—
1100 - Right Hand	1060	1100	480	OROSA110RSC	—
1200 - Left Hand	1160	1200	580	OROSA120LSC	OROSA120LBC
1200 - Right Hand	1160	1200	580	OROSA120RSC	OROSA120RBC
1400 - Left Hand	1360	1400	580	OROSA140LSC	OROSA140LBC
1400 - Right Hand	1360	1400	580	OROSA140RSC	OROSA140RBC
1500 - Left Hand	1460	1500	580	OROSA150LSC	OROSA150LBC
1500 - Right Hand	1460	1500	580	OROSA150RSC	OROSA150RBC
1600 - Left Hand	1560	1600	580	OROSA160LSC	—
1600 - Right Hand	1560	1600	580	OROSA160RSC	—

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	OROSP76BC
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	—
1200	1170	1190	OROSP120SC	—

ACCESSORIES

PRODUCT DESCRIPTION	CODE	CODE
	SILVER	MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL

CLEARVUE
GLASS COATING

SEAMLESS
INTERIOR
COVER STRIPS

ULTRA CLEAR
SEALS

CUSHION CLOSE
DAMPENER
MECHANISM

PATENTED
MAGNETIC
GUIDE SYSTEM

AVAILABLE IN
SILVER &
MATTE BLACK

LIFETIME
GUARANTEE

SLIDING DOOR WITH TWO INLINE PANELS

SILVER MATTE BLACK

The Sliding Door with two inline panels provides a sleek, contemporary look while maximizing space.

The patented magnetic guide system is designed to guarantee the smoothest motion as the door glides around the bottom rail.

The sliding door with two inline panels can be installed in an alcove or with a frameless side panel option and is the perfect choice for a large, luxurious showering zone.


DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm)	MAX (mm)	ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
1200 - Left Hand	1160	1200	412	OROSA2IL120LSC	OROSA2IL120LBC
1200 - Right Hand	1160	1200	412	OROSA2IL120RSC	OROSA2IL120RBC
1400 - Left Hand	1360	1400	493	OROSA2IL140LSC	OROSA2IL140LBC
1400 - Right Hand	1360	1400	493	OROSA2IL140RSC	OROSA2IL140RBC
1500 - Left Hand	1460	1500	542	OROSA2IL150LSC	OROSA2IL150LBC
1500 - Right Hand	1460	1500	542	OROSA2IL150RSC	OROSA2IL150RBC
1600 - Left Hand	1560	1600	542	OROSA2IL160LSC	OROSA2IL160LBC
1600 - Right Hand	1560	1600	542	OROSA2IL160RSC	OROSA2IL160RBC
1700 - Left Hand	1660	1700	614	OROSA2IL170LSC	OROSA2IL170LBC
1700 - Right Hand	1660	1700	614	OROSA2IL170RSC	OROSA2IL170RBC
1800 - Left Hand	1760	1800	614	OROSA2IL180LSC	OROSA2IL180LBC
1800 - Right Hand	1760	1800	614	OROSA2IL180RSC	OROSA2IL180RBC
1900 - Left Hand NEW	1860	1900	614	OROSA2IL190LSC	—
1900 - Right Hand NEW	1860	1900	614	OROSA2IL190RSC	—
2000 - Left Hand	1960	2000	614	OROSA2IL200LSC	OROSA2IL200LBC
2000 - Right Hand	1960	2000	614	OROSA2IL200RSC	OROSA2IL200RBC


FRAMELESS SIDE PANEL OPTIONS *To suit sliding door with two inline panels only

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm)	MAX (mm)	CODE SILVER	CODE MATTE BLACK
700 (SA2IL specific)	660	680	OROSA2ILSP70SC	OROSA2ILSP70BC
800 (SA2IL specific)	760	780	OROSA2ILSP80SC	OROSA2ILSP80BC
900 (SA2IL specific)	860	880	OROSA2ILSP90SC	OROSA2ILSP90BC
1000 (SA2IL specific)	960	980	OROSA2ILSP100SC	OROSA2ILSP100BC
1200 (SA2IL specific)	1160	1180	OROSA2ILSP120SC	OROSA2ILSP120BC


Note - Two side panels can be made used to make a three sided enclosure.




8m TOUGHENED SAFETY GLASS




2000mm HEIGHT




OVERALL 40mm PROFILE ADJUSTMENT




10mm ULTRA LOW BOTTOM RAIL




CLEARVUE GLASS COATING




SEAMLESS INTERIOR COVER STRIPS




ULTRA CLEAR SEALS




CUSHION CLOSE DAMPENER MECHANISM




PATENTED MAGNETIC GUIDE SYSTEM



AVAILABLE IN SILVER & MATTE BLACK



LIFETIME GUARANTEE



RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND FRAMELESS SIDE PANEL* - SILVER



LEFT HAND SLIDING DOOR WITH TWO INLINE PANELS IN ALCOVE - SILVER



RIGHT HAND SLIDING DOOR WITH TWO INLINE PANELS AND TWO TWO FRAMELESS SIDE PANELS* - SILVER

SLIDING QUADRANT DOOR

SILVER MATTE BLACK

Creative engineering has shaped the unique ORO Sliding Quadrant. The top floating rail design ingeniously encloses the roller system to give the door a sleek polished look. Practically speaking, the concealed rollers ensure reduced cleaning time.


Functional distinction continues with the patented magnetic guide system – this design innovation guarantees the smoothest motion as the door glides around the bottom rail. The final detail is the crafted handle design, befitting for the overall elegance of this door.

DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
900 - Left Hand	870	890	480	OROSQ90LSC	OROSQ90LBC
900 - Right Hand	870	890	480	OROSQ90RSC	OROSQ90RBC
1000 - Left Hand NEW	970	990	480	OROSQ100LSC	OROSQ100LBC
1000 - Right Hand NEW	970	990	480	OROSQ100RSC	OROSQ100RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



8mm TOUGHENED SAFETY GLASS

2000mm HEIGHT

20mm PROFILE ADJUSTMENT

10mm ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

AVAILABLE IN SILVER & MATTE BLACK

PATENTED MAGNETIC GUIDE SYSTEM

CUSHION CLOSE DAMPENER MECHANISM

CLEARVUE GLASS COATING

LIFETIME GUARANTEE



SLIDING QUADRANT (RIGHT HAND) - MATTE BLACK



SLIDING QUADRANT (RIGHT HAND) - SILVER



SLIDING OFFSET QUADRANT (RIGHT HAND) - SILVER
(to suit right hand offset quadrant shower tray)



SLIDING OFFSET QUADRANT (RIGHT HAND) - MATTE BLACK
(to suit right hand offset quadrant shower tray)

SLIDING OFFSET QUADRANT DOOR

SILVER MATTE BLACK

Generously proportioned, the ORO Sliding Offset Quadrant is designed to impress in your bathroom. The signature floating rail design cleverly encloses the rollers to give the door a sleek appearance.


Design excellence continues with the **patented magnetic guide system** ensuring the smoothest of motion as the door glides around the bottom rail. The **crafted chrome handles** have perfect symmetry, in line with the overall elegance of the door:

DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
1000 x 800 - Left Hand	770-970	790-990	480	OROSQ80X100LSC	—
1000 x 800 - Right Hand	770-970	790-990	480	OROSQ80X100RSC	—
1000 x 900 - Left Hand	870-970	890-990	480	OROSQ90X100LSC	—
1000 x 900 - Right Hand	870-970	890-990	480	OROSQ90X100RSC	—
1200 x 800 - Left Hand	770-1170	790-1190	480	OROSQ80X120LSC	OROSQ80X120LBC
1200 x 800 - Right Hand	770-1170	790-1190	480	OROSQ80X120RSC	OROSQ80X120RBC
1200 x 900 - Left Hand	870-1170	890-1190	480	OROSQ90X120LSC	OROSQ90X120LBC
1200 x 900 - Right Hand	870-1170	890-1190	480	OROSQ90X120RSC	OROSQ90X120RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE	CODE
	SILVER	MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



8€
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20€
PROFILE ADJUSTMENT

10€
ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

PATENTED MAGNETIC GUIDE SYSTEM

SEAMLESS INTERIOR COVER STRIPS

CUSHION CLOSE DAMPENER MECHANISM

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE

HINGED QUADRANT DOOR

SILVER MATTE BLACK

A hallmark of elegance, the ORO Hinged Quadrant will add a touch of class to your bathroom.


The frameless curved glass is supported by 2 stainless steel stabilising bars that blend seamlessly into the door silhouette. Flush to glass interior **counter sunk hinges** allows you to easily wipe the shower glass clean. Precise in its action, this curved hinge door is secured by **ultra clear magnetic seals** that deliver the perfect positive close action every time.

DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
900 - Left Hand	870	890	570	OROHQ90LSC	OROHQ90LBC
900 - Right Hand	870	890	570	OROHQ90RSC	OROHQ90RBC
1000 - Left Hand	970	990	570	OROHQ100LSC	OROHQ100LBC
1000 - Right Hand	970	990	570	OROHQ100RSC	OROHQ100RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC



8mm
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20mm
PROFILE ADJUSTMENT

COUNTERSUNK INTERIOR HINGES

10mm
ULTRA LOW BOTTOM RAIL

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

STAINLESS STEEL ANGLED STABILISING BARS

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE



HINGED QUADRANT (LEFT HAND) - MATTE BLACK



HINGED QUADRANT (RIGHT HAND) - SILVER



HINGED OFFSET QUADRANT (RIGHT HAND) - SILVER
(to suit right hand offset quadrant shower tray)



HINGED OFFSET QUADRANT (RIGHT HAND) - MATTE BLACK
(to suit right hand offset quadrant shower tray)

HINGED OFFSET QUADRANT DOOR

SILVER MATTE BLACK

Setting the standard in frameless design, the ORO Offset Hinged Quadrant is a shower door of sheer beauty and elegance for your bathroom. The curved frameless glass is supported by 2 minimalist stainless steel stabilising bars. Flush to glass interior counter sunk hinges allow you to easily wipe the shower glass clean.

Precise in its action, the curved hinge door is secured by **ultra clear magnetic seals** that give the perfect close on the shower enclosure.



DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
1000 x 800 - Left Hand	770-970	790-990	570	OROHQ80X100LSC	—
1000 x 800 - Right Hand	770-970	790-990	570	OROHQ80X100RSC	—
1000 x 900 - Left Hand	870-970	890-990	570	OROHQ90X100LSC	—
1000 x 900 - Right Hand	870-970	890-990	570	OROHQ90X100RSC	—
1200 x 800 - Left Hand	770-1170	790-1190	570	OROHQ80X120LSC	OROHQ80X120LBC
1200 x 800 - Right Hand	770-1170	790-1190	570	OROHQ80X120RSC	OROHQ80X120RBC
1200 x 900 - Left Hand	870-1170	890-1190	570	OROHQ90X120LSC	OROHQ90X120LBC
1200 x 900 - Right Hand	870-1170	890-1190	570	OROHQ90X120RSC	OROHQ90X120RBC

ACCESSORIES

PRODUCT DESCRIPTION	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC

LEFT HAND DOOR

RIGHT HAND DOOR

L

R

HANDED PRODUCT
PLEASE SELECT THE CORRECT
DOOR OPENING FOR YOUR SPACE

8mm TOUGHENED SAFETY GLASS

2000mm HEIGHT

20mm PROFILE ADJUSTMENT

COUNTERSUNK INTERIOR HINGES

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

10mm ULTRA LOW BOTTOM RAIL

STAINLESS STEEL ANGLED STABILISING BARS

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE

BIFOLD DOOR

SILVER

MATTE BLACK

The ingenious design of the ORO Bifold Door makes it a firm favourite amongst this 8mm shower door range.

The innovative 180 degree hinge mechanism enables the door to open inwards and outwards, offering you total flexibility. A self stop hinge action prevents the door glass extending into contact with the shower wall or door hinges. The bifold hinge is meticulously engineered giving this frameless door exceptional stability. The signature ORO handle design adds the finishing touch to this bijoux beauty.

DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm)MAX (mm)	ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
700	660700	483	OROBF70SC	—
760	720760	538	OROBF76SC	—
800	760800	575	OROBF80SC	OROBF80BC
900	860900	668	OROBF90SC	OROBF90BC
1000	9601000	759	OROBF100SC	OROBF100BC


SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm)MAX (mm)	CODE SILVER	CODE MATTE BLACK
700	670690	OROSP70SC	OROSP70BC
760	730750	OROSP76SC	OROSP76BC
800	770790	OROSP80SC	OROSP80BC
900	870890	OROSP90SC	OROSP90BC
1000	970990	OROSP100SC	—
1200	11701190	OROSP120SC	—

ACCESSORIES

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Raised Stabilising Bar 1050mm	S-ORO105HSSB	S-ORO105HSSBMB

Note - Stabilising bar must be purchased with the bifold door and semi framed side panel with polished silver corner profile.



UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



BIFOLD DOOR (RIGHT HAND) WITH SEMI FRAMED SIDE PANEL - SILVER



BIFOLD DOOR (LEFT HAND) IN ALCOVE - MATTE BLACK

8mm

TOUGHENED SAFETY GLASS

2000mm

HEIGHT

OVERALL 40mm

PROFILE ADJUSTMENT

10mm

ULTRA LOW BOTTOM RAIL

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

LIFETIME GUARANTEE

HINGE DOOR

SILVER

MATTE BLACK

Experience perfection with the 8mm ORO hinge door. Ideal for smaller spaces, this frameless door features curved radius detailing throughout. Interior fixation points are discreetly concealed by an innovative cover cap design. The countersunk interior hinges allow you to wipe the shower glass clean with ease.

Ultra clear magnetic seals give the hinge door a reassuring close action. The finishing touch is the **crafted chrome handles** – shaped to give a tactile feeling of smooth perfection.

DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE	CODE
	MIN (mm)	MAX (mm)		SILVER	MATTE BLACK
800	760	800	660	OROHD80SC	OROHD80BC
900	860	900	760	OROHD90SC	OROHD90BC
1000	960	1000	860	OROHD100SC	—

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)


PRODUCT SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	OROSP76BC
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	—
1200	1170	1190	OROSP120SC	—

ACCESSORIES

PRODUCT SIZE (mm)	CODE	CODE
	SILVER	MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Raised Stabilising Bar 1050mm	S-ORO105HSSB	S-ORO105HSSBMB

Note - Stabilising bar must be purchased with the with the hinge door and semi framed side panel with polished silver corner profile.

UNIVERSAL - SUITS LEFT OR RIGHT HAND OPENING



STAINLESS STEEL STRAIGHT STABILISING BAR

8mm TOUGHENED SAFETY GLASS

2000mm HEIGHT

OVERALL 40mm PROFILE ADJUSTMENT

10mm ULTRA LOW BOTTOM RAIL

CLEARVUE GLASS COATING

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

UNIVERSAL LEFT OR RIGHT HAND OPENING

LIFETIME GUARANTEE

HINGE DOOR (LEFT HAND) IN ALCOVE - MATTE BLACK



HINGE DOOR (LEFT HAND) WITH SEMI FRAMED SIDE PANEL - SILVER

INLINE PANEL TO SUIT HINGE DOOR

SILVER

MATTE BLACK

The ORO hinge door installed with an inline panel is a practical yet elegant option for the bathroom.

The inline panels offer a great degree of flexibility, with a wide variety of sizes available. This sleek frameless shower door design is suitable for alcove/ recess installation only.

INLINE PANEL OPTIONS

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
100 (No Stabilising Bar Required)	OROIL10SC	—
200 (No Stabilising Bar Required)	OROIL20SC	—
300 (450mm Stabilising Bar Included)	OROIL30SC	OROIL30BC
400 (450mm Stabilising Bar Included)	OROIL40SC	OROIL40BC
500 (450mm Stabilising Bar Included)	OROIL50SC	—
600 (450mm Stabilising Bar Included)	OROIL60SC	—

HINGE DOOR OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
800	760	800	660	OROHD80SC	OROHD80BC
900	860	900	760	OROHD90SC	OROHD90BC
1000	960	1000	860	OROHD100SC	—

BOTTOM BARRIER BAR – TO SUIT HINGE DOOR WITH INLINE PANEL

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
Bottom Barrier Bar 600mm	OROILBB-BF-HDS	OROILBB-BF-HDB

Note - Inline panels only suitable for alcove or recess application (not compatible with side panels)

8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL

CLEARVUE
GLASS COATING

AVAILABLE IN
SILVER &
MATTE BLACK

CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

SEAMLESS
INTERIOR
COVER STRIPS

UNIVERSAL
LEFT OR RIGHT
HAND OPENING

LIFETIME
GUARANTEE



HINGE DOOR WITH INLINE PANEL IN ALCOVE - SILVER



HINGE & INLINE DOOR (RIGHT HAND) WITH SEMI FRAMED SIDE PANEL - MATTE BLACK



HINGE & INLINE DOOR (LEFT HAND) IN ALCOVE - SILVER

8mm
TOUGHENED
SAFETY
GLASS

2000mm
HEIGHT

OVERALL
40mm
PROFILE
ADJUSTMENT

10mm
ULTRA LOW
BOTTOM RAIL

CLEARVUE
GLASS COATING

AVAILABLE IN
SILVER &
MATTE BLACK


CRAFTED
HANDLE DESIGN

ULTRA CLEAR
SEALS

SEAMLESS
INTERIOR
COVER STRIPS

UNIVERSAL
LEFT OR RIGHT
HAND OPENING

LIFETIME
GUARANTEE



HINGE & INLINE OPEN POSITION MEASUREMENTS		
DOOR SIZE	FIXED INLINE PANEL SIZE	DOOR OPEN EXTERNAL PROTRUSION*
1100mm	350mm	770mm
1200mm	400mm	770mm
1400mm	600mm	770mm
1600mm	750mm	770mm

*Door opens to 90° angle.

HINGE & INLINE DOOR

SILVER MATTE BLACK

Striking in its appearance, the ORO Hinge and Inline door is a statement piece for your bathroom.

The **gently curved hinges** have a countersunk interior design and can be wiped clean with ease. The **T-bar stabiliser** has concealed fixings and its sleek construction blends subtly into the products profile. Ultra clear magnetic seals giving a superior close action. The finishing touch is the **crafted chrome handles**, their perfect symmetry complementing the overall elegance of the door.

DOOR SIZE OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
1100 - Left Hand	1060	1100	740	OROHD110LSC	—
1100 - Right Hand	1060	1100	740	OROHD110RSC	—
1200 - Left Hand	1160	1200	740	OROHD120LSC	OROHD120LBC
1200 - Right Hand	1160	1200	740	OROHD120RSC	OROHD120RBC
1400 - Left Hand	1360	1400	740	OROHD140LSC	—
1400 - Right Hand	1360	1400	740	OROHD140RSC	—
1600 - Left Hand	1560	1600	740	OROHD160LSC	—
1600 - Right Hand	1560	1600	740	OROHD160RSC	—

Angled stabilising bar included with each door.

SEMI FRAMED SIDE PANEL OPTIONS (INCLUDES CORNER PROFILE)

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	670	690	OROSP70SC	OROSP70BC
760	730	750	OROSP76SC	OROSP76BC
800	770	790	OROSP80SC	OROSP80BC
900	870	890	OROSP90SC	OROSP90BC
1000	970	990	OROSP100SC	—
1200	1170	1190	OROSP120SC	—

ACCESSORIES

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
20mm Compensating Wall Profile	OROCB20SC	OROCB20BC
Straight Stabilising Bar 1600mm with T Piece	S-ORO160SSB+TB	S-ORO160SSBMB+TB

Note - Stabilising bar must be purchased with the hinge and inline door and semi framed side panel. Stabilising bar is standard 1600mm and can be resized to suit all door sizes.

INLINE PANEL TO SUIT HINGE & INLINE DOOR

SILVER MATTE BLACK

The ORO hinge & Inline door installed with an inline panel achieves a luxurious, spacious feel whilst not compromising on functionality.

With an emphasis on frameless aesthetics, the curved hinges are countersunk on the interior allowing for effortless cleaning of the shower glass. The 8mm toughened safety glass stands at 2 metres tall and boasts Clearvue hydrophobic coating, making this shower door the perfect blend of form and function.

INLINE PANEL OPTIONS

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
100 (No Stabilising Bar Required)	OROIL10SC	—
200 (No Stabilising Bar Required)	OROIL20SC	—
300 (450mm Stabilising Bar Included)	OROIL30SC	OROIL30BC
400 (450mm Stabilising Bar Included)	OROIL40SC	OROIL40BC
500 (450mm Stabilising Bar Included)	OROIL50SC	—
600 (450mm Stabilising Bar Included)	OROIL60SC	—


HINGE AND INLINE DOOR OPTIONS

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
1100 - Left Hand	1060 1100	740	OROHD110LSC	—
1100 - Right Hand	1060 1100	740	OROHD110RSC	—
1200 - Left Hand	1160 1200	740	OROHD120LSC	OROHD120LBC
1200 - Right Hand	1160 1200	740	OROHD120RSC	OROHD120RBC


BOTTOM BARRIER BAR – TO SUIT HINGE AND INLINE DOOR WITH INLINE PANEL APPLICATION

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
Bottom Barrier Bar 2200mm	OROILBB-HDILS	OROILBB-HDILB


Note - Inline panels only suitable for alcove or recess application (not compatible with side panels)




8mm
TOUGHENED
SAFETY
GLASS




2000mm
HEIGHT




OVERALL
40mm
PROFILE
ADJUSTMENT




10mm
ULTRA LOW
BOTTOM RAIL




CLEARVUE
GLASS COATING




AVAILABLE IN
SILVER &
MATTE BLACK




CRAFTED
HANDLE DESIGN




ULTRA CLEAR
SEALS



SEAMLESS
INTERIOR
COVER STRIPS



UNIVERSAL
LEFT OR RIGHT
HAND OPENING



LIFETIME
GUARANTEE



HINGE & INLINE DOOR WITH INLINE PANEL IN ALCOVE - SILVER

BIFOLD DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

SILVER MATTE BLACK

The ORO Bifold and ultra frameless corner side panel is a truly versatile shower door choice. Designed to open both inwards and outwards, the self stop hinge mechanism prevents the bifold door from folding into contact with the glass panels. The **raised stabilising bar** is engineered to accompany the **frameless corner side panel** and with its extra height, allows the door to fold inwards without restriction.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		CODE	CODE
	MIN (mm)	MAX (mm)	SILVER	MATTE BLACK
700	660	680	OROCSP70SC	—
760	720	740	OROCSP76SC	—
800	760	780	OROCSP80SC	OROCSP80BC
900	860	880	OROCSP90SC	OROCSP90BC
1000	960	980	OROCSP100SC	—



STEP 2 - SELECT SIZE OF DOOR

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS	CODE	CODE
	MIN (mm)	MAX (mm)	(mm)	SILVER	MATTE BLACK
700	660	700	483	OROBF70SC	—
760	720	760	538	OROBF76SC	—
800	760	800	575	OROBF80SC	OROBF80BC
900	860	900	668	OROBF90SC	OROBF90BC
1000	960	1000	759	OROBF100SC	OROBF100BC

STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT SIZE (mm)	CODE	CODE
	SILVER	MATTE BLACK
100	OROKIT1	—
200	OROKIT2	—
300	OROKIT3	OROKIT3B
400	OROKIT4	OROKIT4B

NOTE - BIFOLD DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.
Each corner inline panel kit includes the following components:
Inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



BIFOLD DOOR (LEFT HAND) WITH
ULTRA FRAMELESS CORNER SIDE PANEL - MATTE BLACK



BIFOLD DOOR
(LEFT HAND) WITH
ULTRA FRAMELESS
CORNER SIDE
PANEL - SILVER

HINGE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

SILVER MATTE BLACK

The ORO Hinge Door and ultra frameless corner side panel radiates style and contemporary elegance.

This **corner side panel system** is modular, giving you flexibility with your door and inline panel sizing to suit your shower tray. Minimally designed but with durability in mind, the corner side panel is supported by a **sleek chrome stabilising bar**.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	CODE SILVER	CODE MATTE BLACK
700	660 680	OROCSP70SC	—
760	720 740	OROCSP76SC	—
800	760 780	OROCSP80SC	OROCSP80BC
900	860 880	OROCSP90SC	OROCSP90BC
1000	960 980	OROCSP100SC	—

STEP 2 - SELECT SIZE OF DOOR


PRODUCT SIZE (mm)	ADJUSTMENT SIZE MIN (mm) MAX (mm)	ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
800	760 800	660	OROHD80SC	OROHD80BC
900	860 900	760	OROHD90SC	OROHD90BC
1000	960 1000	860	OROHD100SC	—

STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
100	OROKIT1	—
200	OROKIT2	—
300	OROKIT3	OROKIT3B
400	OROKIT4	OROKIT4B

NOTE - HINGE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

Each corner inline panel kit includes the following components:
inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



T-BAR STABILISER



HINGE DOOR (LEFT HAND) WITH
ULTRA FRAMELESS CORNER SIDE PANEL - SILVER



HINGE DOOR (RIGHT HAND)
WITH ULTRA FRAMELESS CORNER
SIDE PANEL - MATTE BLACK

HINGE AND INLINE DOOR WITH ULTRA FRAMELESS CORNER SIDE PANEL

SILVER

MATTE BLACK

Setting the standard in frameless design, the ORO Hinge and Inline door with ultra frameless corner side panel will make a real style statement in your bathroom.

A generously proportioned shower enclosure, this modular design is ideal for larger showering spaces. With durability in mind, the corner side panel is supported by a minimalist chrome stabilising bar.

STEP 1 - SELECT SIZE OF ULTRA FRAMELESS CORNER SIDE PANEL

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)		
700	660	680	OROCSP70SC	—
760	720	740	OROCSP76SC	—
800	760	780	OROCSP80SC	OROCSP80BC
900	860	880	OROCSP90SC	OROCSP90BC
1000	960	980	OROCSP100SC	—

STEP 2 - SELECT SIZE OF DOOR

PRODUCT SIZE (mm)	ADJUSTMENT SIZE		ACCESS (mm)	CODE SILVER	CODE MATTE BLACK
	MIN (mm)	MAX (mm)			
1100 - Left Hand	1060	1100	740	OROHD110LSC	—
1100 - Right Hand	1060	1100	740	OROHD110RSC	—
1200 - Left Hand	1160	1200	740	OROHD120LSC	OROHD120LBC
1200 - Right Hand	1160	1200	740	OROHD120RSC	OROHD120RBC



STEP 3 - CHOOSE CORNER INLINE PANEL KIT SIZE

PRODUCT SIZE (mm)	CODE SILVER	CODE MATTE BLACK
100	OROKIT5	—
200	OROKIT6	—
300	OROKIT7	OROKIT7B
400	OROKIT8	OROKIT8B

NOTE - HINGE AND INLINE DOOR SIZE PLUS CORNER INLINE PANEL SIZE WILL TOTAL TO THE WIDTH OF YOUR SHOWER TRAY.

*Tolerance of 20mm in the inline panel measurement reflecting the 20mm profile adjustment.

Each corner inline panel kit includes the following components:
inline panel, bottom barrier bar and stabilising bar with fixing brackets.
Ultra clear seal or 3M tape option supplied for corner inline panel fixation.



HINGE AND INLINE DOOR (LEFT HAND) WITH ULTRA FRAMELESS CORNER SIDE PANEL - MATTE BLACK

HINGE AND INLINE DOOR (RIGHT HAND) WITH ULTRA FRAMELESS CORNER SIDE PANEL - MATTE BLACK

8€
TOUGHENED SAFETY GLASS

2000mm
HEIGHT

20€
CORNER SIDE PANEL ADJUSTMENT

20€
DOOR ADJUSTMENT

10€
ULTRA LOW BOTTOM RAIL

AVAILABLE IN SILVER & MATTE BLACK

CRAFTED HANDLE DESIGN

ULTRA CLEAR SEALS

SEAMLESS INTERIOR COVER STRIPS

SUITABLE FOR SHOWER TRAY INSTALLATION ONLY


CLEARVUE GLASS COATING

LIFETIME GUARANTEE

ORO[®] DOOR STYLES & HANDED DOOR GUIDE


SLIDING DOOR

Please select carefully the ORO Sliding Door that is the correct hand opening for your space.




SLIDING QUADRANT DOOR

Please select carefully the ORO Sliding Quadrant that is the correct hand opening for your space.




SLIDING OFFSET QUADRANT DOOR

Please select carefully the ORO Sliding Offset Quadrant that is the correct shape for your offset shower tray.




HINGED QUADRANT DOOR

Please select carefully the ORO Hinged Quadrant that is the correct hand opening for your space.




HINGED OFFSET QUADRANT DOOR

Please select carefully the ORO Hinged Offset Quadrant that is the correct shape for your offset shower tray.




BIFOLD DOOR

The ORO Bifold Door is universal, so it can be adapted at installation to suit either left or right hand installation.




HINGED DOOR

The ORO Hinged Door is universal, so it can be adapted at installation to suit either left or right hand installation.



HINGED AND INLINE DOOR

Please select carefully the ORO Hinge and Inline Door that is the correct hand opening for your space.




ORO[®] WATER RETENTION GUIDE

ORO Sliding Doors have an award winning design that reduces the need for invasive seals or large bottom rails allowing the customer a unique frameless showering experience.


As standard, ORO Sliding Doors come with a minimalist bottom barrier bar that does not include the use of an invasive seal or large bottom rail as part of the frameless design.

The ORO enclosure range is tested and certified for water retention in accordance with EN14428 where conventional showering practices are used and the product has been fitted in accordance with the Flair Fitting Instructions.

However, in unconventional showering practices, to further improve water retention and minimise any water escaping from the shower enclosure we have designed additional water retention solutions for optional use by customers.



A - Sliding Door Glass
B - Minimal Barrier Bar




OPTION 1 THRESHOLD SEAL

The OROThreshold seal is a minimal 15mm high silver profile with a discreet clear seal that can be easily fitted on top of the barrier bar during or after installation.

The Threshold seal will provide an increased level of water retention and protect against large surges of water escaping from the shower area. ORO Threshold seals are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:
S-OROSA110TSS, S-OROSA120TSS,
S-OROSA140-160TSS, S-OROSQTSS



A - Sliding Door Glass
B - Minimal Barrier Bar
I - Threshold Seal




OPTION 2 THRESHOLD BARRIER BAR

The OROThreshold Barrier Bar is a larger 27mm high barrier bar which can be easily fitted on top of the barrier bar during or after installation.

The Threshold Barrier Bar offers the highest level of water retention available in the ORO Frameless Sliding Door's design. ORO Threshold Barrier Bars are readily available from Flair Showers and can be ordered using the below product codes.

Product Codes:
S-OROSA110TBS, S-OROSA120TBS,
S-OROSA140-160TBS, S-OROSQTBS



A - Sliding Door Glass
B - Minimal Barrier Bar
2 - Threshold Bar




ORO[®] ALTERNATIVE HANDLES

An alternative choice of ORO handle design is now available. Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome or Matte Black finish.

For ORO Range see pages 16-43.

PRODUCT SIZE	CODE
ORO Alternative Handle - Chrome (compatible with all ORO doors except bifold)	S-OROHLE2
ORO Alternative Handle - Matte Black (compatible with all ORO doors except bifold)	S-OROHLE2B
ORO Alternative Handle for Bifold - Chrome	S-ETO-OROHLE1
ORO Alternative Handle for Bifold - Matte Black	S-ETO-OROLE1B




ETO[®] ALTERNATIVE HANDLES


An alternative choice of ETO handle design is now available. Created to deliver a sleek and contemporary aesthetic, these additional handle options are available in a Polished Chrome, Matte Black or Brushed Brass finish.

For ETO Range see pages 60-93.

PRODUCT SIZE	CODE
ETO Alternative Handle - Chrome	S-ETO-OROHLE1
ETO Alternative Handle - Matte Black	S-ETO-OROLE1B
ETO Alternative Handle - Brushed Brass	S-ETO-OROHLE1BRB



BROWSE OUR WATERFALL LOOKBOOK



FIND
YOUR
FLAIR

flair

Flair Showers

Ireland / Northern Ireland
+353 42 966 8000

England / Scotland / Wales
0800 180 8050

sales@flairshowers.com



WORLD
LAND
TRUST™

www.carbonbalancedpaper.com
CBP017178

FIND
YOUR
FLAIR



FLAIRSHOWERS.COM

