
CREATING
PERFECT
HARMONY™

EETO



PRODUCT DESIGN AWARD WINNER

Flair are proud to have received the Good Design Award accolade in recognition of the ETO shower door collection.

The Good Design Award is a seal of global design excellence and a testimony to our passion for product quality and innovation.



Flair is Proudly Supported by
The European Regional Development Fund

THE ETO[®] COLLECTION

Designed to fit perfectly into your bathroom routine, the robust design of the ETO collection is coupled with clever functional innovations that will ensure long lasting high performance in your home.

The uniquely crafted handle is beautifully precise and features a cleverly integrated towel hook. The sleek handle curvature creates a truly ergonomic and tactile experience for the user. The minimalist profiles and countersunk interior hinges complement the ETO handle design, creating an elegantly contemporary aesthetic.

The stylish yet functional simplicity throughout the ETO range embodies **Design with Purpose**, a concept which lies at the heart of the ETO collection.





ETO INFOLD DOOR WITH SIDE PANEL

THE ETO[®] COLLECTION

SILVER & BLACK OPTIONS

INFOLD DOOR 60	HINGE DOOR 62	HINGE & INLINE DOOR 64
SLIDING DOOR 66	ONE DOOR QUADRANT 68	ONE DOOR OFFSET QUADRANT 70
TWO DOOR QUADRANT 72	TWO DOOR OFFSET QUADRANT 74	CORNER ENTRY 76

NEW - BRUSHED BRASS OPTIONS

	INFOLD DOOR 80	HINGE DOOR 82
HINGE & INLINE DOOR 84	SLIDING DOOR 86	ONE DOOR QUADRANT & OFFSET QUADRANT 88

VISIONARY INNOVATIONS

MAGNETIC INFOLD
LINKAGE SYSTEM



UNIQUELY CRAFTED
ETO HANDLE
WITH INTEGRATED
ROBE HOOK

SOFTLY CURVED
ETO HINGE DESIGN



COUNTER SUNK
INTERIOR HINGES



ULTRA SLIM PROFILE
AND COVER CAP DESIGN

FUNCTIONAL DETAILS

- 

2000mm
HEIGHT

2 METRES HIGH
- 

ULTRA CLEAR
SEALS

VISUALLY ATTRACTIVE
ULTRA CLEAR DOOR SEALS
- 

8mm
TOUGHENED
SAFETY
GLASS

8MM TOUGHENED
SAFETY GLASS THICKNESS,
CERTIFIED TO EN12150
- 

SEAMLESS
INTERIOR
COVER STRIPS

SEAMLESS INTERIOR
COVER STRIPS CONCEAL ALL
FIXATION POINTS INTERNALLY
- 

20mm
PROFILE
ADJUSTMENT

20MM ADJUSTMENT ON
EACH WALL PROFILE
- 

ULTRA SLIM
COVER CAPS

ULTRA SLIM COVER CAP
DESIGN FOR A SLEEK AND
MODERN DOOR AESTHETIC
- 

CRAFTED
HANDLE DESIGN

PRECISELY CRAFTED SOLID CHROME
PLATED ETO HANDLES THAT FEATURE
AN INTEGRATED ROBE HOOK DESIGN
- 

PRESS FIT
SEAL DESIGN

INNOVATIVE PRESS FIT SEAL DESIGN
FOR EASE OF INSTALLATION
- 

CLEARVUE
GLASS COATING

CLEARVUE IS A HYDROPHOBIC
GLASS COATING THAT RESISTS
THE BUILD UP OF LIMESCALE AND
GRIME ON THE GLASS SURFACE
- 

PRE-ASSEMBLED
PROFILE FRAME

PRE-ASSEMBLED DOOR FRAME
ON INFOLD & HINGE DOOR -
FOR EASE OF INSTALLATION
- 

MAGNETIC
CUSHION CLOSE
DOOR SYSTEM

A MAGNETIZED PISTON DOOR
CLOSE MECHANISM GIVES ETO
SLIDING DOORS A CONTROLLED
AND GENTLE CLOSE ACTION
- 

SUITABLE FOR
SIDE PANEL
INSTALLATION

SUITABLE FOR INSTALLATION
WITH SIDE PANELS
- 

COUNTERSUNK
INTERIOR
HINGES

COUNTERSUNK INTERIOR
HINGES ON ALL HINGE DOORS
WITH A FLUSH TO GLASS FINISH
FOR EASE OF CLEANING
- 

SHOWER TRAY
OR WETROOM
APPLICATION

SUITABLE FOR INSTALLATION ON
SHOWER TRAY OR WETROOM FLOOR
- 

QUICK RELEASE
DOUBLE WHEEL
ROLLERS


SUPERIOR DOUBLE WHEEL
ROLLERS WITH A STAINLESS
STEEL WHEEL BEARING AND
WHEEL BRACKET COMPOSITION -
QUICK RELEASE DESIGN
- 

REVERSIBLE

ALL ETO DOOR STYLES ARE
FULLY REVERSIBLE FOR LEFT OR
RIGHT HAND INSTALLATION
- 

LIFETIME
GUARANTEE

LIFETIME
GUARANTEE



DESIGN WITH PURPOSE



MAGNETIC INFOLD LINKAGE SYSTEM

The ETO Infold door features a pioneering magnetic linkage system which ensures the smoothest of motion as the door functions. The solid metal linkage arm is bonded directly to the glass and provides for an ultra minimalist infold door aesthetic. This innovative design removes the need for magnetic seals, giving a beautifully seamless glass edge on the door.

MAGNETIC CUSHION CLOSE DOOR SYSTEM

A concealed piston door close system gives ETO sliding doors a controlled and gentle close action. Double rollers with stainless steel ball bearings and a stainless steel wheel bracket design deliver an effortless sliding experience as the door glides along the magnetised rail.





PATENTED CLICK FIT ASSEMBLY SYSTEM

With our installers in mind, Flair have designed ETO with a patented "Click Fit" Assembly System.

This revolutionary assembly mechanism is screw free and ensures each door can be installed easily and securely.

The tapered dovetail joint locks securely into position, giving a seamless connection between the vertical and horizontal profiles. This pioneering installation system ensures maximum structural integrity within every door and makes ETO the shower door of choice for the busiest of bathrooms.

(European Application No 19170695.1)



IDEA
CONCEPT
PROTOTYPE
ETO

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS


PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE SILVER	CODE MATTE BLACK
700mm	650mm	690mm	496mm	ETOIF70SC	ETOIF70BC
760mm	710mm	750mm	556mm	ETOIF76SC	ETOIF76BC
800mm	750mm	790mm	596mm	ETOIF80SC	ETOIF80BC
900mm	850mm	890mm	696mm	ETOIF90SC	ETOIF90BC
1000mm	950mm	990mm	796mm	ETOIF100SC	ETOIF100BC

SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE SILVER	CODE MATTE BLACK
700mm	660mm	680mm	ETOSP70SC	ETOSP70BC
760mm	720mm	740mm	ETOSP76SC	-
800mm	760mm	780mm	ETOSP80SC	ETOSP80BC
900mm	860mm	880mm	ETOSP90SC	ETOSP90BC
1000mm	960mm	980mm	ETOSP100SC	ETOSP100BC
1100mm	1060mm	1080mm	ETOSP110SC	-
1200mm	1160mm	1180mm	ETOSP120SC	-

NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
Compensating Wall Profile 10mm (included with side panel)	ETOCB10SC	ETOCB10BC
Compensating Wall Profile 25mm	ETOCB25SC	ETOCB25BC



- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- PRE-ASSEMBLED PROFILE FRAME
- LIFETIME GUARANTEE



INFOLD DOOR
ALCOVE INSTALLATION

MATTE BLACK INFOLD DOOR
WITH SIDE PANEL

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS


PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE SILVER	CODE MATTE BLACK
800mm	750mm	790mm	646mm	ETOHD80SC	ETOHD80BC
900mm	850mm	890mm	746mm	ETOHD90SC	ETOHD90BC
1000mm	950mm	990mm	846mm	ETOHD100SC	-

SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE SILVER	CODE MATTE BLACK
700mm	660mm	680mm	ETOSP70SC	ETOSP70BC
760mm	720mm	740mm	ETOSP76SC	-
800mm	760mm	780mm	ETOSP80SC	ETOSP80BC
900mm	860mm	880mm	ETOSP90SC	ETOSP90BC
1000mm	960mm	980mm	ETOSP100SC	ETOSP100BC
1100mm	1060mm	1080mm	ETOSP110SC	-
1200mm	1160mm	1180mm	ETOSP120SC	-

NOTE – An ETO Hinge Door installed with a side panel must be installed with the 10mm compensating profile supplied.

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
Compensating VWall Profile 10mm (included with side panel)	ETOCB10SC	ETOCB10BC
Compensating VWall Profile 25mm	ETOCB25SC	ETOCB25BC



HINGE DOOR WITH SIDE PANEL



CURVED HINGE DETAILING WITH COUNTERSUNK INTERIOR FINISH

MATTE BLACK HINGE DOOR ALCOVE INSTALLATION




HINGE & INLINE DOOR
ALCOVE INSTALLATION



MATTE BLACK
HINGE & INLINE DOOR
WITH SIDE PANEL

SOFTLY CURVED
ETO HINGE
DESIGN WITH
COUNTERSUNK
INTERIOR FINISH



HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.


Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE SILVER	CODE MATTE BLACK
1100mm	1050mm	1090mm	725mm	ETOHD110SC	-
1200mm	1150mm	1190mm	725mm	ETOHD120SC	ETOHD120BC
1300mm	1250mm	1290mm	725mm	ETOHD130SC	-
1400mm	1350mm	1390mm	725mm	ETOHD140SC	ETOHD140BC
1500mm	1450mm	1490mm	725mm	ETOHD150SC	-
1600mm	1550mm	1590mm	725mm	ETOHD160SC	-

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE SILVER	CODE MATTE BLACK
700mm	660mm	680mm	ETOSP70SC	ETOSP70BC
760mm	720mm	740mm	ETOSP76SC	-
800mm	760mm	780mm	ETOSP80SC	ETOSP80BC
900mm	860mm	880mm	ETOSP90SC	ETOSP90BC
1000mm	960mm	980mm	ETOSP100SC	ETOSP100BC
1100mm	1060mm	1080mm	ETOSP110SC	-
1200mm	1160mm	1180mm	ETOSP120SC	-



ELEGANTLY
CRAFTED
ETO HANDLE
DESIGN

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
Compensating Wall Profile 10mm <i>(included with side panel)</i>	ETOCB10SC	ETOCB10BC
Compensating Wall Profile 25mm	ETOCB25SC	ETOCB25BC



2000mm HEIGHT	TOUGHENED SAFETY GLASS	20mm PROFILE ADJUSTMENT	11 CRAFTED HANDLE DESIGN	CLEARVUE GLASS COATING	ULTRA CLEAR SEALS	COUNTERSUNK INTERIOR HINGES
PRESS FIT SEAL DESIGN	ULTRA SLIM CHROME PLATED COVER CAPS	SEAMLESS INTERIOR COVER STRIPS	SHOWER TRAY OR WETROOM APPLICATION	REVERSIBLE	LIFETIME GUARANTEE	

SLIDING DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Sliding Door is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE SILVER	CODE MATTE BLACK
1000mm	950mm	990mm	370mm	ETOSA100SC	-
1100mm	1050mm	1090mm	420mm	ETOSA110SC	ETOSA110BC
1200mm	1150mm	1190mm	470mm	ETOSA120SC	ETOSA120BC
1300mm	1250mm	1290mm	520mm	ETOSA130SC	-
1400mm	1350mm	1390mm	520mm	ETOSA140SC	ETOSA140BC
1500mm	1450mm	1490mm	570mm	ETOSA150SC	-
1600mm	1550mm	1590mm	570mm	ETOSA160SC	-
1700mm	1650mm	1690mm	570mm	ETOSA170SC	-
1800mm	1750mm	1790mm	570mm	ETOSA180SC	-

SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE SILVER	CODE MATTE BLACK
700mm	660mm	680mm	ETOSP70SC	ETOSP70BC
760mm	720mm	740mm	ETOSP76SC	-
800mm	760mm	780mm	ETOSP80SC	ETOSP80BC
900mm	860mm	880mm	ETOSP90SC	ETOSP90BC
1000mm	960mm	980mm	ETOSPI00SC	ETOSPI00BC
1100mm	1060mm	1080mm	ETOSPI10SC	-
1200mm	1160mm	1180mm	ETOSPI20SC	-

NEW - FRAMELESS SIDE PANELS (Suitable only for Sliding Door)

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE SILVER	CODE MATTE BLACK
700mm	660mm	680mm	ETOFSP70SC	ETOFSP70BC
760mm	720mm	740mm	ETOFSP76SC	ETOFSP76BC
800mm	760mm	780mm	ETOFSP80SC	ETOFSP80BC
900mm	860mm	880mm	ETOFSP90SC	ETOFSP90BC
1000mm	960mm	980mm	ETOFSP100SC	ETOFSP100BC
1200mm	1160mm	1180mm	ETOFSP120SC	ETOFSP120BC

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - SILVER	CODE - MATTE BLACK
Compensating VWall Profile 10mm (included with side panel)	ETOCB10SC	ETOCB10BC
Compensating VWall Profile 25mm	ETOCB25SC	ETOCB25BC



MAGNETIC CUSHION CLOSE DOOR SYSTEM



STAINLESS STEEL DOUBLE ROLLERS - QUICK RELEASE DESIGN



MATTE BLACK SLIDING DOOR WITH SEMI FRAMED SIDE PANEL

NOTE – An ETO Sliding door installed with a side panel must be installed with the 10mm compensating profile supplied.



SLIDING DOOR ALCOVE INSTALLATION

ONE DOOR QUADRANT

The ETO One Door Quadrant is perfectly shaped to make the most out of a corner bathroom space.

Ideal for any bathroom, the innovative magnetic cushion close feature ensures a smooth rolling door action on this quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.


ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE SILVER	CODE MATTE BLACK
800mm	770mm	790mm	440mm	ETOOCQ80SC	-
900mm	870mm	890mm	484mm	ETOOCQ90SC	ETOOCQ90BC
1000mm	970mm	990mm	484mm	ETOOCQ100SC	-



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



ONE DOOR QUADRANT - SILVER

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- SILVER & BLACK OPTIONS AVAILABLE *SELECTED DOOR STYLES
- LIFETIME GUARANTEE



ONE DOOR QUADRANT MATTE BLACK

ONE DOOR OFFSET QUADRANT

The ETO One Door Offset Quadrant is perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.


ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE SILVER	CODE MATTE BLACK
1000 x 800mm Long Side Opening	770-970mm	790-990mm	440mm	ETOOCQ100X80SCL	ETOOCQ100X80BCL
1200 x 800mm Long Side Opening	770-1170mm	790-1190mm	440mm	ETOOCQ120X80SCL	ETOOCQ120X80BCL
1200 x 900mm Long Side Opening	870-1170mm	890-1190mm	484mm	ETOOCQ120X90SCL	ETOOCQ120X90BCL



QUICK RELEASE ROLLER DESIGN



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



ONE DOOR OFFSET QUADRANT - MATTE BLACK

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- SILVER & BLACK OPTIONS AVAILABLE *SELECTED DOOR STYLES
- LIFETIME GUARANTEE



ONE DOOR OFFSET QUADRANT - SILVER

TWO DOOR QUADRANT

Perfect for the every day, the gently curved detailing of this stylish Two Door Quadrant exudes contemporary elegance.

The magnetic cushion close door system brings both sliding doors to a controlled and gentle stop. The 8mm curved glass features ClearVue glass coating which repels against grime and limescale.


Superior quality double wheel rollers have a quick release design and are supported by stainless steel components, promising functional longevity in the busy bathroom environment.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE - SILVER
	MIN	MAX		
900mm	870mm	890mm	528mm	ETOCQ90SC



SUPERIOR DOUBLE WHEEL ROLLER SYSTEM



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- 11 CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- LIFETIME GUARANTEE

TWO DOOR OFFSET QUADRANT

With generous proportions, the ETO Two Door Offset Quadrant is a much favoured corner shower door choice for many discerning homeowners.

The magnetic cushion close door system brings this door to a controlled and gentle stop. The impressive 8mm curved glass features ClearVue hydrophobic coating which repels against grime and limescale.

The sleek yet sturdy metal profiles give this door a robust feel while its gently curved detailing captures the essence of contemporary elegance.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	MAX	ACCESS	CODE - SILVER
1100 x 800mm	770 - 1070mm	790 - 1090mm	458mm	ETOCQ80X110SC
1100 x 900mm	870 - 1070mm	890 - 1090mm	528mm	ETOCQ90X110SC
1200 x 800mm	770 - 1170mm	790 - 1190mm	458mm	ETOCQ80X120SC
1200 x 900mm	870 - 1170mm	890 - 1190mm	528mm	ETOCQ90X120SC



QUICK RELEASE
BOTTOM ROLLERS



MAGNETIC CUSHION
CLOSE DOOR SYSTEM

NOTE – Dedicated 1100 x 800mm and 1100 x 900mm offset quadrant slimline shower trays now available.



- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- LIFETIME GUARANTEE



CORNER ENTRY

The ETO Corner Entry boasts contemporary clean lines and a sturdy semi frameless design. The two door corner sliding configuration make the corner entry an ideal choice for the bathroom where space is limited.

The flush finish on the corner brackets provides for a truly seamless door aesthetic. Quick release double rollers ensure ease of cleaning while the magnetic cushion close system brings this door to a controlled and gentle stop.

Superior magnetic seals ensure watertightness and give a positive close action when both doors are drawn together.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE
	MIN	MAX		
800mm	770mm	790mm	392mm	ETOCE80SC
900mm	870mm	890mm	462mm	ETOCE90SC



ETO CORNER ENTRY HANDLE DESIGN



SLEEK FLUSH CORNER BRACKET DESIGN



CLICK FIT
ASSEMBLY SYSTEM
PATENT PENDING



INTRODUCING ETO[®] BRUSHED BRASS



AWARD WINNING
PRODUCT DESIGNS

ETO[®]

Enhance your bathroom with the newly launched ETO Brushed Brass shower enclosure range.

The Flair design team are uncompromising in using the finest materials as they craft our signature product ranges. ETO brushed brass profiles have an anodised finish, which means they are superbly robust and will stand the test of time.

Anodising is an electrochemical process that converts the metal substrate to a corrosion resistant durable finish. The aluminium oxide is not just applied to the surface like a plating or coating, but it is fully integrated with the underlying aluminium substrate to avoid the risk of peeling or chipping.

The uniquely crafted ETO brushed brass handle has a PVD finish to ensure maximum durability in the busy bathroom environment. PVD technology is one of the most hard-wearing surface finish processes, whereby the original base material is permanently changed to the desired colour composition. This ensures that the surface will not wear off or degenerate over time.

The stylish yet functional simplicity throughout the ETO Brushed Brass range embodies Design with Purpose, a concept which lies at the heart of the ETO collection.



ETO BRUSHED BRASS COLLECTION

INFOLD DOOR

The ETO Infold is the perfect blend of elegance with practical functionality.

This outward opening door protrudes minimally into the bathroom, saving on space. The unique Infold door design also affords generous access to the shower.

The ETO Infold features a pioneering magnetic linkage system which gives the door a perfectly smooth gliding action. This innovative design removes the need for magnetic seals on the glass, giving a beautifully seamless glass edge to the door.

As is standard across the ETO range, the Infold door is constructed from 8mm toughened safety glass with ClearVue hydrophobic coating. All interior fixings are fully concealed, making this shower enclosure as delightful internally as externally.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE BRUSHED BRASS
800mm	750mm	790mm	596mm	ETOIF80BRBC
900mm	850mm	890mm	696mm	ETOIF90BRBC
1000mm	950mm	990mm	796mm	ETOIF100BRBC

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*


PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE BRUSHED BRASS
700mm	660mm	680mm	ETOSP70BRBC
800mm	760mm	780mm	ETOSP80BRBC
900mm	860mm	880mm	ETOSP90BRBC
1000mm	960mm	980mm	ETOSP100BRBC

NOTE – An ETO Infold installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BRUSHED BRASS
Compensating Wall Profile 10mm (included with side panel)	ETOCB10BRB
Compensating Wall Profile 25mm	ETOCB25BRB

INFOLD - DOOR OPEN POSITION MEASUREMENTS



BRUSHED BRASS INFOLD DOOR ALCOVE INSTALLATION



BRUSHED BRASS INFOLD DOOR WITH SIDE PANEL



BRUSHED BRASS HINGE DOOR WITH SIDE PANEL

ETO BRUSHED BRASS COLLECTION

HINGE DOOR

The stylish yet functional simplicity of the ETO Hinge door makes it the ideal choice for today's contemporary bathroom.

This 2 metre high door is supported by two precisely curved hinges that boast a flush to glass interior finish which allow for ease of cleaning. 8mm toughened safety glass is coated with ClearVue hydrophobic coating to resist the build up of unwanted grime and limescale.

The ETO Hinge door can be fitted independently in an alcove setting or with a dedicated ETO side panel of choice.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE		ACCESS	CODE BRUSHED BRASS
	MIN	MAX		
800mm	750mm	790mm	596mm	ETOHD80BRBC
900mm	850mm	890mm	646mm	ETOHD90BRBC

SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

PRODUCT SIZE	ADJUSTMENT SIZE		CODE BRUSHED BRASS
	MIN	MAX	
700mm	660mm	680mm	ETOSP70BRBC
800mm	760mm	780mm	ETOSP80BRBC
900mm	860mm	880mm	ETOSP90BRBC
1000mm	960mm	980mm	ETOSP100BRBC

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BRUSHED BRASS
Compensating Wall Profile 10mm (included with side panel)	ETOCB10BRB
Compensating Wall Profile 25mm	ETOCB25BRB

BRUSHED BRASS HINGE DOOR ALCOVE INSTALLATION



2000mm HEIGHT	TOUGHENED SAFETY GLASS	20E PROFILE ADJUSTMENT	CRAFTED HANDLE DESIGN	CLEARVUE GLASS COATING	ULTRA CLEAR SEALS	MAGNETIC CUSHION CLOSE DOOR SYSTEM
PRESS FIT SEAL DESIGN	ULTRA SLIM CHROME PLATED COVER CAPS	SEAMLESS INTERIOR COVER STRIPS	SHOWER TRAY OR WETROOM APPLICATION	REVERSIBLE	LIFETIME GUARANTEE	

CLICK FIT
ASSEMBLY SYSTEM
PATENTED



BRUSHED BRASS HINGE & INLINE DOOR ALCOVE INSTALLATION

BRUSHED BRASS HINGE & INLINE DOOR WITH SIDE PANEL



ETO BRUSHED BRASS COLLECTION

HINGE & INLINE DOOR

The impressive ETO Hinge and Inline door is the perfect option for those larger luxurious bathroom spaces.

The flawless semi framed profiles give this door a robust feel, whilst the crafted ETO handle provides optimal functionality with its integrated towel hook design.

Designed with purpose, the softly curved hinges are countersunk into the glass and their flush interior finish allows for ease of cleaning. As is standard across the ETO range, this door comes with ClearVue glass coating which repels grime and limescale build up.


DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE BRUSHED BRASS
1200mm	1150mm	1190mm	725mm	ETOHD120BRBC
1400mm	1350mm	1390mm	725mm	ETOHD140BRBC

SEMI FRAMED SIDE PANEL OPTIONS (Includes Corner Profile)

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE BRUSHED BRASS
700mm	660mm	680mm	ETOSP70BRBC
800mm	760mm	780mm	ETOSP80BRBC
900mm	860mm	880mm	ETOSP90BRBC
1000mm	960mm	980mm	ETOSP100BRBC

NOTE – An ETO Hinge & Inline Door installed with a side panel must be installed with the 10mm compensating profile supplied.



ELEGANTLY CRAFTED ETO HANDLE DESIGN

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BRUSHED BRASS
Compensating Wall Profile 10mm (included with side panel)	ETOCB10BRB
Compensating Wall Profile 25mm	ETOCB25BRB



ETO BRUSHED BRASS COLLECTION

SLIDING DOOR

With minimalist profiles surrounding 8mm toughened safety glass, the ETO Sliding is designed with long lasting durability in mind.

The sliding door glass is guided by stainless steel wheel brackets which provide an effortlessly smooth experience. The magnetic cushion close mechanism ensures a controlled and gentle action as the door opens and closes.

The curvature of the crafted ETO handle feels beautifully precise in hand, whilst also doubling up on functionality with its integrated towel hook design.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE BRUSHED BRASS
1100mm	1050mm	1090mm	420mm	ETOSA110BRBC
1200mm	1150mm	1190mm	470mm	ETOSA120BRBC
1400mm	1350mm	1390mm	520mm	ETOSA140BRBC


SEMI FRAMED SIDE PANEL OPTIONS *(Includes Corner Profile)*

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	CODE BRUSHED BRASS
700mm	660mm	680mm	ETOSP70BRBC
800mm	760mm	780mm	ETOSP80BRBC
900mm	860mm	880mm	ETOSP90BRBC
1000mm	960mm	980mm	ETOSP100BRBC

NOTE – An ETO Slider installed with a side panel must be installed with the 10mm compensating profile supplied.

COMPENSATING PROFILE OPTIONS

PRODUCT DESCRIPTION	CODE - BRUSHED BRASS
Compensating Wall Profile 10mm (included with side panel)	ETOCB10BRB
Compensating Wall Profile 25mm	ETOCB25BRB



BRUSHED BRASS SLIDING DOOR
ALCOVE INSTALLATION



BRUSHED BRASS SLIDING DOOR
WITH SIDE PANEL



ETO BRUSHED BRASS COLLECTION

ONE DOOR QUADRANT & OFFSET QUADRANT


The ETO One Door Quadrant and Offset Quadrant are perfectly shaped to make the most out of a corner bathroom space.

Ideal for larger bathrooms, the innovative magnetic cushion close feature ensures a smooth rolling door action on this offset quadrant. The double wheel rollers have a stainless steel composition for longevity and their quick release design allow for ease of cleaning.

ClearVue hydrophobic coating on the 8mm toughened safety glass resists the build up of grime and limescale on the glass surface. The centrally positioned door opening provides easy access to the shower space and is considerate of furniture positioning within the bathroom.

DOOR SIZE OPTIONS

PRODUCT SIZE	ADJUSTMENT SIZE MIN	ADJUSTMENT SIZE MAX	ACCESS	CODE BRUSHED BRASS
900mm	870mm	890mm	484mm	ETOOCQ90BRBC
1000x800mm Long Side Opening	770-970mm	790-990mm	440mm	ETOOCQ100X80BRBCL
1200x800mm Long Side Opening	770-790mm	1170-1190mm	440mm	ETOOCQ120X80BRBCL
1200x900mm Long Side Opening	870-1170mm	890-1190mm	484mm	ETOOCQ120X90BRBCL



CRAFTED ETO HANDLE WITH INTEGRATED ROBE HOOK FEATURE



BRUSHED BRASS ONE DOOR OFFSET QUADRANT

- 2000mm HEIGHT
- 8mm TOUGHENED SAFETY GLASS
- 20mm PROFILE ADJUSTMENT
- CRAFTED HANDLE DESIGN
- CLEARVUE GLASS COATING
- ULTRA CLEAR SEALS
- MAGNETIC CUSHION CLOSE DOOR SYSTEM
- PRESS FIT SEAL DESIGN
- ULTRA SLIM CHROME PLATED COVER CAPS
- SEAMLESS INTERIOR COVER STRIPS
- SHOWER TRAY OR WETROOM APPLICATION
- REVERSIBLE
- LIFETIME GUARANTEE



BRUSHED BRASS ONE DOOR QUADRANT